As Introduced

136th General Assembly Regular Session 2025-2026

H. B. No. 379

Representative Salvo

To authorize the conveyance of state-owned land.

1

BE IT ENACTED BY THE GENERAL ASSEMBLY OF THE STATE OF OHIO:

Section 1. (A) The Governor may execute a Governor's Deed	2
in the name of the state conveying to one or more purchaser or	3
purchasers, their heirs, successors, and assigns all of the	4
State's right, title, and interest in the following described	5
real estate:	6
Situated in the State of Ohio, County of Greene, in the	7
City of Xenia, in Virginia Military Survey 548.	8
Beginning at the North West corner of Lot No. 12 of Block	9
7 of Frank W. Dodds 2nd Addition to the City of Xenia;	10
Thence with the W line of said Lot No. 12 and the East	11
line of Detroit Boulevard, South 20 feet to a point in the West	12
line of said Lot;	13
Thence at right angles to the West line of said lot, 16	14
feet to the point of beginning of the following description:	15
Thence, Southwardly, parallel and 16 feet East of the West	16
line of Lot No. 12 and Lot No. 1, 289 feet to a point 35 feet	17
North of the North line of Park Drive;	18
Thence, in a Northeasterly direction, parallel with the	19

North line of Park Drive and 30 feet from the same, 444 feet to 20 a point; 21 Thence, in a Northwesterly direction 29 feet to a point 20 22 feet South of the South line of Weaver Street; 23 Thence, in a Westerly direction, parallel with the South 24 line of said Weaver Street and 20 feet South of same, 340 feet 25 to the beginning of this description, containing 54,444 square 26 feet (1.25 acres). The above described tract is parts of Lot 27 Nos. 1 - 2 - 3 - 4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 of Block 28 No. 7 of Frank W. Dodds Second Addition to Xenia as recorded in 29 Plat Book No. 2, Page 102 - 103 (now known as Plat Cabinet 31, 30 Pages 267B-268A) of Greene County Plat Records. 31 Parcel Number(s): M40000200040012600, M40000200040012700, 32 M40000200040012800, M40000200040012900, M40000200040013000, 33 M40000200040013100, M40000200040013200, M40000200040013300, 34 M40000200040013400, M40000200040013500, M40000200040013600, 35 M40000200040013700 36 Prior Instrument: Deed Book 145, Page 118 - Greene County 37 Recorder 38 The foregoing legal description may be corrected or 39 modified by the Department of Administrative Services to a final 40

modified by the Department of Administrative Services to a final40form if such corrections or modifications are needed to41facilitate recordation of the deed.42

Page 2

building, and other laws, ordinances, restrictions, and 49 regulations; and real estate taxes and assessments not yet due 50 and payable. The real estate shall be conveyed in an "as-is, 51 where-is, with all faults" condition. 52

(2) The deed or deeds for the conveyance of the real 53 estate may contain restrictions, exceptions, reservations, 54 reversionary interests, and other terms and conditions the 55 Director of Administrative Services determines to be in the best 56 interest of the State. 57

(3) Subsequent to the conveyance, any restrictions, exceptions, reservations, reversionary interests, or other terms 59 and conditions contained in the deed may be released by the State or the Adjutant General's Department without the necessity of further legislation.

(4) The real estate described above shall be conveyed only if the Director of Administrative Services and the Director of the Adjutant General's Department first have determined that the real estate is surplus real property no longer needed by the State and that the conveyance is in the best interest of the State.

(C) The Director of Administrative Services shall conduct 69 a sale of the real estate by sealed bid auction or public 70 auction, and the real estate shall be sold to the highest bidder 71 at a price acceptable to the Director of Administrative Services 72 73 and the Adjutant General's Department. The Department of Administrative Services shall advertise the sealed bid auction 74 or public auction by publication in a newspaper of general 75 circulation in Greene County, once a week for three consecutive 76 weeks before the date on which the sealed bids are to be opened. 77 The Director of Administrative Services shall notify the 78

Page 3

58

60

61

62

63

64

65

66

67

successful bidder or bidders in writing. The Director of 79 Administrative Services may reject any or all bids. 80

The purchaser shall pay ten percent of the purchase price 81 to the Director of Administrative Services within five business 82 days after receiving the notice the bid has been accepted. When 83 the deposit has been received, the Director and purchaser or 84 purchasers shall enter into a real estate purchase agreement, in 85 the form prescribed by the Department of Administrative 86 Services. The purchaser or purchasers shall pay the balance of 87 the purchase price to the Department of Administrative Services 88 89 within sixty days after receiving notice the bid has been accepted, or at closing. Payment may be made by bank draft or 90 certified check made payable to the Treasurer of State. A 91 purchaser who does not complete the conditions of the sale as 92 prescribed in this division shall forfeit ten percent of the 93 purchase price paid to the State as liquidated damages. If a 94 purchaser fails to complete the purchase, the Director of 95 Administrative Services may accept the next highest bid, subject 96 to the foregoing conditions. If the Director of Administrative 97 Services rejects all bids, the Department of Administrative 98 Services may repeat the sealed bid auction or public auction, or 99 may use an alternative sale process that is acceptable to the 100 Adjutant General's Department. 101

The Adjutant General's Department shall pay advertising 102 and other costs incident to the sale of the real estate. 103

(D) The real estate described in division (A) of thissection shall be sold as an entire tract and not in parcels.

(E) Except as otherwise specified above, the purchaser
shall pay all costs associated with the purchase, closing and
107
conveyance, including surveys, title evidence, title insurance,
108

Page 4

transfer costs and fees, recording costs and fees, taxes, and 109 any other fees, assessments, and costs that may be imposed. 110

The proceeds of the sale of the real estate shall be 111 deposited into the state treasury to the credit of the Fund 5340 112 ALI 745612, Armory Improvements, under section 5911.10 of the 113 Revised Code. 114

(F) Upon execution of the real estate purchase agreement, 115 the Director of Administrative Services, with the assistance of 116 the Attorney General, shall prepare a Governor's Deed to the 117 real estate described in division (A) of this section. The 118 Governor's Deed shall state the consideration and shall be 119 executed by the Governor in the name of the State, countersigned 120 by the Secretary of State, sealed with the Great Seal of the 121 State, presented in the Department of Administrative Services 122 for recording, and delivered to the Grantee(s). The Grantee(s) 123 shall present the Governor's Deed for recording in the Office of 124 the Greene County Recorder. 125

(G) This section shall expire 3 years after its effectivedate.

Section 2. (A) The Governor may execute a Governor's Deed in the name of the State conveying to one or more purchaser or purchasers, their heirs, successors and assigns all of the State's right, title, and interest in the following described real estate:

Situated in the City of Dover, County of Tuscarawas, and 133 State of Ohio and being part of the 3rd Quarter of Township 9, 134 Range 2 of the United States Military Lands; being part of the 135 tract (PN: 15-05312-000) conveyed to The State of Ohio in Vol. 136 538, Pg. 554 and being more fully described as follows: 137

128

129

130

131

Beginning at the northeast corner of a tract conveyed to 138 Ohio Department of Transportation in Vol. 1268, Pg. 2284, being 139 2.07 feet right of Sta. 133+30.75 of the centerline of right of 140 way of Ohio Ave. (C.R. 80) as shown on the TUS-77-24.50 R/W 141 Plans (2006); thence with Wooster Ave. and on the east line of 142 said Ohio Department of Transportation tract, South 26 Degrees 143 48 Minutes 43 Seconds East, a distance of 121.00 feet to the 144 southeast corner of said Ohio Department of Transportation tract 145 and being the TRUE POINT OF BEGINNING for the tract hereinafter 146 described, thence in a clockwise direction along the following 147 eight courses; 148

(1) Thence continuing with Wooster Ave. and on the east line of said State of Ohio tract, South 26 Degrees 48 Minutes 43 Seconds East, a distance of 87.38 feet to a point;

(2) Thence through said State of Ohio tract on a new line
of division, South 63 Degrees 32 Minutes 07 Seconds West,
passing a 5/8-inch iron pin with cap "SHAFFER PS 8726" set at a
distance of 28.90 feet, a total distance of 389.47 feet to a
5/8-inch iron pin with cap "SHAFFER PS 8726" set;

(3) Thence North 69 Degrees 16 Minutes 14 Seconds West, a
distance of 68.78 feet to a 3/4-inch iron pin found on the west
line of said State of Ohio tract and on the east line of a 18.54
acre tract conveyed to Zimmer Orthopedic Surgical Products, Inc.
160
in Vol. 1064, Pg. 2292;

(4) Thence on said line, North 20 Degrees 37 Minutes 59
Seconds East, a distance of 318.28 feet to a 5/8-inch iron pin
with cap "SHAFFER PS 8726" set on the south right of way line of
said Ohio Ave. at the southwest corner of said Ohio Department
of Transportation tract;

Page 6

149

150

(5) Thence on the south right of way line of said Ohio
Ave. and the south line of said Ohio Department of
Transportation tract, South 87 Degrees 03 Minutes 02 Seconds
East, a distance of 162.13 feet to a 5/8-inch iron pin with cap
"SHAFFER PS 8726" set at a point of curvature;

(6) Thence continuing on said line with a curve to the 172 right, having a radius of 50.00 feet, a central angle of 61 173 Degrees 49 Minutes 54 Seconds East, a chord bearing South 56 174 Degrees 08 Minutes 05 Seconds East, a chord length of 51.38 175 feet, an arc length of 53.96 feet to a 5/8 inch iron pin with 176 cap "SHAFFER PS 8726" set at a point of tangency on the west 177 right of way line of said Wooster Ave.; 178

(7) Thence continuing on the south line of said Ohio
Department of Transportation tract and the west right of way
line of said Wooster Ave, South 25 Degrees 13 Minutes 08 Seconds
East, a distance of 54.69 feet to an iron pin with cap
"QUICKSALL" found;

(8) Thence continuing on said line, North 64 Degrees 46
Minutes 52 Seconds East, passing an iron pin with cap
"QUICKSALL" found at a distance of 10.01 feet, a total distance
186 of 37.07 feet to the TRUE POINT OF BEGINNING.

The above described tract contains 1.734 acres, more or188less, and is subject to all easements, restrictions, and189covenants of record.190

Split from Tuscarawas County APN: 15-05312-000

The foregoing legal description may be corrected or192modified by the Department of Administrative Services to a final193form if such corrections or modifications are needed to194facilitate recordation of the deed.195

Page 7

(B) (1) The conveyance shall include the improvements and 196 chattels situated on the real estate, and is subject to all 197 leases, agreements, licenses, permits, memoranda of 198 understanding, easements, covenants, conditions, reservations, 199 and restrictions of record, and encroachments whether of record 200 of not; all legal highways and public rights of way; zoning, 201 202 building, and other laws, ordinances, restrictions, and regulations; and real estate taxes and assessments not yet due 203 and payable. The real estate shall be conveyed in an "as-is, 204 where-is, with all faults" condition. 205

206 (2) The deed for the conveyance of the real estate may contain restrictions, exceptions, reservations, reversionary 207 interests, and other terms and conditions the Director of 208 Administrative Services determines to be in the best interest of 209 the State.

(3) Subsequent to the conveyance, any restrictions, exceptions, reservations, reversionary interests, or other terms and conditions contained in the deed may be released by the State or the Adjutant General's Department without the necessity of further legislation.

(4) The real estate described above shall be conveyed only 216 if the Director of Administrative Services and the Director of 217 the Adjutant General's Department first have determined that the 218 real estate is surplus real property no longer needed by the 219 State and that the conveyance is in the best interest of the 220 State. 221

(C) The Director of Administrative Services shall conduct 222 a sale of the real estate by sealed bid auction or public 223 auction, and the real estate shall be sold to the highest bidder 224 at a price acceptable to the Director of Administrative Services 225

Page 8

210

211

212

213

214

and the Adjutant General's Department. The Department of 226 Administrative Services shall advertise the sealed bid auction 227 or public auction by publication in a newspaper of general 228 circulation in Tuscarawas County, once a week for three 229 consecutive weeks before the date on which the sealed bids are 2.30 to be opened. The Director of Administrative Services shall 231 notify the successful bidder in writing. The Director of 232 Administrative Services may reject any or all bids. 233

234 The purchaser shall pay ten percent of the purchase price to the Director of Administrative Services within five business 235 236 days after receiving the notice the bid has been accepted. When the deposit has been received, the Director and purchaser shall 237 238 enter into a real estate purchase agreement, in the form prescribed by the Department of Administrative Services. The 239 purchaser shall pay the balance of the purchase price to the 240 Department of Administrative Services within sixty days after 241 receiving notice the bid has been accepted, or at closing. 242 Payment may be made by bank draft or certified check made 243 payable to the Treasurer of State. A purchaser who does not 244 complete the conditions of the sale as prescribed in this 245 246 division shall forfeit the ten percent of the purchase price paid to the State as liquidated damages. If a purchaser fails to 247 complete the purchase, the Director of Administrative Services 248 may accept the next highest bid, subject to the foregoing 249 conditions. If the Director of Administrative Services rejects 250 all bids, the Department of Administrative Services may repeat 251 the sealed bid auction or public auction, or may use an 252 alternative sale process that is acceptable to the Adjutant 253 General's Department. 2.54

The Adjutant General's Department shall pay advertising255and other costs incident to the sale of the real estate.256

Page 9

(D) The real estate described in division (A) of this257section shall be sold as an entire tract and not in parcels.258

(E) Except as otherwise specified above, the purchaser
shall pay all costs associated with the purchase, closing, and
conveyance, including surveys, title evidence, title insurance,
transfer costs and fees, recording costs and fees, taxes, and
any other fees, assessments, and costs that may be imposed.

The proceeds of the sale of the real estate shall be 264 deposited into the state treasury to the credit of 5340 ALI 265 745612, Armory Improvements under section 5911.10 of the Revised 266 Code. 267

(F) Upon execution of the real estate purchase agreement, 268 the Director of Administrative Services, with the assistance of 269 the Attorney General, shall prepare a Governor's Deed to the 270 real estate described in division (A) of this section. The 271 Governor's Deed shall state the consideration and shall be 272 executed by the Governor in the name of the State, countersigned 273 by the Secretary of State, sealed with the Great Seal of the 274 State, presented in the Department of Administrative Services 275 for recording, and delivered to the Grantee(s). The Grantee(s) 276 shall present the Governor's Deed for recording in the Office of 277 the Tuscarawas County Recorder. 278

(G) This section shall expire 3 years after its effective 279date. 280

Section 3. (A) The Governor may execute a Governor's Deed 281 in the name of the State conveying to The Board of Education of 282 the Eastland-Fairfield Career and Technical School District 283 ("Grantee"), and its successors and assigns, all of the State's 284 right, title, and interest in the following described real 285

314

estate:	286
Tract A	287
Situated in the City of Groveport, County of Franklin,	288
State of Ohio; also being a part of Section 16, Township 11	289
North, Range 21 West, Congress Lands as held in trust by the	290
State of Ohio pursuant to Ohio School and Ministerial Lands,	291
section 501.01 of the Revised Code; also being a portion of	292
school lands as described in a Journal Entry by the Office of	293
the Auditor of the State of Ohio, Volume 17, Page 48 (dated	294
7/14/1966), allocating a 40.00 acre tract to Eastern Franklin	295
County Joint Vocational School District, now known as The	296
Eastland-Fairfield Career and Technical Schools; being more	297
particularly described as follows:	298
Beginning at a 1" iron pipe found at the intersection of	299
the westerly right-of-way line of Hamilton Road (State Route	300
317; right-of-way varies) and the northerly right-of-way line of	301
Directors Boulevard (80' right-of-way) as dedicated in	302
"Dedication of Williams Road, Marketing Place, Directors	303
Boulevard, Investor Avenue, and Eastland School Avenue (Eastland	304
Corporate Park I)" as recorded in Plat Book 46, Page 93; said	305

Corporate Park I)" as recorded in Plat Book 46, Page 93; said 305 point also being along a westerly line of a 7.507 acre tract as 306 transferred to the State of Ohio, Department of Transportation, 307 as recorded in Deed Book 3241, Page 395, Parcel 22-WL, said 308 point being the TRUE POINT OF BEGINNING, and from said beginning 309 point; running, 310

Along the northerly right-of-way line of Directors 311 Boulevard, North 85° 36' 06" West for a distance of 62.95' to an 312 iron pin set at a point of curvature; thence, 313

Along the northerly right-of-way line of Directors

Boulevard following a curve to the right having an arc length of 315 28.36', a radius of 25.00', a central angle of 65° 00' 00", and 316 a chord that bears North 53° 06' 06" West for a distance of 317 26.86' to an iron pin set at a point of tangency; thence, 318

Along the easterly right-of-way line of Directors 319 Boulevard, North 20° 36' 06" West for a distance of 216.10' to a 320 1" iron pipe found in the northerly line of said 40.00 acre 321 tract, said point being the southwesterly corner of a 3.381 acre 322 tract as conveyed to 4343 South Hamilton Road, LLC as described 323 in Instrument No. 199901040000730; thence, 324

Along the northerly line of said 40.00 acre tract and the 325 southerly line of said 3.381 acre tract, South 85° 36' 06" East 326 for a distance of 170.62' to a 1" iron pipe found, said point 327 being the southeasterly corner of said 3.381 acre tract, said 328 point being along a westerly line of said 7.507 acre tract and 329 along the westerly right-of-way line of Hamilton Road; thence, 330

Along a westerly line of said 7.507 acre tract and along 331 the westerly right-of-way line of Hamilton Road, South 04° 31' 332 49" West for a distance of 40.22' to a 1" iron pipe found; 333 thence,

Along a westerly line of said 7.507 acre tract and along 335 the westerly right-of-way line of Hamilton Road, South 02° 14' 336 23" West for a distance of 170.20' to the point of beginning, 337 containing 0.598 acres of land, more or less, as determined by 338 Michael L. Keller, Professional Surveyor, Ohio License No. 7978, 339 based on a survey performed by The Kleingers Group in June, 340 2017. 341

Basis of bearings for the herein-described courses is the 342 State Plane Coordinate System, Ohio South Zone (NAD83-NSRS2007), 343

with a portion of the westerly right-of-way line of Directors 344 Boulevard being South 20° 36' 06" East as determined by a GPS 345 survey utilizing CORS Station "COLB" and monument "FCGS 9935". 346

Iron pins set are 5/8" rebar, 30" in length, with plastic 347 identifier caps stamped "THE KLEINGERS GROUP". 348

Subject to any easements, restrictions, covenants,349ordinances or agreements of record.350

Tract B

Situated in the City of Groveport, County of Franklin, 352 State of Ohio; also being a part of Section 16, Township 11 353 North, Range 21 West, Congress Lands as held in trust by the 354 State of Ohio pursuant to Ohio School and Ministerial Lands, 355 section 501.01 of the Revised Code; also being a portion of 356 school lands as described in a Journal Entry by the Office of 357 the Auditor of the State of Ohio, Volume 17, Page 48 (dated 358 7/14/1966), allocating a 40.00 acre tract to Eastern Franklin 359 County Joint Vocational School District, now known as The 360 Eastland-Fairfield Career and Technical Schools; being more 361 particularly described as follows: 362

Beginning at a 1" iron pipe found at the intersection of 363 the westerly right-of-way line of Hamilton Road (State Route 364 317; right-of-way varies) and the southerly right-of-way line of 365 Directors Boulevard (80' right-of-way) as dedicated in 366 "Dedication of Williams Road, Marketing Place, Directors 367 Boulevard, Investor Avenue, and Eastland School Avenue (Eastland 368 Corporate Park I)" as recorded in Plat Book 46, Page 93; said 369 point also being along a westerly line of a 7.507 acre tract as 370 transferred to the State of Ohio, Department of Transportation, 371 as recorded in Deed Book 3241, Page 395, Parcel 22-WL, said 372

point being the TRUE POINT OF BEGINNING, and from said beginning 373
point running thence the following four courses along the 374
westerly right-of-way lines of Hamilton Road and along westerly 375
lines of said 7.507 acre tract: 376
(1) South 12° 10' 08" East for a distance of 104.34' to an 377
iron pin set; thence, 378

(2) South 04° 31' 49" West for a distance of 250.00' to an 379 iron pin set; thence, 380

(3) South 06° 26' 22" West for a distance of 300.17' to an 381 iron pin set; thence, 382

(4) South 01° 15' 35" West for a distance of 160.67' to a 383 point, said point referenced by an iron pin set that bears North 384 85° 35' 40" West for a distance of 5.00' from said corner, said 385 point also being along the northerly line of a 49.736 acre 386 tract, the residual of a 49.998 acre tract as conveyed to 387 Madison Local School District as described in Deed Book 3336, 388 Page 482; thence, 389

Along the southerly line of said 40.00 acre tract and 390 along the northerly line of said 49.736 acre tract, North 85° 391 35' 40" West for a distance of 1496.33' to a point, passing over 392 an iron pin set at a distance of 5.00' from the beginning of 393 this course and passing over an iron pin set at a distance of 394 3.00' from the terminus of this course, said point also 395 witnessed by an iron pin that bears South 04° 18' 59" West for a 396 distance of 3.00' from said point; said point also being the 397 southeasterly corner of a 0.2625 acre tract as conveyed to 398 Groveport Madison Local School District as described in 399 Instrument No. 201601070002077, Tract 1, said point also being 400 the northeasterly corner of a 0.2625 acre tract as conveyed to 401

Page 14

Groveport Madison Local School District as described in 402 Instrument No. 201601070002077, Tract 2, thence, 403

Along the easterly line of said 0.2625 acre tract as 404 described in Instrument No. 201601070002077, Tract 1 and then 405 along the easterly line of a 4.647 acre tract as conveyed to 406 Groveport Madison Local School District as described in 407 Instrument No. 201511160161625 and then along the easterly line 408 of a 1.6187 acre tract as conveyed to Groveport Madison Local 409 School District as described in Instrument No. 201601070002077 410 and then along the easterly line of a 2.10 acre tract as 411 conveyed to Corporation of the Presiding Bishop of the Church of 412 Jesus Christ of the Latter-Day Saints as described in Deed Book 413 3752, Page 204, North 04° 18' 59" East for a distance of 414 1100.52' to a 1" iron pipe found, passing over an iron pin set 415 at a distance of 288.33' from the terminus of this course, said 416 point being the northwesterly corner of said 40.00 acre tract, 417 said point also being the northeasterly corner of said 2.10 acre 418 tract, said point also being along the southerly line of a 4.410 419 acre tract as conveyed to Mulligan Real Estate II, LLC as 420 described in Instrument No. 201403140031424; thence, 421

Along the northerly line of said 40.00 acre tract and 422 along the southerly line of said 4.410 acre tract and then along 423 the southerly line of a 1.500 acre tract as conveyed to Charles 424 and Vicki Golden as described in Instrument No. 200108140187784, 425 Instrument No 200108140187785 and Instrument No. 200108140187788 426 and then along the southerly line of a 3.00 acre tract as 427 conveyed to Kinell Properties, LLC as described in Instrument 428 No. 201201050001830 and then along the southerly line of a 2.433 429 acre tract as conveyed to Peerless Saw Company as described in 430 Official Record 8645 B-05, South 85° 36' 06" East for a distance 431 of 1224.44' to a 1" iron pipe found, said point being the 432

southeasterly corner of said 2.433 acre tract and being along 433 the westerly right-of-way line of Directors Boulevard (60' 434 right-of-way as dedicated in Plat Book 46, Page 93); thence, 435

Along the westerly right-of-way line of Directors436Boulevard, South 20° 36' 06" East for a distance of 320.30' to a437railroad spike found; thence,438

Along the southerly right-of-way line of Directors439Boulevard, South 85° 36' 06" East for a distance of 110.81' to440the point of beginning, containing 36.400 acres of land, more or441less, as determined by Michael L. Keller, Professional Surveyor,442Ohio License No. 7978, based on a survey performed by The443Kleingers Group in June, 2017.444

Basis of bearings for the herein-described courses is the445State Plane Coordinate System, Ohio South Zone (NAD83-NSRS2007),446with a portion of the westerly right-of-way line of Directors447Boulevard being South 20° 36' 06" East as determined by a GPS448survey utilizing CORS Station "COLB" and monument "FCGS 9935."449

Iron pins set are 5/8" rebar, 30" in length, with plastic identifier caps stamped "THE KLEINGERS GROUP".

Subject to any easements, restrictions, covenants,452ordinances or agreements of record.453

Tract C

Situated in the City of Groveport, County of Franklin,455State of Ohio; also being a part of Section 16, Township 11456North, Range 21 West, Congress Lands as held in trust by the457State of Ohio pursuant to Ohio School and Ministerial Lands,458section 501.01 of the Revised Code; also being a portion of459school lands as described in a Journal Entry by the Office of460the Auditor of the State of Ohio, Volume 17, Page 48 (dated461

450

451

7/14/1966), allocating a 40.00 acre tract to Eastern Franklin462County Joint Vocational School District, now known as The463Eastland-Fairfield Career and Technical Schools; being more464particularly described as follows:465

Commencing at a 1" iron pipe found at the intersection of 466 the westerly right-of-way line of Hamilton Road (State Route 467 317; right-of-way varies) and the southerly right-of-way line of 468 Directors Boulevard (80' right-of-way) as dedicated in 469 "Dedication of Williams Road, Marketing Place, Directors 470 Boulevard, Investor Avenue, and Eastland School Avenue (Eastland 471 Corporate Park I)" as recorded in Plat Book 46, Page 93; said 472 point also being along a westerly line of a 7.507 acre tract as 473 transferred to the State of Ohio, Department of Transportation, 474 as recorded in Deed Book 3241 Page 395 Parcel 22-WL, thence the 475 following four courses along the westerly right-of-way lines of 476 Hamilton Road and along westerly lines of said 7.507 acre tract: 477

(1) South 12° 10' 08" East for a distance of 104.34' to an 478 iron pin set; thence, 479

(2) South 04° 31' 49" West for a distance of 250.00' to an 480 iron pin set; thence, 481

(3) South 06° 26' 22" West for a distance of 300.17' to an 482 iron pin set; thence, 483

(4) South 01° 15' 35" West for a distance of 160.67' to a
point, said point referenced by an iron pin set that bears North
85° 35' 40" West for a distance of 5.00' from said corner, said
486
point also being along the northerly line of a 49.736 acre
tract, the residual of a 49.998 acre tract as conveyed to
Madison Local School District as described in Deed Book 3336,
Page 482; said point being the thence,

Along the southerly line of said 40.00 acre tract and 491 along the northerly line of said 49.736 acre tract and then 492 along a common line between two 0.2625 acre tracts as conveyed 493 to Groveport Madison Local School District as described in 494 Instrument No. 201601070002077, Tracts 1 and 2, North 85° 35' 495 40" West for a distance of 1877.52' to an iron pin set, passing 496 over an iron pins set at a distance of 5.00' and at a distance 497 of 1493.33 from the beginning of this course, said point being 498 along the southerly line of said 40.00 acre tract, said point 499 also being a common corner of said 49.736 acre tract and said 500 0.2625 acre tracts, said point also being the TRUE POINT OF 501 BEGINNING, and from said beginning point running thence, 502

Along a common line between said 40.00 acre tract and said50349.736 acre tract, North 85° 35' 53" West for a distance of504280.18' to a point generally along Black Lick Creek, said point505witnessed by a 1" iron pipe found that bears South 53° 43' 34"506East for a distance of 0.93' from said point; thence,507

Along a westerly line of said 40.00 acre tract and508generally following Black Lick Creek, North 48° 01' 47" West for509a distance of 49.20' to a point, said point witnessed by a 1"510iron pipe found that bears South 25° 51' 12" East for a distance511of 0.54' from said point; thence,512

Along a northerly line of said 40.00 acre tract, South 85°51335' 53" East for a distance of 319.10' to an iron pin set, said514point being the northwesterly corner of said northerly-most5150.2625 acre tract as described in Instrument No.516201601070002077, Tract 1; thence,517

Along the westerly line of said 0.2625 acre tract, South51804° 15' 07" West for a distance of 30.00' to the point of519beginning, containing 0.206 acres of land, more or less, as520

determined by Michael L. Keller, Professional Surveyor, Ohio521License No. 7978, based on a survey performed by The Kleingers522Group in June, 2017.523

Basis of bearings for the herein-described courses is the524State Plane Coordinate System, Ohio South Zone (NAD83-NSRS2007),525with a portion of the westerly right-of-way line of Directors526Boulevard being South 20° 36' 06" East as determined by a GPS527survey utilizing CORS Station "COLB" and monument "FCGS 9935."528

Iron pins set are 5/8" rebar, 30" in length, with plastic529identifier caps stamped "THE KLEINGERS GROUP."530

Subject to any easements, restrictions, covenants,531ordinances or agreements of record.532

The foregoing legal descriptions may be corrected or533modified by the Department of Administrative Services to a final534form if such corrections or modifications are needed to535facilitate recordation of the deeds.536

(B) In 1966, the Auditor of State, as Supervisor of School
and Ministerial Lands pursuant to former section 501.01 of the
Revised Code consented to the use of these lands by the
predecessor to the Board of Education of the Eastland-Fairfield
Career and Technical School District for school purposes, and
the purpose of this legislation is to fulfill this intention.

(C) Consideration for the conveyance of the real estate543described in division (A) of this section shall be \$1.00.544

(D) The conveyance includes improvements and chattels
545
situated on the real estate, and is subject to all easements,
covenants, conditions, leases, and restrictions of record; all
legal highways and public rights-of-way; zoning, building, and
other laws, ordinances, restrictions, and regulations; and real
549

estate taxes and assessments not yet due and payable. The real 550 estate shall be conveyed in an "as-is, where-is, with all 551 faults" condition. 552

(E) The Grantee shall pay all costs associated with the
purchase, closing and conveyance, including surveys, title
evidence, title insurance, transfer costs and fees, recording
costs and fees, taxes, and any other fees, assessments, and
556
costs that may be imposed.

The net proceeds of the sale shall be deposited into the558state treasury to the credit of the General Revenue Fund.559

560 (F) Upon payment of the purchase price, the Director of Administrative Services, with the assistance of the Attorney 561 General, shall prepare a Governor's Deed to the real estate 562 described in division (A) of this section. The Governor's Deed 563 shall state the consideration and shall be executed by the 564 Governor in the name of the State, countersigned by the 565 Secretary of State, sealed with the Great Seal of the State, 566 presented in the Department of Administrative Services for 567 recording, and delivered to the Grantee. The Grantee shall 568 present the Governor's Deed for recording in the Office of the 569 Franklin County Recorder. 570

(G) This section shall expire 3 years after its effective571date.572

Section 4. (A) The Governor may execute a Governor's Deed573in the name of the State transferring the following described574real estate to the State of Ohio for the use and benefit of the575Board of Education of the Groveport Madison Local School576District ("Grantee"):577

Situated in the State of Ohio, County of Franklin, the

Page 20

City of Groveport and the City of Columbus, and, the Township of 579 Madison, being all of Section 16, Township 11, Range 21, 580 Congress Lands East of the Scioto, as held in trust by the State 581 of Ohio, Department of Administrative Services, and pursuant to 582 Ohio School and Ministerial Lands, section 501.01 of the Revised 583 Code, less and excepting those properties as conveyed out of 584 585 title as identified as Tracts 1 through 21 and being more particularly described as follows: 586

<u>Tract 1</u>

Being situated in the State of Ohio, County of Franklin,588Village of Groveport, Section 16, Township 11, Range 21,589Congress Lands, and being more particularly described as590follows:591

Commencing at a found iron pin at the intersection of the592centerline of Bixby Road with the centerline of Hendron Road,593and at the southwest corner of said Section 16;594

Thence along the southerly line of said Section 16, and595along the centerline of said Bixby Road, South 85 degrees 15596minutes 30 seconds East, a distance of 300.0 feet to a spike and597the TRUE POINT OF BEGINNING OF THIS DESCRIPTION:598

Thence partly across said Section 16, and parallel to the 599 westerly line of said Section 16, passing iron pins on line at 600 30.0 feet and 40.0 feet, North 4 degrees 08 minutes East, a 601 total distance of 940.0 feet to an iron pin; Thence partly 602 across said Section 16, and parallel to the southerly line of 603 said Section 16 (centerline of said Bixby Road), South 85 604 degrees 15 minutes 30 seconds East, a distance of 500.0 feet to 605 606 an iron pin;

Thence partly across said Section 16, South 4 degrees 08 607

minutes West, passing iron pins on line at 900.0 feet and 910.0 608
feet, a total distance of 940.0 feet to a spike in the southerly 609
line of said Section 16, and in the centerline of said Bixby 610
Road; 611

Thence along the southerly line of said Section 16, and along the centerline of said Bixby Road, North 85 degrees 15 minutes 30 seconds West, a distance of 500.0 feet to the place of beginning, containing 10.789 acres, subject to all legal highways and easements and restrictions and leases and agreements and utilities of record.

Tract 2

Situated in the State of Ohio, County of Franklin, Village of Groveport, being part of the northwest quarter of Section 16, Township 11, Range 21, Buckingham's Survey of the Congress Lands and containing 44.557 acres of land, more or less, said 44.57 acres being particularly described as follows:

Beginning, for reference, at a monument assembly at the 624 point of intersection of the centerline of Williams Road and 625 (OLD) Hamilton Road, said point being in the easterly line of 626 the northwest quarter of Section 16; thence S 4° 24' 13" W, with 627 the original centerline of said Hamilton Road, a distance of 628 1,069.07 feet to a point, said point being the northeasterly 629 corner of a 40.00 acre tract of land used by all five of the 630 school districts in the Eastern Franklin County Joint Vocational 631 School District, including the Groveport School District and the 632 Canal Winchester School District in Madison Township and shown 633 of record in "Journal Entry" Office of the Auditor of the State 634 of Ohio; thence N 85° 35' 47" W, perpendicular to the preceding 635 course, with the northerly tine of said 40.00 acre tract, a 636 distance of 104.71 feet to the true point of beginning, said 637

612

613

614

615

616

617

618

619

620

621

622

point located In the westerly right-of-way line of Relocated638Hamilton Road, as the same is shown on State of Ohio, Department639of Highway Plans (FRA-317 6.38) being 140 feet left of Station640146 + 40.27:641

Thence, from said true point of beginning, N 85° 35' 47" W, continuing with the northerly line of said 40.00 acre tract, a distance of 1,847.41 feet to a point:

Thence, N 4° 24' 13" E, perpendicular to the preceding 645 course, parallel to and 1,952.12 feet westerly from (as measured 646 at right angles) the original center line of said Hamilton Road, 647 a distance of 1,042.06 feet to a point, said point located 20 648 feet southerly of the centerline of Williams Road; 649

Thence S 85° 48' 08" E, parallel with and 20.00 feet650southerly from (as measured at right angles) the centerline of651said Williams Road, a distance of 1,477.55 feet to a point, said652point being 20.00 feet left of Station 4+75 as same is shown on653Highway Plan FRA-33-(26.21-30.13);654

Thence, S 78° 57' 34" E, a distance of 125.90 feet to a 655 point, said point located 35.00 feet left of Station 3 + 50 of 656 said Plan; 657

Thence, S 80° 41' 18" E, a distance of 220.25 feet to a 658 point located in the westerly right-of-way line of said 659 relocated Hamilton Road; 660

Thence, S 30° 15' 51" E, with said westerly right-of-way661line, a distance of 65.98 feet to a point, said point located662130.00 feet left of Station 156 + 00 (FRA-317 6.3R);663

Thence with said westerly right-of-way line by the664following four courses and distances:665

642

643

(2) S 4° 51' 58" W, a distance of 300.00 feet to a point,	668
said point located 110.00 feet left of Station 150 + 50;	669
(3) S 15° 50' 30" W, a distance of 152.97 feet to a point,	670
said point located 140.00 feet left of Station 149 + 00;	671
(4) S 4° 31' 53" W, a distance of 259.73 feet to the true	672
point of beginning and containing 44.557 acres of land, more or	673
less.	674
Subject to all easements, right-of-way and restrictions,	675
if any, of previous record.	676
The above description was prepared by Hockaden-Lipes-	677
Rousculp, Inc., Consulting Engineers, Columbus, Ohio, from	678
information obtained by an actual survey of premises.	679
Tract 3	680
Situated in the State of Ohio, County of Franklin,	681
Township of Madison and being part of the Southwest Quarter and	682
part of the Northwest Quarter of Section 16, Township 11, Range	683
21, Congress Lands and being more particularly described as	684

(1) S 0° 02' 29" E, a distance of 250.80 feet to a point,

said point located 110.00 feet left of Station 155 + 50;

follows:

Beginning at a railroad spike in the center line of 686 Hamilton Road and in the easterly line of the Northwest Quarter 687 of Section 16, said spike being S. 4° 28' W. a distance of 688 2169.07 feet from the northeasterly corner of the Northwesterly 689 Quarter of Section 16; thence S. 4° 28' W. along the center line 690 of Hamilton Road and passing an iron pin at the southeast corner 691 of the Northwest Quarter of Section 16 at a distance of 527.43 692 feet, a distance of 1112.83 feet to a railroad spike; thence N. 693

666

667

85° 32' W. and parallel to the northerly line of the Southwest 694 Quarter of Section 16 and 585.40 feet. Southerly therefrom, 695 passing an iron pin on line at 35.00 feet and passing an iron 696 pin at top of bank at a distance of 1689.17 feet a distance of 697 1905.00 feet to a point in the center line of Blacklick Creek; 698 thence in a Northerly direction the following ten courses and 699 distances along the center line of Blacklick Creek: 700 (1) N. 00° 25' 37" W. a distance of 58.61 feet to a point; 701 (2) Thence N. 27° 39' 55" E, a distance of 114.24 feet to 702 703 a point; (3) Thence N. 17° 51' 33" E, a distance of 107.94 feet to 704 a point; 705 (4) Thence N. 7° 18' 03" E, a distance of 202.25 feet to a 706 point; 707 (5) Thence N. 25° 00' 33" W. a distance of 132.10 feet to 708 a point; 709 (6) Thence N. 26° 04' 26" W. a distance of 116.11 feet to 710 a point; 711 (7) Thence N. 56° 44' 59" W. a distance of 207.66 feet to 712 713 a point; (8) Thence N. 28° 12' 59" E. a distance of 109.25 feet to 714 715 a point; (9) Thence N. 22 12' 41" E. a distance of 105.00 feet to a 716 point; 717 (10) Thence N. 47° 57' 54" W. a distance of 209.00 ft. to 718 a point; 719 Said point being Northerly as measured at right angles to 720

Page 25

the southerly line of the Northwest Quarter of Section 16, a 721 distance of 527.43 feet; thence S. 85° 32' E. and parallel to 722 the southerly line of the Northwest Quarter of Section 16, 723 passing an iron pin on line at 271.00 feet, and an iron pin on 724 line at 2190.66 feet a distance of 2225.66 feet to the place of 725 beginning, containing 49.998 acres; subject to all easements and 726 restrictions shown of record; also subject to all legal 727 highways. 728

<u>Tract 4</u> 729

```
PARCEL NO. 1
```

Being situated in the State of Ohio, County of Franklin,731Village of Groveport, and being a part of the Madison School732Section, Section 16, Twp. 11, R. 21, Buckingham's Survey,733Congress Lands, and being more particularly described as734follows:735

Beginning at the Southwesterly corner of Marketing Place736(60' wide) as shown on dedicated plat in Plat Book 46, Page 93,737said point being on the south line of a 44.557 acre tract738conveyed to Ball, Ball, Galloway and Jacobs, an Ohio general739partnership, by deed of record in Deed Book 3327, Page 174, said740point being located a distance of 56.14 feet Easterly of the741Southwest corner of said 44.557 acre tract.742

Thence, South 85 degrees 35 minutes 31 seconds East, along 743 the south line of said Marketing Place, and along a part of the 744 south line of a 4.410 acre tract conveyed to Ball, Ball, 745 Galloway and Jacobs, an Ohio general partnership, by deed of 746 record in Deed Book 3393, Page 888,889, a distance of 330.52 747 feet to a point; 748

Thence, South 4 degrees 24 minutes 29 seconds West, across 749

said Madison School Section, along a line perpendicular to the 750 last described line, a distance of 495.0 feet to a point; 751 Thence North 85 degrees 35 minutes 31 seconds West, across 752 said Madison School Section, along a line perpendicular to the 753 last described line, and along a line parallel to the south line 754 of the said 44.557 acre tract, a distance of 311.19 feet to a 755 756 point, said point being on the arc of a curve having a radius of 70.0 feet; 757 Thence, Southerly and Westerly, along the arc of said 758 curve having a radius of 70.0 feet, sub-delta angle of 180 759 degrees 0 minutes 00 seconds, along chord bearing North 85 760 degrees 35 minutes 31 seconds West, a distance of 140.00 feet to 761 a point; 762 Thence, North 85 degrees 35 minutes 31 seconds West, 763 across said Madison School Section, along a line parallel to the 764 south line of the said 44.557 acre tract, a distance of 365.00 765 feet to a point; 766 Thence, North 20 degrees 34 minutes 54 seconds West, 767 across said Madison School Section, a distance of 275.82 feet to 768 a point; 769 Thence, South 85 degrees 35 minutes 31 seconds East, along 770

a line parallel to the south line of the said 44.557 acre tract, 771 a distance of 527.49 feet to a point, said point being on the 772 arc of a curve to the right having a radius of 730 feet; 773

Thence, Northernly, along the arc of said curve to the774right having a radius of 730 feet, a delta angle of 24 degrees77530 minutes 00 seconds, a chord bearing North 20 degrees 19776minutes 29 seconds East, a distance of 217.90 feet to a point of777reverse curvature; said chord having a sub-delta angle of 17778

degrees 10 minutes 00 seconds;

779

787

Thence, continuing northernly, along the arc of a curve to	780
the left, having a radius of 670 feet, a delta angle of 3	781
degrees 17 minutes 27 seconds, a chord bearing North 27 degrees	782
15 minutes 46 seconds East, a distance of 38.47 feet to the	783
place of beginning containing 7.3032 acres of land, subject	784
however to all legal highways and easements and restrictions of	785
record.	786

PARCEL NO. 2

Being situated in the State of Ohio, County of Franklin,788Village of Groveport, and being a part of the Madison School789Section, Section 16, Township 11, Range 21, Buckingham's Survey,790Congress Lands, and being more particularly described as791follows:792

Commencing at the southwesterly corner of Marketing Place 793 (60' wide) as shown on dedicated plat in Plat Book 46, Page 93, 794 said corner being on the south line of a 44.557 acre tract 795 conveyed to Ball, Ball, Galloway and Jacobs, an Ohio general 796 partnership, by deed of record in Deed Book 3327, Page 174, said 797 corner being located a distance of 56.14 feet easterly of the 798 Southwest corner of the said 44.557 acre tract, said point also 799 being on the arc of a curve to the right having a radius of 670 800 feet; 801

Thence, southerly, along the west right-of-way of a 802 proposed road 60 feet wide and along the arc of a curve to the 803 right having a radius of 670 feet, a sub-delta angle of 3 804 degrees 17 minutes 27 seconds, a chord bearing South 27 degrees 805 15 minutes 46 seconds West, a distance of 38.47 feet to a point 806 of reverse curvature of a said west line; 807

Page 28

Thence, southerly, continuing along the west right-of-way 808 of said proposed road, along the arc of a curve to the left 809 having a radius of 730.0 feet, a delta angle of 24 degrees 30 810 minutes 00 seconds, a long chord bearing South 16 degrees 39 811 minutes 29 seconds East, a distance of 309.78 feet to a point of 812 tangency of said curve; 813

Thence, South 4 degrees 24 minutes 29 seconds West,814continuing along the west right-of-way line of said proposed815road, along a tangent to the last described curve, a distance of81658.84 feet to a point on a curve:817

Thence, southerly, continuing along the said west right-818of-way line, along the arc of a curve to the right having a819radius of 70.0 feet, a delta angle of 44 degrees 24 minutes 55820seconds, a chord bearing South 26 degrees 36 minutes 56 seconds821West, a distance of 52.91 feet to a point of reverse curvature;822

Thence, southerly, continuing along the said west right-823of-way line, along the arc of a curve to the left having a824radius of 70.0 feet, a sub-delta angle of 44 degrees 24 minutes82555 seconds, a chord bearing South 26 degrees 36 minutes 56826seconds West, a distance of 52.91 feet to a point, and the TRUE827POINT OF BEGINNING OF THIS DESCRIPTION;828

Thence, southerly, continuing along the west right-of-way829line, and along the arc of the said curve to the left having a830radius of 70.0 feet, a sub-delta angle of 37 degrees 26 minutes83119 seconds, a chord bearing South 14 degrees 18 minutes 40832seconds East, a distance of 44.93 feet to a point;833

Thence, southwesterly, across said Madison School Section,834along a line radial to the last described curve, S 56°58'10"835West, a distance of 333.02 feet to a point;836

Page 30

865

Thence, North 20 degrees 44 minutes 12 seconds West,	837
across said Madison School Section, a distance of 270.65 feet to	838
a point;	839
Thence, South 85 degrees 35 minutes 31 seconds East, along	840
a line radial to the last described curve, a distance of 365.0	841
feet to the place of beginning, containing 1.1866 acres of land,	842
subject however to all legal highways and easements and	843
restrictions of record.	844
Tract 5	845
Situated in the State of Ohio, County of Franklin, Village	846
of Groveport, Section 16, Township 11, Range 21, Congress Lands,	847
and being a part of School Section 16 as reserved by Act of	848
Congress in the Land Act of May 8, 1796, and being more	849
particularly described as follows:	850
Beginning, for reference, at a monument found at	851
Centerline Station 140+00.00 as shown on a plat entitled	852
"CENTERLINE SURVEY PLAT, FRA-317-6.38", of record in Plat Book	853
41, Page 65, Franklin County Recorder's Office:	854
Thence N 4 degrees 31 minutes 58 seconds E, with said	855
centerline, a distance of 390.28 feet to a point, said point	856
being on the easterly extension of the centerline of Eastland	857
School Avenue as shown on a plat entitled DEDICATION OF WILLIAMS	858
ROAD, MARKETING PLACE, DIRECTORS BOULEVARD, INVESTORS AVENUE,	859
AND EASTLAND SCHOOL AVENUE, of record in Plat Book 46, Page 93;	860
Thence S 85 degrees 35 minutes 31 seconds E, with said	861
easterly extension of the centerline of Eastland School Avenue,	862
a distance of 140.00 feet to an iron pin in the easterly line of	863
a 3.213 acre tract described in a deed to the Ohio Department of	864

Highways (Parcel 22-WD-1), of record in Deed Book 3241, Page

395, said point being the TRUE PLACE OF BEGINNING;	866
Thence S 85 degrees 35 minutes 31 seconds E, continuing	867
with said easterly extension of said centerline, a distance of	868
1260.00 feet to an iron pin;	869
Thence S 4 degrees 24 minutes 29 seconds W, a distance of	870
1586.08 feet to an iron pin;	871
Thence S 85 degrees 35 minutes 31 seconds E, a distance of	872
320.00 feet to an iron pin;	873
Thence S 4 degrees 16 minutes 18 seconds W, a distance of	874
522.00 feet to an iron pin;	875
Thence N 85 degrees 35 minutes 31 seconds W, a distance of	876
1572.72 feet to an iron pin in the easterly line of said 3.213	877
acre tract;	878
Thence N 4 degrees 16 minutes 18 seconds E, with the	879
easterly line of said 3.213 acre tract, passing an iron pin at a	880
distance of 522.00 feet, a total distance of 737.70 feet to an	881
iron pin at an angle point therein, said point being located S	882
85 degrees 35 minutes 26 seconds E (along the angular bisector),	883
a distance of 150.00 feet from a monument found at Station	884
130+19.90 in said centerline;	885
Thence N 3 degrees 57 minutes 45 seconds E, continuing	886
with the easterly line of said 3.213 acre tract, a distance of	887
979.81 feet to an iron pin at an angle point therein, said point	888
being located S 85 degrees 27 minutes 36 seconds E (along the	889
angular bisector), a distance of 140.00 feet from a monument	890
found at Station 140+00.00;	891
Thence N 4 degrees 31 minutes 58 seconds E, continuing	892

Thence N 4 degrees 31 minutes 58 seconds E, continuing892with the easterly line of said 3.213 acre tract, a distance of893

390.60 feet to THE TRUE PLACE OF BEGINNING, containing 64.627 894 acres, more or less, subject to all easements restrictions, and 895 rights-of-way of previous record. 896

Tract 6

Situated in the State of Ohio, County of Franklin, Village 898 of Groveport, Section 16, Township 11, Range 21, Congress Lands, 899 and being a part of School Section 16 as reserved by Act of 900 Congress in the Land Act of May 18, 1796, and being more 901 902 particularly described as follows:

Beginning at an iron pin at the northwesterly corner of a 903 64.627 acre tract described in a deed from the State of Ohio to 904 Ball, Ball, Galloway and Jacobs, recorded February 8, 1978, and 905 bearing instrument No. 17, Page 134, School Lands, said iron pin 906 being in the easterly line of a 3.213 acre tract described in a 907 deed to the Ohio Department of Highways (Parcel 22-WD-1), of 908 record in Deed Book 3241, Page 395; 909

Thence N 4 degrees 31 minutes 58 seconds E, with the 910 easterly line of said 3.213 acre tract, a distance of 9.41 feet 911 to an angle point therein;

Thence N 12 degrees 09 minutes 59 seconds W, continuing 913 with said easterly line, a distance of 16.26 feet to a point; 914

Thence, through said School Lands, the following four 915 courses: 916

(1) S 85 degrees 35 minutes 31 seconds E (parallel to and 917 25.00 feet northerly from the northerly line of said 64.627 acre 918 tract), a distance of 45.70 feet to a point; 919

(2) N 64 degrees 24 minutes 29 seconds E, a distance of 920 55.00 feet to a point; 921

897

65.00 feet to a point; 923 (4) S 4 degrees 24 minutes 29 seconds W, a distance of 924 20.00 feet to a point in the northerly line of said 64.627 acre 925 tract. 926 Thence N 85 degrees 35 minutes 31 seconds W, with said 927 northerly line, a distance of 145.00 feet to the place of 928 beginning, containing 0.114 acres, more or less. 929 930 This description was prepared by Hockaden and Associates, Inc., Consulting Engineers, Columbus, Ohio, a plat of said 0.144 931 932 acre tract being attached hereto and made a part hereof. 933 Tract 7 Situated in the State of Ohio, Franklin County, Village of 934 Groveport, Section 16, Township 11, Range 21, Congress Lands, 935 and being a part of School Section 16 as reserved by act of 936 Congress in the Land Act of May 18, 1796, and being more fully 937 described as follows: 938 Beginning at the northeast corner of a 64.627 acre tract 939 conveyed to Ball, Ball, Galloway and Jacobs, an Ohio general 940 partnership, and recorded February 8, 1978, and bearing 941 942 instrument No. 17, Page 134, School Lands; Thence with the north line of said 64.627 acre tract 943 extended easterly, South 85°35'31" East a distance of 170.00 944 feet; 945 Thence South 00°15'37" East a distance of 232.69 feet; 946 Thence South 29°14'06" East a distance of 158.03 feet; 947 Thence South 02°02'33" West a distance of 1190.81 feet; 948

(3) S 55 degrees 35 minutes 31 seconds E, a distance of

Page 33

Thence South 20°53'00" East a distance of 610.84 feet;	949
Thence North 86°08'06" West a distance of 265.38 feet;	950
Thence with the east line of said 64.627 acre tract North	951
04° 16' 18" East a distance of 522.00 feet;	952
Thence continuing with said east line North 85°35'31" West	953
a distance of 320.00 feet;	954
Thence continuing with said east line North 04°24' 29"	955
East a distance of 1586.08 feet to the point of beginning,	956
containing 11.849 acres more or less.	957
Tract 8	958
Situated in the State of Ohio, County of Franklin, Village	959
of Groveport in the Madison School Section, Section 16, Township	960
11, Range 21, Buckingham's Survey, Congress Lands and being more	961
particularly described as follows:	962
Beginning at an iron pipe in the westerly Cul-de-sac	963
right-of-way line of Marketing Place (said Marketing Place was	964
dedicated in Plat Book 51, Page 119, Recorder's Office, Franklin	965
County) and at the southeasterly corner of the Metal Art	966
Investment Company 1.1866 acre tract (Parcel I) of record in	967
Deed Book 3642, Page 793, said Recorder's Office;	968
Thence, along the line of said Marketing Place and along	969
the arc of a curve to the left having a radius of 70.00 feet, a	970
sub-delta angle of 84 degrees 28 minutes 10 seconds, a tangent	971
distance of 63.55 feet and a chord bearing and distance of South	972
75 degrees 15 minutes 58 seconds East, 94.10 feet to an iron	973
pipe;	974
Thence, across said Madison School Section, South 4	975

degrees 24 minutes 29 seconds West, 355.58 feet to an iron pipe; 976

Thence, continue across said Madison School Section, North97785 degrees 35 minutes 31 seconds West, 165.00 feet to an iron978pipe at the southeasterly corner of the Metal Art Investment979Company, 1.073 acre tract 9 parcel II) of record in Deed Book9803642, Page 793, said Recorder's Office;981

Thence, along the easterly line of said 1.073 acre tract,982North 4 degrees 24 minutes 29 seconds East, 317.00 feet to an983iron pipe at the northeasterly corner of said 1.073 acre tract984and in the southeasterly line of said 1.1866 acre tract;985

Thence, along the southeasterly line of said 1.1866 acre 986 tract, North 56 degrees 58 minutes 10 seconds East, 91.21 feet 987 to the place of beginning, containing 1.320 acres, subject, 988 however, to all legal highways, easements, restrictions, 989 agreements and leases of record and of records in the respective 990 utility offices. 991

The above survey was made by Albert J. Myers, Registered 992 Surveyor No. 6579. 993

Tract 9

Situated in the State of Ohio, County of Franklin, Village995of Groveport, Section 16, Township 11, Range 21, Congress Lands,996and being a part of the School Section 16 as reserved by Act of997Congress in the Land Act of May 18, 1795, and being more998particularly described as follows:999

Beginning, for reference, at the northwesterly corner of a100064.627 acre tract of land described in a deed to Columbus and1001Southern Ohio Electric Company, to Deed Book 3636, Page 229,1002(all references to Deed Books in this description are of record1003in the Recorder's Office, Franklin County, Ohio), said corner1004being in the easterly line of a 3.213 acre tract of land1005

described in a deed to the Ohio Department of Highways (Parcel	1006
22-WD-1), of record in Deed Book 3241, Page 395, thence S	1007
85°35'31" E, with the northerly line of said 64.627 acre tract,	1008
a distance of 181.64 feet to the TRUE PLACE OF BEGINNING;	1009
Thence S 85°35'31" E, continuing with said northerly line,	1010
a distance of 182.11 feet to a point;	1010
a distance of 102.11 feet to a point,	TOTT
Thence N 79°54'08" W, a distance of 187.48 feet to a	1012
point;	1013
Thence S 9°03'45" E, with the easterly right-of-way of	1014
proposed HIGGINS BOULEVARD, a distance of 19.12 feet to the TRUE	1015
PLACE OF BEGINNING, and containing 0.0395 acres of land, more or	1016
less.	1017
This description was prepared by Hockaden and Associates,	1018
Inc., Consulting Engineers, Columbus, Ohio. Cloyd E. Evers,	1019
Registered Surveyor No. 6579.	1020
Tract 10	1021
Situated in the State of Ohio, County of Franklin, Village	1022
of Groveport, Section 16, Township 11, Range 21, Congress Lands,	1023
and being a part of School Section 16 as reserved by Act of	1024
Congress in the Land Act of May 18, 1796, and being more	1025
particularly described as follows:	1026
Beginning, for reference at an iron pin at the	1027
northwesterly corner of a 64.627 acre tract described in a deed	1028
to COLUMBUS & SOUTHERN OHIO ELECTRIC COMPANY, of record in Deed	1029
Book 3636, Page 229, (all references to Deed Books in this	1030
description are of record in the Recorder's Office, Franklin	1031
County, Ohio) said iron pin being in the easterly line of a	1032
3.213 acre tract described in a deed to The Ohio Department of	1033
Highways (Parcel 22-WD-1), of record in Deed Book 3241, Page	1034

Page 36
395, thence N 4°31'58" E, with the easterly line of said 3.213	1035
acre tract, a distance of 9.41 feet to an angle point;	1036
Thence N 12°09'59" W, continuing with said easterly line,	1037
a distance of 16.26 feet to the northwesterly corner of a 0.114	1038
acre tract of land described in a deed to Ball, Ball, Galloway	1039
and Jacobs, of record in Deed Book 3636, page 225, said corner	1040
being the TRUE POINT OF BEGINNING;	1041
Thence N 12°09'59" W, continuing with said easterly line,	1042
a distance of 8.45 feet to a point;	1043
Thence, through said School Lands, the following three	1044
courses:	1045
(1) N 74°40'07" E, a distance of 116.24 feet to a point;	1046
(2) S 55°35'31" E, a distance of 85.10 feet to a point;	1047
(3) S 9°03'45" E, a distance of 30.66 feet to a point in	1048
the northerly line of said 64.627 acre tract.	1049
Thence N 85°35'31" W, with said northerly line, a distance	1050
of 38.22 feet to the southeasterly corner of said 0.114 acre	1051
tract;	1052
Thence, with the easterly and northerly lines of said	1053
0.114 acre tract, the following four courses:	1054
(1) N 4°24'29" E, a distance of 20.00 feet to a point;	1055
(2) N 55°35'31" W, a distance of 65.00 feet to a point;	1056
(3) S $64^{\circ}24'29"$ W, a distance of 55.00 feet to a point;	1057
(4) N 85°35'31" W, a distance of 45.70 feet to the point	1058
of beginning, containing 0.104 acres of land, more or less.	1059
This description was prepared by Hockaden and Associates,	1060

Inc., Consulting Engineers, Columbus, Ohio. Cloyd E. Evers, Registered Surveyor No. 6579.	1061 1062
Tract 11	1063
PARCEL #2	1064
Being situated in the State of Ohio, County of Franklin,	1065
Village of Groveport, and being a part of Madison School	1066
Section, Section 16, Township 11, Range 21, Buckingham's Survey	1067
of Congress Lands, and being more particularly described as	1068
follows:	1069
Commencing at a point on the southerly right-of-way line	1070
of Williams Road (40 feet wide) at the northwesterly corner of	1071
an original 44.557 acre tract conveyed to Ball, Ball, Galloway	1072
and Jacobs shown of record in Deed Book 3327, Page 174, and at	1073
the northwesterly corner of Williams Road as dedicated in Plat	1074
Book 46, Page 93, said point being on the City of Columbus, and	1075
Village of Groveport Corporation line;	1076
Thence, South 4 degrees 24 minutes 29 seconds West, along	1077
	1000

the westerly line of said Williams Road as dedicated in Plat 1078 Book 46, Page 93, and along the westerly line of said 44.557 1079 acre tract, a distance of 20.00 feet to a point and THE TRUE 1080 POINT OF BEGINNING OF THIS DESCRIPTION: 1081

Thence, South 4 degrees 24 minutes 29 seconds West, along1082the westerly line of said 44.557 acre tract, a distance of1083456.33 feet to a point;1084

Thence, North 85 degrees 48 minutes 08 seconds West, along1085a line parallel with the centerline of said Williams Road, a1086distance of 388.48 feet to a point;1087

Thence, North 4 degrees 24 minutes 29 seconds East, along 1088

a line parallel with the westerly line of said 44.557 acre 1089 tract, a distance of 456.33 feet to a point; 1090

Thence, South 85 degrees 48 minutes 08 seconds East, along 1091 a line parallel with and 40.00 feet southerly of and measured at 1092 right angles to the centerline of said Williams Road, a distance 1093 of 388.48 feet to the place of beginning, containing 4.0697 1094 acres, subject however, to all highways and easements of record 1095 and of records, easements and restrictions in the respective 1096 utility offices. 1097

PARCEL #2-A 1098

Being situated in the State of Ohio, County of Franklin,1099Village of Groveport, and being a part of Madison School Section110016, Township 11, Range 21, Buckingham's Survey of Congress1101Lands, and being more particularly described as follows:1102

Beginning at a point on the southerly right-of-way line of1103Williams Road (40 feet wide) at the northwesterly corner of an1104original 44.557 acre tract conveyed to Ball, Ball, Galloway and1105Jacobs shown of record in Deed Book 3327, Page 174, and at the1106northwesterly corner of Williams Road as dedicated in Plat Booke110746, Page 93, said point being on the City of Columbus, and1108Village of Groveport Corporation line;1109

Thence, South 4 degrees 24 minutes 29 seconds West, along 1110 the westerly line of said Williams Road as dedicated in Plat 1111 Book 46, Page 93, a distance of 20.00 feet to a point at the 1112 southwesterly corner of Williams Road dedicated in Plat Book 46, 1113 Page 93; 1114

Thence, North 85 degrees 48 minutes 08 seconds West, along1115a line parallel with and 40.00 feet southerly of measured at1116right angles to the centerline of said Williams Road, a distance1117

of 388.48 feet to a point;

1118

1131

Thence, North 4 degrees 24 minutes 29 seconds East, along	1119
a line parallel with the westerly line of said 44.557 acre	1120
tract, a distance of 20.00 feet to a point on the southerly	1121
right-of-way line of said Williams Road;	1122

Thence, South 85 degrees 48 minutes 08 seconds East, along 1123 the southerly right-of-way line of said Williams Road, and along 1124 a line parallel with and 20.00 feet southerly of and measured at 1125 right angles to the centerline of said Williams Road, a distance 1126 of 388.48 feet to the place of beginning, containing 0.1784 1127 acres, subject however, to all highways and easements of record 1128 and of records, easements and restrictions in the respective 1129 utility offices. 1130

PARCEL 02-B

Being situated in the State of Ohio, County of Franklin,1132Village of Groveport, and being a part of Madison School1133Section, Section 16, Township 11, Range 21, Buckingham's Survey1134of Congress Lands, and being more particularly described as1135follows:1136

Commencing at a point on the Southerly right-of-way line 1137 of Williams Road (40 feet wide) at the northwesterly corner of 1138 an original 44.557 acre tract conveyed to Ball, Ball, Galloway 1139 and Jacobs shown of record in Deed Book 3327, Page 174, and at 1140 the northwesterly corner of Williams Road as dedicated in Plat 1141 Book 46, Page 93, said point being on the City of Columbus and 1142 Village of Groveport Corporation line; 1143

Thence, South 4 degrees 24 minutes 29 seconds West, along1144the westerly line of said Williams Road as dedicated in Plat1145Book 46, Page 93, and along the westerly line of said 44.5571146

acre tract, a distance of 476.33 feet to a point, and THE TRUE 1147 POINT OF BEGINNING OF THIS DESCRIPTION; 1148 Thence, South 4 degrees 24 minutes 29 seconds West, along 1149 the westerly line of said 44.57 acres tract, a distance of 50.00 1150 feet to a point; 1151 Thence, North 85 degrees 48 minutes 08 seconds West, along 1152 a line parallel with the centerline of said Williams Road, a 1153 distance of 408.48 feet to a point; 1154 Thence, North 4 degrees 24 minutes 29 seconds East, along 1155 a line parallel with the westerly line of said 44.557 acre 1156 tract, a distance of 50.00 feet to a point; 1157 Thence, South 85 degrees 48 minutes 08 seconds East, along 1158 a line parallel with the centerline of said Williams Road, a 1159 distance of 408.48 feet to the place of beginning, containing 1160 0.4689 acres, subject however, to all highways and easements of 1161 record and of records, easements and restrictions in the 1162 respective utility offices. 1163 The description for Parcel No. 2, 2-A and 2-B were 1164 prepared by Albert H. Andrews, Registered Surveyor No. 5699. 1165 1166 Tract 12 Being situated in the State of Ohio, County of Franklin, 1167 Village of Groveport, and being a part of Section 16, Township 1168 11, Range 21, Congress Lands, and also being known as School 1169 Section 16 as reserved by Act of Congress in the Land Act of May 1170 18, 1796, and being more particularly described as follows: 1171

Commencing at a point on the easterly limited access1172right-of-way line of Hamilton Road (FRA-317-6.38), and on the1173westerly right-of-way line of Higgins Boulevard as dedicated in1174

Plat Book 58, Page 63, said point being at the northwesterly1175corner of an original 64.627 acre tract conveyed to Columbus and1176Southern Ohio Electric Company shown of record in Deed Book11773636, Page 229;1178

Thence North 4 degrees 31 minutes 58 seconds East, along1179the easterly limited access right-of-way line of said Hamilton1180Road and along the westerly right-of-way line of said Higgins1181Boulevard, a distance of 9.41 feet to an angle point in said1182line;1183

Thence North 12 degrees 09 minutes 59 seconds West 1184 continuing along the easterly limited access right-of-way line 1185 of said Hamilton Road and along the westerly right-of-way line 1186 of said Higgins Boulevard, a distance of 24.72 feet to an iron 1187 pin at the northwesterly corner of said Higgins Boulevard, and 1188 also the northwesterly corner of a 0.104 acre tract conveyed to 1189 Ball, Ball, Galloway and Jacobs shown of record in official 1190 Record 721, Page A-12, and the true point beginning of the 1191 description: 1192

Thence North 12 degrees 09 minutes 59 seconds West,1193continuing along the easterly limited access right-of-way line1194of said Hamilton Road, distance of 79.68 feet to an iron pin at1195the angle point in said line;1196

Thence North 4 degrees 31 minutes 58 seconds East,1197continuing along the easterly limited access right-of-way line1198of said Hamilton Road, a distance of 500.13 feet to an iron pin1199at an angle point in said line;1200

Thence North 1 degree 05 minutes 57 seconds East,1201continuing along the easterly limited access right-of-way line1202of said Hamilton Road, a distance of 500.90 feet to an iron pin1203

at an angle point in said line;

Thence North 4 degrees 31 minutes 58 seconds East, 1205 continuing along the easterly limited access right-of-way line 1206 of said Hamilton Road, a distance of 209.02 feet to an iron pin 1207 at the intersection of the easterly limited access right-of-way 1208 line of said Hamilton Road, with the northerly line of Section 1209 16, (southerly line of Section 9), said point being at the 1210 southwesterly corner of a 3.781 acre tract conveyed to James E. 1211 Gillain shown of record in Deed Book 3172, Page 248; 1212

Thence South 85 degrees 22 minutes 52 seconds East, along 1213 the northerly line of Section 16, and along the southerly line 1214 of said 3.781 acre tract (southerly line of Section 9), a 1215 distance of 872.84 feet to an iron pin on the southwesterly 1216 limited access right-of-way line of U.S. 33 (FRA-33-26.21-30.13) 1217 at the southeasterly corner of said 3.781 acre tract, said point 1218 being at the intersection of the northerly line of Section 16 1219 (southerly line of Section 9), with the southwesterly limited 1220 access right-of-way line of said U.S. 33; 1221

Thence South 49 degrees 26 minutes 03 seconds East, along1222the southwesterly limited access right-of-way line of said U.S.122333, a distance of 68.25 feet to a concrete monument at an angle1224point in said line;1225

Thence South 50 degrees 14 minutes 27 seconds East,1226continuing along the southwesterly limited access right-of-way1227line of said U.S. 33, a distance of 710.07 feet to a concrete1228monument at an angle point in said line;1229

Thence South 49 degrees 26 minutes 03 seconds East,1230continuing along the southwesterly limited access right-of-way1231line of said U.S. 33, a distance of 100.00 feet to a concrete1232

Page 44

monument at an angle point in said line; 1233 Thence South 46 degrees 34 minutes 18 seconds Eat, 1234 continuing along the southwesterly limited access right-of-way 1235 line of said U.S. 33, a distance of 200.25 feet to a concrete 1236 monument at an angle point in said line; 1237 Thence South 52 degrees 17 minutes 48 seconds East, 1238 continuing along the southwesterly limited access right-of-way 1239 line of said U.S. 33, a distance of 159.97 feet to an iron pin 1240 at an angle point in said line; 1241 Thence South 72 degrees 03 minutes 23 seconds West, a 1242 distance of 458.50 feet to an iron pin; 1243 Thence South 0 degrees 15 minutes 37 seconds East, a 1244 distance of 418.51 feet to an iron pin at the northeasterly 1245 corner of an 11.849 acre tract conveyed to Ball, Ball, Galloway 1246 and Jacobs shown of record in Deed Book 3673, Page 519; 1247

Thence North 85 degrees 35 minutes 31 seconds West, along1248the northerly line of said 11.849 acre tract, and along the1249northerly line of said 64.627 acre tract, a distance of 1246.781250feet to a cross in concrete on the easterly right-of-way line of1251said Higgins Boulevard, said point being at the southeasterly1252corner of said 0.104 acre tract;1253

Thence North 9 degrees 03 minutes 45 seconds West, along1254the easterly right-of-way line of said Higgins Boulevard and1255along said line produced northerly, and along the easterly line1256of said 0.104 acre tract, a distance of 30.66 feet to an iron1257pin at the northeasterly corner of said 0.104 acre tract;1258

Thence North 55 degrees 35 minutes 31 seconds West, along1259the northerly right-of-way line of said Higgins Boulevard1260produced easterly, and along the northerly right-of-way line of1261

Higgins Boulevard, and along the northerly line of said 0.1041262acre tract, a distance of 85.10 feet to an iron pin at an angle1263point in the northerly line of said 0.104 acre tract, and at a1264corner of said Higgins Boulevard;1265Thence South 74 degrees 40 minutes 07 seconds West,1266

leaving the northerly right-of way line of said Higgins
Boulevard, and along the northerly line of said 0.104 acre
tract, a distance of 116.24 feet to the place of beginning,
containing 42.849 acres, subject however to all highways and
easements of record and of records, easements, and restrictions
in the respective utility office.

The above description was prepared by Albert H. Andrews,1273Registered Surveyor No. 5699.1274

Tract 13

Being situated in the State of Ohio, County of Franklin,1276Village of Groveport, and being a part of Section 16, Township127711, Range 21, Congress Lands, and also being known as School1278Section 16, as reserved by the Act of Congress in the Land Act1279of May 18, 1796, and being more particularly described as1280follows:1281

Beginning at an iron pin on the westerly right-of-way line 1282 of Marketing Place (60 feet wide), said point being at the 1283 northwesterly corner of Marketing Place (60 feet wide) as 1284 dedicated in Plat Book 51, Page 119, and the southwesterly 1285 corner of Marketing Place (60 feet wide) as dedicated in Plat 1286 Book 46, Page 93, said point being on the southerly line of an 1287 original 44.557 acre tract conveyed to Ball, Ball, Galloway and 1288 Jacobs shown of record in Deed Booke 3327, Page 174; 1289

Thence in a southerly direction, along the westerly right- 1290

of-way line of said Marketing Place, and along the arc of a1291curve to the right having a radius of 670.00 feet, a subdelta1292angle of 3 degrees 17 minutes 27 seconds, a tangent of 19.241293feet, an arc of 38.48 feet, a long chord bearing and distance of1294South 27 degrees 15 minutes 46 seconds West, 38.47 feet to an1295iron pin at a point of Reverse Curvature;1296

Thence in a southerly direction continuing along the 1297 westerly right-of-way line of said Marketing Place, and along 1298 the arc of a curve to the left having a radius of 730.00 feet, a 1299 subdelta angle of 17 degrees 10 minutes, a tangent of 110.18 1300 feet, an arc of 218.72 feet, along chord bearing and distance of 1301 South 20 degrees 19 minutes 29 seconds West, 217.90 feet to an 1302 iron pin at the northeasterly corner of a 2.618 acre tract 1303 conveyed to Westinghouse Electric Corporation shown of record in 1304 Deed Book 3585, Page 445; 1305

Thence North 85 degrees 35 minutes 31 seconds West, along1306the northerly line of said 2.618 acre tract, a distance of1307527.49 feet to an iron pin at the northwesterly corner of said13082.618 acre tract;1309

Thence North 20 degrees 34 minutes 54 seconds West, along1310the westerly line of said 2.618 acre tract produced1311northwesterly, a distance of 393.01 feet to an iron pin;1312

Thence South 85 degrees 35 minutes 31 seconds East, along1313a line parallel with the northerly line of said 2.618 acre1314tract, a distance of 712.08 feet to an iron pin on the westerly1315line of said 44.557 acre tract;1316

Thence South 4 degrees 24 minutes 29 seconds West, along1317the westerly line of said 44.557 acre tract, a distance of1318111.22 feet to an iron pin at the southwesterly corner of said1319

44.557 acre tract; 1320 Thence South 85 degrees 35 minutes 31 seconds East, along 1321 the southerly line of said 44.557 acre tract, a distance of 1322 56.14 feet to the place of beginning, containing 5.211 acres, 1323 subject however to all highways and easements of record, and of 1324 records, easements, and restrictions in the respective utility 1325 offices. 1326 The above description was prepared by Albert H. Andrews 1327 Registered Surveyor No. 5699. 1328 1329 Tract 14 PARCEL 1 1330 Being situated in the State of Ohio, County of Franklin, 1331 Village of Groveport, and being a part of Section 16, Township 1332 11, Range 21, Congress Lands, and also being known as School 1333 Section 16, as reserved by the Act of Congress in the Land Act 1334 of May 18, 1796, and being more particularly described as 1335 follows: 1336 Beginning at an iron pin on the easterly right-of-way line 1337 of South Hamilton Road (State Route 317) (FRA-317-6.38), and on 1338 the easterly line of a 3.213 acre tract (Parcel 22-WD-1) 1339 conveyed to the State of Ohio shown of record in Deed Book 3241, 1340 Page 395, said point being at the southwesterly corner of an 1341 original 64.627 acre tract conveyed to the Columbus and Southern 1342 Ohio Electric Company shown of record in Deed Book 3636, Page 1343 229, and the southwesterly corner of a 3.00 acre tract conveyed 1344 to Madison Township Trustees shown of record in Official Record 1345

seconds West, along the easterly right-of-way line of South 1347 Hamilton Road (Easterly line of said 3.213 acre tract) (westerly 1348

833, Page C-17, said point being South 4 degrees 16 minutes 18

line of said 3.00 acre tract), a distance of 462.00 feet from 1349
the intersection of the easterly right-of-way line of said South 1350
Hamilton Road, with the southerly right-of-way line of Firehouse 1351
Lane (100 feet wide), as dedicated in Plat Book 58, Page 13; 1352

Thence South 85 degrees 35 minutes 31 seconds East, and 1353 along the southerly line of said 3.00 acre tract, and along the 1354 southerly line of Madison Lane (60 feet wide) dedicated in Plat 1355 Book 58, Page 13, and along the southerly line of a 5.037 acre 1356 tract conveyed to The 614 Company shown of record in Deed Book 1357 1358 3760, Page 586, and along the southerly line of 64.627 acre tract, passing iron pins on line at 222.84 feet and 282.84 feet, 1359 a total distance of 1572.72 feet to an iron pin at the 1360 southwesterly corner of said 64.627 acre tract, and the 1361 southwesterly corner of an 11.849 acre tract conveyed to Donald 1362 E. Ball, Jr. shown of record in Official Record 1967, Page F-04; 1363

Thence South 86 degrees 08 minutes 06 seconds East, along1364the southerly line of said 11.849 acre tract, a distance of1365265.38 feet to an iron pin at the southeasterly corner of said136611.849 acre tract;1367

Thence South 20 degrees 53 minutes East, a distance of1368220.68 feet to an iron pin at an angle point in said line;1369

Thence South 25 degrees 35 minutes 47 seconds West, a 1370 distance of 406.99 feet to an iron pin at an angle point in said 1371 line; 1372

Thence South 70 degrees 08 minutes 18 seconds West, a1373distance of 330.95 feet to an iron pin at an angle point in said1374line;1375

Thence South 17 degrees 11 minutes 44 seconds West, a1376distance of 651.86 Feet to an iron pin at an angle point in said1377

line; 1378 Thence North 89 degrees 18 minutes 31 seconds West, a 1379 distance of 392.44 feet to an iron pin at an angle point in said 1380 line: 1381 Thence South 8 degrees 35 minutes 26 seconds West, a 1382 distance of 357.44 feet to an iron pin at an angle point in said 1383 line; 1384 Thence North 81 degrees 35 minutes 15 seconds West, a 1385 distance of 277.26 feet to an iron pin at an angle point in said 1386 line; 1387 Thence North 34 degrees 03 minutes 07 seconds West, a 1388 distance of 300.05 feet to an iron pin at angle point in said 1389 line; 1390 Thence North 55 degrees 05 minutes 06 seconds West, a 1391 1392 distance of 651.84 feet to an iron pin on the easterly Limited Access right-of-way line of said South Hamilton Road, and on the 1393 easterly line of a 28.207 acre tract (Parcel 22-WL) conveyed to 1394 the State of Ohio shown of record in Deed Book 3241, Page 395; 1395 Thence North 27 degrees 26 minutes 40 seconds East, along 1396 the easterly limited access right-of-way line of said South 1397 Hamilton Road (easterly line of said 28.207 acre tract), a 1398 distance of 42.52 feet to an iron pin at an angle point in said 1399 line; 1400 Thence North 7 degrees 18 minutes 52 seconds East, 1401 continuing along the easterly limited access right-of- way lines 1402 of said South Hamilton Road (easterly line of said 28.207 acre 1403

of said South Hamilton Road (easterly line of said 28.207 acre1403tract) a distance of 114.08 feet to an iron pin at an angle1404point in said line;1405

Thence North 9 degrees 15 minutes 26 seconds East,1406continuing along the easterly limited access right-of-way line1407of said South Hamilton Road (easterly line of said 28.207 acre1408tract), a distance of 204.66 feet to an iron pin at the1409southeasterly corner of said 3.213 acre tract;1410

Thence South 82 degrees 43 minutes 42 seconds East, along1411the right-of-way line of said South Hamilton Road (Southerly1412line of said 3.213 acre trat), a distance of 50.00 feet to an1413iron pin at the Southeasterly corner of said 3.213 acre tract;1414

Thence North 6 degrees 00 minutes 31 seconds East, along1415the easterly right-of-way line of said South Hamilton Road1416(easterly line of said 3.213 acre tract), a distance of 508.961417feet to an iron pin at an angle point in the said line;1418

Thence North 4 degrees 16 minutes 18 seconds East, 1419 continuing along the easterly right-of-way line of said South 1420 Hamilton Road (easterly line of said 3.213 acre tract), a 1421 distance of 281.67 feet to the place of beginning, containing 1422 54.788 acres, subject to all highways and easements of record, 1423 and of records, easements, and restrictions in the respective 1424 utility offices, also subject to the following described 1425 easement 30 feet wide to be used for Ingress and Egress for farm 1426 equipment, and being more particularly described as follows: 1427

Commencing at a point on the easterly limited access 1428 right-of-way of South Hamilton Road (State Route 317) (FRA-317-1429 6.38), and on the easterly line of a 28.207 acre tract (Parcel 1430 22-WL) shown of record in Deed Book 3241, Page 395, said point 1431 being at the southwesterly corner of a 3.213 acre tract (Parcel 1432 22-WD-1) conveyed to the State of Ohio shown of record in Deed 1433 Book 3241, Page 395, said point being 90.00 feet right of 1434 centerline Station 114 + 98.52 as shows on the plans of said 1435

South Hamilton Road;	1436
Thence south nine degrees fifteen minutes twenty-six	1437
seconds West (S-9°-15'-26"-W), along the easterly limited access	1438
right-of-way line of said south Hamilton Road, the easterly line	1439
of said 28.207 acre tract, a distance of 50 feet to a point, and	1440
the true point of beginning of this description.	1441
Thence south eighty degrees forty-four minutes thirty four	1442
seconds east (S-80°-44'-34"E) a distance of 30 feet to a point;	1443
Thence south nine degrees fifteen minutes twenty-six	1444
seconds West (S-9°-15'-26"W), along a line parallel with and 30	1445
feet easterly as measured at right angles to the easterly	1446
limited access right-of-way line of said south Hamilton Road, a	1447
distance of one hundred fifty-four and fourteen hundredths	1448
(154.14) feet;	1449
Thence south seven degrees eighteen minutes fifty-two	1450
seconds West (S-7°-18-52"W), along a line parallel with and 30	1451
feet easterly as measured at right angles to the easterly	1452
limited access right-of-way line of said south Hamilton Road, a	1453
distance of one hundred eighteen and ninety-two hundredths	1454
(118.92) feet to a point;	1455
Thence south twenty-seven degrees twenty-six minutes forty	1456
Seconds west (S-27°-26'-40"-W) along a line parallel with and 30	1457
feet easterly as measures at angle to the easterly limited	1458
access right-of-way line of said south Hamilton Road, a distance	1459
of fifty-one and seventy-three hundredths (51.73) feet to a	1460
point;	1461

Thence north fifty-five degrees five minutes six seconds	1462
west (N-55°-05'-06"-W), a distance of thirty and twenty-six	1463
hundredths (30.26) feet to an iron pin on the easterly limited	1464

access right-of-way Line of said south Hamilton Road, the 1465 easterly line of said 28.207 acre tract; 1466

Thence north twenty-seven degrees twenty-six minutes forty1467seconds East (N-27°-26'-40"E), along the easterly limited access1468Right-of-way line of said south Hamilton Road, the easterly line1469of said 28.207 acre tract a distance of forty-two and fifty-two1470hundredths (42.52) feet to an iron pin at an angle point in said1471line;1472

Thence north seven degrees eighteen minutes fifty-two1473seconds East (N-7°-18'-52"E), continuing along the easterly1474limited access right-of- way line of said south Hamilton Road,1475the easterly line of said 28.207 acre tract, a distance of one1476hundred fourteen and eight hundredths (114.08) feet to an iron1477pin at an angle point in said line;1478

Thence north nine degrees fifteen minutes twenty-six 1479 seconds east $(N-9^{\circ}-15'-26''-E)$, continuing along the easterly 1480 limited access right-of-way line of said south Hamilton Road, 1481 the easterly line of said 28.207 acre tract, a distance of one 1482 hundred fifty-four and sixty-six hundredths (154.66) feet to the 1483 place of beginning containing 0.219 acres, subject however to 1484 all highways and easements of record and of records, easements, 1485 and restrictions in the respective utility offices. 1486

Point of access to the above described easement is right1487of highway Station 114+50 as shown on the plans of said Hamilton1488Road, and also shown on the records of Deed Book 3421, Page 395,1489(The point of access to the Subject 54.788 acre tract is at1490highway Station 114+50 as shown on the right-of-way plans of1491south Hamilton Road and State Route 317).1492

PARCEL 2

Being situated in the State of Ohio, County of Franklin,1494Village of Groveport, and being a part of Section 16, Township149511, Range 21, Congress Lands, and also being known as School1496Section 16, as reserved by the Act of Congress in the Land Act1497of May 18, 1796, and being more particularly described as1498follows:1499

Commencing at an iron pin found on the centerline of 1500 Williams Road, at the northwesterly corner of Section 16 said 1501 point being at the northeasterly corner of 0.617 acre tract 1502 conveyed to Stanley F, and Dorothy E. Carter shown of record in 1503 Deed Book 3266,,Page 693 (northeasterly corner of Section 17), 1504 said point being at the intersection of the centerline of said 1505 Williams Road, with the centerline of Hendron Road, dedicated in 1506 Plat Book 48, Page 36; 1507

Thence South 4 degrees 08 minutes 43 seconds West, along1508the westerly line of Section 16, (easterly line of Section 17)1509and along the easterly line of said 0.617 acre tract, a distance1510of 40.00 feet to an iron pin, and the true point of beginning of1511this description;1512

Thence South 85 degrees 48 minutes 08 seconds East, along 1513 a line parallel with, and 40.00 feet southerly of, measured at 1514 right angles to the centerline of said Williams Road (northerly 1515 line of Section 16), a distance of 409.82 feet to an iron pin at 1516 the southwesterly corner of a 0.1784 acre tract conveyed to the 1517 Village of Groveport shown of record in Official Record 1067, 1518 PageE-01, and the northwesterly corner of 4.0697 acre tract 1519 (Parcel #2) conveyed to the Barnes Group, Inc. shown of record 1520 in Official Record 1067, Page 6-04; 1521

Thence South, 4 degrees 24 minutes 29 seconds West, along1522the westerly line of said 4.0697 acre tract, a distance of1523

456.33 feet to an iron pin at the southwesterly corner of said15244.0697 acre tract, and in the northerly line of a 0.4689 acre1525tract (Parcel 2B) conveyed to Ball and Galloway shown of record1526is Official Record 1067, Page D-17;1527

Thence North 85 degrees 48 minutes 08 seconds West, along1528the northerly line of said 0.4689 acre tract, a distance of152920.00 feet to an iron pin at the northwesterly corner of said15300.4689 acre tract;1531

Thence South 4 degrees 24 minutes 29 seconds West, along1532the westerly line of said 0.4689 acre tract, a distance of 50.001533feet to an iron pin at the southwesterly corner of said 0.46891534acre tract;1535

Thence South 85 degrees 48 minutes 08 seconds East, along1536the southerly line of said 0.4689 acre tract, a distance of1537408.48 feet to an iron pin at the southeasterly corner of said15380.4689 acre tract, and on the westerly line of an original153944,557 acre tract conveyed to Ball, Ball, Galloway and Jacobs1540shown of record in Deed Book 3327, Page 174;1541

Thence South 4 degrees 24 minutes 29 seconds West, long1542the westerly line of said 44.557 acre tract, a distance of1543404.36 feet to an iron pin at the northeasterly corner of a15445.211 acre tract conveyed to Ball and Galloway shown of record1545in Official Record 2103, Page J-16;1546

Thence North 85 degrees 35 minutes 31 seconds West, the1547northerly line of said 5.211acre tract, a distance of 712.081548feet to an iron pin at the northwesterly corner of said 5.2111549acre tract;1550

Thence North 20 degrees 34 minutes 54 seconds West, along1551the westerly line of said5.211 acre tract produced northwesterly1552

a distance of 196.13 feet to an iron pin on the westerly line of1553Section 16, (easterly line of Section 17) and on the easterly1554line of a 12.979 acre tract conveyed to Emil and Giseka Heurich1555shown of record in Deed Book 1240, Page 61;1556

Thence North 4 degrees 08 minutes 43 seconds East, along 1557 the westerly line of Section 16, (easterly line of Section 17) 1558 and along the easterly line of said 12.979 acre tract, and along 1559 the easterly line of said 0.617 acre tract, a distance of 730.00 1560 feet to the place of beginning, containing 11.9133 acres, 1561 subject however to all highways and easements of record, and of 1562 records, easements, and restrictions in the respective utility 1563 offices. 1564

PARCEL 3

Proposed right-of-way limits of Williams Road.

Being situated in the State of Ohio, County of Franklin,1567Village of Groveport, and being a part of Section 16, Township156811, Range 21, Congress Lands, and also being known as School1569Section 16, as reserved by the Act of Congress in the Land Act1570of May 18, 1796, and being more particularly described as1571follows:1572

Commencing at an iron pin found on the centerline of 1573 Williams Road, at the northwesterly corner of Section 16, said 1574 point being at the northeasterly corner of a 0.617 acre tract 1575 conveyed to Stanley F. and Dorothy E. Carter shown of record in 1576 Deed Book 3266, Page 693 (northeasterly corner of Section 17), 1577 said point being at the intersection of the centerline of said 1578 Williams Road, with the centerline of said Williams Road, with 1579 the centerline of Hendron Road dedicated in Plat Book 48, Page 1580 1581 36;

Page 55

1565

Thence South 4 degrees 08 minutes 43 seconds West, along 1582 the westerly line of Section 16, and along the easterly line of 1583 said 0.617 acre tract (easterly line of Section 17), a distance 1584 of 20.00 feet to an iron pin on the southerly right-of-way of 1585 said Williams Road, and the true point of beginning of this 1586 description; 1587

Thence South 85 degrees 48 minutes 08 seconds East, along 1588 the southerly right-of-way line of said Williams Road, and along 1589 the corporation line, and along a line parallel with and 20.00 1590 feet southerly of, measured at right angles to the centerline of 1591 said Williams Road (Northerly line of Section 16), a distance of 1592 409.91 feet to an iron pin at the northwesterly corner of a 1593 0.1784 acre tract conveyed to the Village of Groveport shown of 1594 record in Official Records 1067, Page E-01; 1595

Thence South 4 degrees 24 minutes 29 seconds West, along1596the westerly line of said 0.1784 acre tract, a distance of 20.001597feet to an iron pin at the southwesterly corner of said 0.17841598acre tract, and northwesterly corner of a 4.0697 acre tract1599(Parcel #2) conveyed to the Barnes Group, Inc. shown of record1600in Official Record 1067, Page C-04;1601

Thence North 85 degrees 48 minutes 08 seconds West, along 1602 a line parallel with and 40.00 feet southerly of measured at 1603 right angles to the centerline of said Willians Road (northly 1604 line of Section 16), a distance of 409.82 feet to an iron pin on 1605 the westerly line of Section 16, and on the easterly line of 1606 said 0.617 acre tract (easterly line of Section 17); 1607

Thence North 4 degrees 08 minutes 43 seconds East, along1608the westerly line of Section 16, and along the easterly line of1609said 0.617 acre tract (easterly line of Section 17), a distance1610of 20.00 feet to the place of the beginning, containing 0.18821611

acres, subject however to all highways and easements of record,	1612
and of records, easements and restrictions in the respective	1613
utility offices.	1614
The above descriptions were prepared by Albert H. Andrews,	1615
Registered Surveyor No. 5699.	1616
Tract 15	1617
Being situated in the State of Ohio, County of Franklin,	1618
Village of Groveport, and being a part of Section 16, Township	1619
11, Range 21, Congress Lands, and also being known as School	1620
Section 16, as reserved by the Act of Congress in the Land Act	1621
of May 18, 1796, and being more particularly described as	1622
follows:	1623
Beginning at a point in the southeast corner of the W.C.N.	1624
Enterprises 4.647 acre tract recorded in Official Record 2068,	1625
Pg. F-19 and proceeding in a southerly line S. 4° 24' 29" W., 30	1626
feet to a point;	1627
Thence west along a line N. 85° 35' 31" W. for a distance	1628
of 381.19 feet to a point in the westerly boundary;	1629
Thence north along a line S. 4° 24' 29" W. 30 feet to an	1630
iron pin;	1631
Thence east along a line N. 85° 35' 31" W. 381.19 feet to	1632
the point of beginning, containing.2625 acres more or less.	1633
The above description was prepared by Albert Myers,	1634
Registered Surveyor No. 6579.	1635
Tract 16	1636
Being situated in the State of Ohio, County of Franklin,	1637
Village of Groveport, Part of Section 16, Township 11, Range 21,	1638

Congress Lands, and being part of the 49.998 acre tract conveyed1639to Madison Local School District recorded in Deed Book 3336,1640Page 482, (Recorder's Office, Franklin County, Ohio), and being1641more particularly described as follows:1642

Beginning at a point in the north line of the said 49.998 1643 acre tract, said point being the intersection of said line with 1644 the east line, (produced southernly), of the 4.647 acre tract 1645 conveyed to W.C.N. Enterprises Limited, recorded in Official 1646 Records Volume 2068, F-19, said point being located 30.0 feet 1647 south of the southeast corner of the said 4.647 acre tract; said 1648 point also being in a southerly line of the 40 acre tract to 1649 Easten Franklin County Joint Vocational School District (Volume 1650 17, Page 48, School Land Records, State Auditor's Office); 1651

Thence South 4° degrees 24 minutes 29 seconds West, across 1652 the said 49.998 acre tract, along the east line (produced 1653 southerly) of the said 4.647 acre tract, a distance of 0.0 feet 1654 to a point; 1655

Thence, North 85 degrees 35 minutes 31 seconds West,1656across the said 49.998 acre tract, along a line parallel with1657the north line of said tract and parallel with the south line of1658the said 4.647 acre tract, a distance of 381.19 feet to a point,1659said point being the intersection of said line with a west line1660(produced southerly) of the said 4.647 acre tract;1661

Thence, North 4 degrees 24 minutes 29 seconds East, across 1662 the said 49.998 acre tract and along a west line of the said 1663 4.647 acre tract (produced southerly), a distance of 30.0 feet 1664 to a point in the north line of the said 49.998 acre tract 1665 (south line of the said 40.0 acre tract); 1666

Thence, South 85 degrees 35 minutes 31 seconds East, along 1667

part of the north line of said 49.998 acre tract, along a line1668parallel with and 30.0 feet south of the south line of the said16694.647 acre tract, a distance of 381.19 feet to the place of the1670beginning containing 0.2625 acres of land, subject however to1671all legal highways and easements and restrictions of record.1672

The above was prepared from records only. The basis of1673bearing is the south line of said 4.647 acre tract.1674

MYERS SURVEYING COMPANY, INC. 1675

Albert J. Myers, P. S. 6579 1676

Tract 17

Situated in Madison Township, Franklin County, Ohio, and1678being part of the Northwest Corner of Section 16, Town 11N,1679Range 21W, of Congress Lands, being that section set aside by1680Act of Congress dated March 3, 1803, for schools and in Trust to1681the State of Ohio, and being more particularly described as1682follows:1683

Beginning at a stone found at the northeast corner of said1684section, thence South 00 degrees 01 minute 00 seconds East along1685the east line of said section 943.21 feet to a pin set in the1686north line of Route 33, thence, the following courses along the1687north line of said Route:1688

North 54 degrees 06 minutes 00 seconds West 92.46 feet to 1689 a point, 1690

North 52 degrees 40 minutes 04 seconds West 170.05 feet to 1691 a point, 1692 North 53 degrees 42 minutes 52 seconds West 55.00 feet to 1693

North 53 degrees 42 minutes 52 seconds West 55.00 feet to 1693 a point, 1694

North 52 degrees 20 minutes 21 seconds West 175.08 feet to 1695 a point, 1696 North 52 degrees 57 minutes 15 seconds West 500.10 feet to 1697 1698 a point, North 56 degrees 57 minutes 55 seconds West 200.25 feet to 1699 a point, 1700 North 59 degrees 48 minutes 38 seconds West 100.50 feet to 1701 1702 a point, North 54 degrees 06 minutes 00 seconds West 314.29 feet to 1703 a pin set in the north line of said section at its intersection 1704 with said north line of Route 33, thence, North 89 degrees 57 1705 minutes 13 seconds East along the north line of said section 1706 1301.27 feet to the place of beginning. Containing 13.792 acres 1707 of land, and being all that part of section 16 that line north 1708 of the north line of Route 33. 1709 Excepting therefrom, all that land which lies south and 1710 east of the west bank of Blacklick Creek being 2.268 Acres of 1711 land. And being more particularly described as follows: 1712 Beginning at a pin at the southernmost corner of the above-1713 described parcel at the intersection of the north line of Route 1714 33 and the east line of section 16: 1715 Thence, along said north line of Route 33 the following 1716 1717 courses: North 54 degrees 06 minutes 00 seconds West 92.46 feet to 1718 a point, 1719 North 52 degrees 40 minutes 04 seconds West 170.05 feet to 1720 1721 a point, North 53 degrees 42 minutes 52 seconds West 55.00 feet to 1722

1723 a point, North 52 degrees 20 minutes 21 seconds West 175.00 feet to 1724 1725 a point. Thence, leaving said line North 82 degrees 39 minutes 36 1726 seconds East across said parcel 442.31 feet to a point in the 1727 east line of said section. 1728 Thence, South 00 degrees 01 minute 00 seconds East along 1729 said section line 500.00 feet to the place of beginning. 1730 Allowing 11.524 acres of land to be transferred herewith. 1731 This description is based on a field survey done by Ahlers 1732 Moe and Associate, Inc. in May of 1988, which bearings are based 1733 on the Centerline of Route 33 being North 54 degrees 06 minutes 1734 00 seconds West. 1735 Tract 18 1736 Situated in Madison Township, Franklin County, Ohio, and 1737 being part of Section 16, Town 11N, Range 21W, of Congress 1738 Lands, being that section set aside by Act of Congress dated 1739 March 3, 1803 for schools and in Trust to the State of Ohio, and 1740 being more particularly described as follows: 1741 Beginning at an iron pin found at a Southwesterly corner 1742 of Hamilton/33 Industrial Park of record in Plat Book 70, Page 1743 62/63 (all deed and plat reference refer to the records of the 1744 Recorder's Office Franklin County, Ohio) said pin also being in 1745 the Easterly right-of-way of Hamilton Road, S.R. 317; 1746

Thence South 55 degrees 05 minutes 06 seconds East with a1747Southerly line of said Hamilton/33 Industrial Park a distance of1748415.36 to an iron pin found at the Southwesterly corner of Lot1749#8 of said Hamilton/33 Industrial Park.1750

Thence South 34 degrees 54 minutes 54 seconds West a 1751 distance of 58.02 feet to an iron pin set; 1752 Thence North 64 degrees 01 minute 43 seconds West a 1753 distance of 101.50 feet to an iron pin set at an angle point; 1754 Thence North 69 degrees 59 minutes 33 seconds West a 1755 distance of 254.42 feet to a pin set in said Easterly right-of-1756 1757 way. Thence North 08 degrees 24 minutes 35 seconds East with 1758 said easterly right-of-way distance of 155.57 feet to the POINT 1759 OF BEGINNING and containing 0.863 acres of land more or less. 1760 Subject to all, restrictions, easements and right-of-way 1761 of record. 1762 This description was prepared by Civil Engineering 1763 Associate's, Inc., Columbus, Ohio, based on a field survey of 1764 the premises in June, 1989 by Jeffrey A. Miller, P.S. # 7211. 1765 The basis of bearings used herein is in the same bearing system 1766 as Hamilton/33 Industrial Park, a plat of this survey is 1767 attached hereto and made a part thereof. 1768 Tract 19 1769 Situated in the City of Groveport, County of Franklin, 1770 State of Ohio; also being a part of Section 16, Township 11 1771 North, Range 21 West, Congress Lands as held in trust by the 1772 State of Ohio pursuant to Ohio School and Ministerial Lands, 1773 R.C. Section 501.01; also being a portion of school lands as 1774 described in a Journal Entry by the Office of the Auditor of the 1775 State of Ohio, Volume 17 Page 48 (dated 7/14/1966), allocating a 1776 40.00 acre tract to Eastern Franklin County Joint Vocational 1777 School District, now known as The Eastland-Fairfield Career & 1778 1779 Technical Schools; being more particularly described as follows:

Beginning at a 1" iron pipe found at the intersection of 1780 the westerly right-of-way line of Hamilton Road (State Route 1781 317; right-of-way varies) and the southerly right-of-way line of 1782 Directors Boulevard (80' right-of-way) as dedicated in 1783 "Dedication of Williams Road, Marketing Place, Directors 1784 Boulevard, Investor Avenue, and Eastland School Avenue (Eastland 1785 Corporate Park I)" as recorded in Plat Book 46 Page 93; said 1786 point also being along a westerly line of a 7.507 acre tract as 1787 transferred to the State of Ohio, Department of Transportation, 1788 as recorded in Deed Book 3241 Page 395 Parcel 22-WL, said point 1789 being the TRUE POINT OF BEGINNING, and from said beginning point 1790 running thence the following four courses along the westerly 1791 right-of-way lines of Hamilton Road and along westerly lines of 1792 said 7.507 acre tract: 1793 1794

(1) South 12° 10' 08" East for a distance of 104.34' to an 1794 iron pin set; thence, 1795

(2) South 04° 31' 49" West for a distance of 250.00' to an 1796 iron pin set; thence, 1797

(3) South 06° 26' 22" West for a distance of 300.17' to an 1798 iron pin set; thence, 1799

(4) South 01° 15' 35" West for a distance of 160.67' to a 1800 point, said point referenced by an iron pin set that bears North 1801 85° 35' 40" West for a distance of 5.00' from said corner, said 1802 point also being along the northerly line of a 49.736 acre 1803 tract, the residual of a 49.998 acre tract as conveyed to 1804 Madison Local School District as described in Deed Book 3336 1805 Page 482; thence, 1806

Along the southerly line of said 40.00 acre tract and 1807 along the northerly line of said 49.736 acre tract, North 85° 1808

35' 40" West for a distance of 1496.33' to a point, passing over 1809 an iron pin set at a distance of 5.00' from the beginning of 1810 this course and passing over an iron pin set at a distance of 1811 3.00' from the terminus of this course, said point also 1812 witnessed by an iron pin that bears South 04° 18' 59" West for a 1813 distance of 3.00' from said point; said point also being the 1814 southeasterly corner of a 0.2625 acre tract as conveyed to 1815 Groveport Madison Local School District as described in 1816 Instrument No. 201601070002077 Tract 1, said point also being 1817 the northeasterly corner of a 0.2625 acre tract as conveyed to 1818 Groveport Madison Local School District as described in 1819 Instrument No. 201601070002077 Tract 2, thence, 1820

Along the easterly line of said 0.2625 acre tract as 1821 described in Instrument No. 201601070002077 Tract 1 and then 1822 along the easterly line of a 4.647 acre tract as conveyed to 1823 Groveport Madison Local School District as described in 1824 Instrument No. 201511160161625 and then along the easterly line 1825 of a 1.6187 acre tract as conveyed to Groveport Madison Local 1826 School District as described in Instrument No. 201601070002077 1827 and then along the easterly line of a 2.10 acre tract as 1828 conveyed to Corporation of the Presiding Bishop of the Church of 1829 Jesus Christ of the Latter-Day Saints as described in Deed Book 1830 3752 Page 204, North 04° 18' 59" East for a distance of 1100.52' 1831 to a 1" iron pipe found, passing over an iron pin set at a 1832 distance of 288.33' from the terminus of this course, said point 1833 being the northwesterly corner of said 40.00 acre tract, said 1834 point also being the northeasterly corner of said 2.10 acre 1835 tract, said point also being along the southerly line of a 4.410 1836 acre tract as conveyed to Mulligan Real Estate II, LLC as 1837 described in Instrument No. 201403140031424; thence, 1838

Along the northerly line of said 40.00 acre tract and 1839

along the southerly line of said 4.410 acre tract and then along 1840 the southerly line of a 1.500 acre tract as conveyed to Charles 1841 and Vicki Golden as described in Instrument No. 200108140187784, 1842 Instrument No 200108140187785 and Instrument No. 200108140187788 1843 and then along the southerly line of a 3.00 acre tract as 1844 conveyed to Kinell Properties, LLC as described in Instrument 1845 No. 201201050001830 and then along the southerly line of a 2.433 1846 acre tract as conveyed to Peerless Saw Company as described in 1847 Official Record 8645 B-05, South 85° 36' 06" East for a distance 1848 of 1224.44' to a 1" iron pipe found, said point being the 1849 southeasterly corner of said 2.433 acre tract and being along 1850 the westerly right-of-way line of Directors Boulevard (60' 1851 right-of-way as dedicated in Plat Book 46 Page 93); thence, 1852

Along the westerly right-of-way line of Directors 1853 Boulevard, South 20° 36' 06" East for a distance of 320.30' to a 1854 railroad spike found; thence, 1855

Along the southerly right-of-way line of Directors1856Boulevard, South 85° 36' 06" East for a distance of 110.81' to1857the point of beginning, containing 36.400 acres of land, more or1858less, as determined by Michael L. Keller, Professional Surveyor,1859Ohio License No. 7978, based on a survey performed by The1860Kleingers Group in June, 2017.1861

Basis of bearings for the herein-described courses is the1862State Plane Coordinate System, Ohio South Zone (NAD83-NSRS2007),1863with a portion of the westerly right-of-way line of Directors1864Boulevard being South 20° 36' 06" East as determined by a GPS1865survey utilizing CORS Station "COLB" and monument "FCGS 9935".1866

Iron pins set are 5/8" rebar, 30" in length, with plastic1867identifier caps stamped "THE KLEINGERS GROUP".1868

Subject to any easements, restrictions, covenants,1869ordinances or agreements of record.1870

Tract 20

Situated in the City of Groveport, County of Franklin, 1872 State of Ohio; also being a part of Section 16, Township 11 1873 North, Range 21 West, Congress Lands as held in trust by the 1874 State of Ohio pursuant to Ohio School and Ministerial Lands, 1875 R.C. Section 501.01; also being a portion of school lands as 1876 described in a Journal Entry by the Office of the Auditor of the 1877 State of Ohio, Volume 17 Page 48 (dated 7/14/1966), allocating a 1878 40.00 acre tract to Eastern Franklin County Joint Vocational 1879 School District, now known as The Eastland-Fairfield Career & 1880 Technical Schools; being more particularly described as follows: 1881

Beginning at a 1" iron pipe found at the intersection of 1882 the westerly right-of-way line of Hamilton Road (State Route 1883 317; right-of-way varies) and the northerly right-of-way line of 1884 Directors Boulevard (80' right-of-way) as dedicated in 1885 "Dedication of Williams Road, Marketing Place, Directors 1886 Boulevard, Investor Avenue, and Eastland School Avenue (Eastland 1887 Corporate Park I)" as recorded in Plat Book 46 Page 93; said 1888 point also being along a westerly line of a 7.507 acre tract as 1889 transferred to the State of Ohio, Department of Transportation, 1890 as recorded in Deed Book 3241 Page 395 Parcel 22-WL, said point 1891 being the TRUE POINT OF BEGINNING, and from said beginning point 1892 running 1893

Along the northerly right-of-way line of Directors1894Boulevard, North 85° 36' 06" West for a distance of 62.95' to an1895iron pin set at a point of curvature; thence,1896

Along the northerly right-of-way line of Directors 1897

Page 66

Boulevard following a curve to the right having an arc length of189828.36', a radius of 25.00', a central angle of 65° 00' 00", and1899a chord that bears North 53° 06' 06" West for a distance of190026.86' to an iron pin set at a point of tangency; thence,1901

Along the easterly right-of-way line of Directors1902Boulevard, North 20° 36' 06" West for a distance of 216.10' to a19031" iron pipe found in the northerly line of said 40.00 acre1904tract, said point being the southwesterly corner of a 3.381 acre1905tract as conveyed to 4343 South Hamilton Road, LLC as described1906in Instrument No. 199901040000730; thence,1907

Along the northerly line of said 40.00 acre tract and the 1908 southerly line of said 3.381 acre tract, South 85° 36' 06" East 1909 for a distance of 170.62' to a 1" iron pipe found, said point 1910 being the southeasterly corner of said 3.381 acre tract, said 1911 point being along a westerly line of said 7.507 acre tract and 1912 along the westerly right-of-way line of Hamilton Road; thence, 1913

Along a westerly line of said 7.507 acre tract and along 1914 the westerly right-of-way line of Hamilton Road, South 04° 31' 1915 49" West for a distance of 40.22' to a 1" iron pipe found; 1916 thence, 1917

Along a westerly line of said 7.507 acre tract and along1918the westerly right-of-way line of Hamilton Road, South 02° 14'191923" West for a distance of 170.20' to the point of beginning,1920containing 0.598 acres of land, more or less, as determined by1921Michael L. Keller, Professional Surveyor, Ohio License No. 7978,1922based on a survey performed by The Kleingers Group in June,19232017.1924

Basis of bearings for the herein-described courses is the1925State Plane Coordinate System, Ohio South Zone (NAD83-NSRS2007),1926

with a portion of the westerly right-of-way line of Directors 1927 Boulevard being South 20° 36' 06" East as determined by a GPS 1928 survey utilizing CORS Station "COLB" and monument "FCGS 9935". 1929

Iron pins set are 5/8" rebar, 30" in length, with plastic 1930 identifier caps stamped "THE KLEINGERS GROUP". 1931

Subject to any easements, restrictions, covenants,1932ordinances or agreements of record.1933

Tract 21

Situated in the City of Groveport, County of Franklin, 1935 State of Ohio; also being a part of Section 16, Township 11 1936 North, Range 21 West, Congress Lands as held in trust by the 1937 State of Ohio pursuant to Ohio School and Ministerial Lands, 1938 R.C. Section 501.01; also being a portion of school lands as 1939 described in a Journal Entry by the Office of the Auditor of the 1940 State of Ohio, Volume 17 Page 48 (dated 7/14/1966), allocating a 1941 40.00 acre tract to Eastern Franklin County Joint Vocational 1942 School District, now known as The Eastland-Fairfield Career & 1943 Technical Schools; being more particularly described as follows: 1944

Commencing at a 1" iron pipe found at the intersection of 1945 the westerly right-of-way line of Hamilton Road (State Route 1946 317; right-of-way varies) and the southerly right-of-way line of 1947 Directors Boulevard (80' right-of-way) as dedicated in 1948 "Dedication of Williams Road, Marketing Place, Directors 1949 Boulevard, Investor Avenue, and Eastland School Avenue (Eastland 1950 Corporate Park I)" as recorded in Plat Book 46 Page 93; said 1951 point also being along a westerly line of a 7.507 acre tract as 1952 transferred to the State of Ohio, Department of Transportation, 1953 as recorded in Deed Book 3241 Page 395 Parcel 22-WL, thence the 1954 following four courses along the westerly right-of-way lines of 1955

Page 68

Hamilton Road and along westerly lines of said 7.507 acre tract:	1956
(1) South 12° 10' 08" East for a distance of 104.34' to an	1957
iron pin set; thence,	1958
(2) South 04° 31' 49" West for a distance of 250.00' to an	1959
iron pin set; thence,	1960
(3) South 06° 26' 22" West for a distance of 300.17' to an	1961
iron pin set; thence,	1962
(4) South 01° 15' 35" West for a distance of 160.67' to a	1963
point, said point referenced by an iron pin set that bears North	1964
85° 35' 40" West for a distance of 5.00' from said corner, said	1965
point also being along the northerly line of a 49.736 acre	1966
tract, the residual of a 49.998 acre tract as conveyed to	1967
Madison Local School District as described in Deed Book 3336	1968
Page 482; said point being the thence,	1969
Page 482; said point being the thence, Along the southerly line of said 40.00 acre tract and	1969 1970
Along the southerly line of said 40.00 acre tract and	1970
Along the southerly line of said 40.00 acre tract and along the northerly line of said 49.736 acre tract and then	1970 1971
Along the southerly line of said 40.00 acre tract and along the northerly line of said 49.736 acre tract and then along a common line between two 0.2625 acre tracts as conveyed	1970 1971 1972
Along the southerly line of said 40.00 acre tract and along the northerly line of said 49.736 acre tract and then along a common line between two 0.2625 acre tracts as conveyed to Groveport Madison Local School District as described in	1970 1971 1972 1973
Along the southerly line of said 40.00 acre tract and along the northerly line of said 49.736 acre tract and then along a common line between two 0.2625 acre tracts as conveyed to Groveport Madison Local School District as described in Instrument No. 201601070002077 Tracts 1 and 2, North 85° 35' 40"	1970 1971 1972 1973 1974
Along the southerly line of said 40.00 acre tract and along the northerly line of said 49.736 acre tract and then along a common line between two 0.2625 acre tracts as conveyed to Groveport Madison Local School District as described in Instrument No. 201601070002077 Tracts 1 and 2, North 85° 35' 40" West for a distance of 1877.52' to an iron pin set, passing over	1970 1971 1972 1973 1974 1975
Along the southerly line of said 40.00 acre tract and along the northerly line of said 49.736 acre tract and then along a common line between two 0.2625 acre tracts as conveyed to Groveport Madison Local School District as described in Instrument No. 201601070002077 Tracts 1 and 2, North 85° 35' 40" West for a distance of 1877.52' to an iron pin set, passing over an iron pins set at a distance of 5.00' and at a distance of	1970 1971 1972 1973 1974 1975 1976
Along the southerly line of said 40.00 acre tract and along the northerly line of said 49.736 acre tract and then along a common line between two 0.2625 acre tracts as conveyed to Groveport Madison Local School District as described in Instrument No. 201601070002077 Tracts 1 and 2, North 85° 35' 40" West for a distance of 1877.52' to an iron pin set, passing over an iron pins set at a distance of 5.00' and at a distance of 1493.33 from the beginning of this course, said point being	1970 1971 1972 1973 1974 1975 1976 1977
Along the southerly line of said 40.00 acre tract and along the northerly line of said 49.736 acre tract and then along a common line between two 0.2625 acre tracts as conveyed to Groveport Madison Local School District as described in Instrument No. 201601070002077 Tracts 1 and 2, North 85° 35' 40" West for a distance of 1877.52' to an iron pin set, passing over an iron pins set at a distance of 5.00' and at a distance of 1493.33 from the beginning of this course, said point being along the southerly line of said 40.00 acre tract, said point	1970 1971 1972 1973 1974 1975 1976 1977 1978
Along the southerly line of said 40.00 acre tract and along the northerly line of said 49.736 acre tract and then along a common line between two 0.2625 acre tracts as conveyed to Groveport Madison Local School District as described in Instrument No. 201601070002077 Tracts 1 and 2, North 85° 35' 40" West for a distance of 1877.52' to an iron pin set, passing over an iron pins set at a distance of 5.00' and at a distance of 1493.33 from the beginning of this course, said point being along the southerly line of said 40.00 acre tract, said point also being a common corner of said 49.736 acre tract and said	1970 1971 1972 1973 1974 1975 1976 1977 1978 1979

Along a common line between said 40.00 acre tract and said198249.736 acre tract, North 85° 35' 53" West for a distance of1983280.18' to a point generally along Black Lick Creek, said point1984

witnessed by a 1" iron pipe found that bears South 53° 43' 34" 1985 East for a distance of 0.93' from said point; thence, 1986

Along a westerly line of said 40.00 acre tract and1987generally following Black Lick Creek, North 48° 01' 47" West for1988a distance of 49.20' to a point, said point witnessed by a 1"1989iron pipe found that bears South 25° 51' 12" East for a distance1990of 0.54' from said point; thence,1991

Along a northerly line of said 40.00 acre tract, South 85°199235' 53" East for a distance of 319.10' to an iron pin set, said1993point being the northwesterly corner of said northerly-most19940.2625 acre tract as described in Instrument No. 2016010700020771995Tract 1; thence,1996

Along the westerly line of said 0.2625 acre tract, South199704° 15' 07" West for a distance of 30.00' to the point of1998beginning, containing 0.206 acres of land, more or less, as1999determined by Michael L. Keller, Professional Surveyor, Ohio2000License No. 7978, based on a survey performed by The Kleingers2001Group in June, 2017.2002

Basis of bearings for the herein-described courses is the2003State Plane Coordinate System, Ohio South Zone (NAD83-NSRS2007),2004with a portion of the westerly right-of-way line of Directors2005Boulevard being South 20° 36' 06" East as determined by a GPS2006survey utilizing CORS Station "COLB" and monument "FCGS 9935".2007

```
Iron pins set are 5/8" rebar, 30" in length, with plastic 2008
identifier caps stamped "THE KLEINGERS GROUP". 2009
```

Subject to any easements, restrictions, covenants,2010ordinances or agreements of record.2011

Partition Tract Sources of Title 2012

Tract Recording Reference Conveyance Type Acreage Notes	2013
1 DB 3259 page 238 Governor's Deed 10.789 Board if FCC	2014
	-
2 DB 3327 page 174 Governor's Deed 44,557 Private	2015
Developer	2016
3 DB 3336 page 482 Governor's Deed 49,998 Madison Local	2017
S. D.	2018
4 DB 3585 page 424 Governor's Deed 7.3032 Private	2019
Developer	2020
1.1866	2021
5 DB 3636 page 185 Governor's Deed 64.627 Private	2022
Developer	2023
6 DB 3636 page 225 Governor's Deed 0.144 Private	2024
Developer	2025
7 DB 3673 page 519 Governor's Deed 11.849 Private	2026
Developer	2027
8 DB 3718 page 413 Governor's Deed 1.320 Private	2028
Developer	2029
9 OR 473 F10 Governor's Deed 0.0395 Private Developer	2030
9 OR 485 B 19 Governor's Deed 0.0395 Re-record OR 473 F10	2031
10 OR 721 A12 Governor's Deed 0.104 Private Developed	2032
11 OR 1067 D17 Governor's Deed 4.0697 Private Developed	2033
0.1784	2034
0.4689	2035
12 OR 1739 106 Governor's Deed 42.849 Private Developed	2036

Page 72

14 OR 2891 119 Governor's Deed 54.788 Private Developed	2038
11.9133	2039
0.1882	2040
15 OR 4791 F07 Governor's Deed 0.2625 Private Developer	2041
16 OR 4951 J10 Governor's Deed 4.647 Private Developer	2042
17 OR 12990 G07 Governor's Deed 11.524 Private Developer	2043
18 OR 15062 J04 Governor's Deed 0.863 Private Developer	2044
19 36.400 Eastland-Fairfield	2045
20 0.598 Eastland-Fairfield	2046
21 0.026 Eastland-Fairfield	2047
Rights of Way	2048
All of the above-described real estate is subject to the	2049
following Rights-of-Way as established by the Franklin County	2050
Commissioners:	2051
Bixby Road in Road Record 7 page 63.	2052
Williams Road in Road Record 7 page 347.	2053
Hendron Road in Road Record 7 page 397.	2054
Hamilton Road Record 8 page 470.	2055
AND,	2056
Subject to the following easement Rights-of-Way and	2057
Rights-of Entry for SR-317 as established by deed to the State	2058
of Ohio in Deed Book 3241 page 395 and Deed Book 3189 page 623,	2059
respectively more particularly described as follows:	2060
PARCEL NO. 22-WL

Being a parcel of land lying on the right and left sides2062of the centerline of a survey, made by the Department of2063Highways, and recorded in Book 41, Page 65, of the records of2064Franklin County and being located within the following described2065points in the boundary thereof:2066

Beginning at a point in the grantor's southerly line and 2067 the northerly line of Section 21 and in the southerly line of 2068 Section 16 which lies North 85° 19' 06" W., a distance of 135.62 2069 feet from the half-section corner, said point being 150.00 feet 2070 right of and radially from Station 103+12.60 in the centerline 2071 of a survey made in 1968 by the Ohio Department of Highways of 2072 State Route 317, Section 6.38 in Franklin County; thence N. 85° 2073 19' 06" W., a distance of 339.31 feet passing the centerline of 2074 Survey at P.O.C. Station 102+37.94 along the grantor's southerly 2075 line and the northerly line of the Fern Cole 136.670 acre tract 2076 of land of record in Volume 2616, Page 454 of the Franklin 2077 County Deed Records and also along the southerly lime of Section 2078 16 to a point 150.00 feet left of and radially from Station 2079 101+53.82; thence 1274.29 feet along the line of a circular 2080 curve to the left, the radius of which is 2714.79 feet, the 2081 delta of which is 26° 53' 38", and the chord of which bears N. 2082 20° 43' 07" E., a distance of 1262.62 feet to a point 150.00 2083 feet left and radially from C.S. Station 114+98.52; thence. 9° 2084 10" 10" E., a distance of 293.14 feet to a point 130.00 feet 2085 left of S.T. Station 117+98.52; thence N. 11 20" 42"E., a 2086 distance of 203.03 feet to a point 105.00 left of Station 120+ 2087 00.00; thence N. 6° 25' 09" E., a distance of 400.28 feet to a 2088 point 90.00 feet left of Station 124+00.00; thence N. 4° 16' 18" 2089 E., a distance of 620.10 feet to a point 90.00 feet left and 2090 along the angular bisector from P. I. Station 130+19.90; thence 2091

Page 73

N. 4° 31' 58" E., a distance of 330.31 feet to a point 90.00 2092 feet left of Station of 130+50.00; thence N. 1° 15" 44" E., a 2093 distance of 300.17 feet to a point 110.00 feet left of Station 2094 137+00.00; thence N. 6° 26' 31" E., a distance of 300.17 feet to 2095 a point 100.00 feet left of Station 140+00.00; thence N. 4° 31' 2096 58" E., a distance of 250.00 feet to a point 100.00 feet left of 2097 Station 142+50.00; thence N. 12° 09' 59" W., a distance of 2098 104.40 feet to a point 130.00 feet left of Station 143+50.00; 2099 thence N. 2° 14' 31" E., a distance of 250.20 feet to a point 2100 140.00 feet left of Station146+00.00; thence N. 4° 31' 58" E., a 2101 distance of 300.00 feet to a point 140.00 feet left of Station 2102 149+00.00; thence N. 15° 50' 33" E., a distance of 152.97 feet 2103 to a point 110.00 feet left of Station 150+50.00; thence N. 4° 2104 31' 58" E., a distance of 300.00 feet to a point 110.00 left of 2105 Station 153+50.00; thence N. 00° 02' 28" W., a distance of 2106 250.80 feet to a point 130.00 feet left of Station 156+00.00; 2107 thence N. 30° 15' 51" W., a distance of 131.43 feet to a point 2108 in the grantor's Northerly line and the northerly line of 2109 Section 16 and in the southerly line of Section 9, said point 2110 being 205.00 feet left of Station 157+07.93; thence S. 85° 48' 2111 24" E., a distance of 285.00 feet along the grantor's northerly 2112 line and the southerly line of the Dorothy M. Davis and 2113 Marguerite C. Hinton 6.208 acre tract of land of record in 2114 Volume 2375, Page 396 of Franklin County Deed Records and the 2115 northerly line of Section 16 and the southerly line of Section 2116 9, passing the centerline of Survey at P.O.T. Station 157+09.14 2117 to a point 80.00 feet right of Station 157+09.61: thence S. 4° 2118 31' 58" W., a distance of 209.61 feet to a point 80.00 feet 2119 right of Station 155+00.00; thence S. 1° 05' 57" W., a distance 2120 of 500.90 feet to a point 110.00 feet right of Station 2121 150+00.00; thence S. 4° 31' 58" W., a distance of 500.00 feet to 2122 a point 110.00 feet right of Station 145+00.00; thence S. 10° 2123

48' 38" W., a distance of 100.60 feet to a point 99.00 feet 2124 right of Station 144+00.00; thence S. 4° 31' 58" W., a distance 2125 of 1379.87 feet to a point 99.00 feet right of and along the 2126 angular bisector from P. I. Station 130+19.90; thence S. 4° 16' 2127 18" W., a distance of 1221.15 feet to a point 99.00 feet right 2128 of S.T. Station 117+98.52; thence S. 6° 58' 12" W., a distance 2129 of 305.02 feet to a point 90.00 feet right of and radially from 2130 C.S. Station 114+98.52; thence S. 9° 15' 26" W., a distance of 2131 204.66 feet to a point 90.00 feet right of and radially from 2132 Station 113+00.00; thence S. 7° 18" 52" W., a distance of 114.03 2133 feet to a point 100.00 feet right of and radially from Station 2134 111+90.00; thence S. 27° 26' 40" W., a distance of 42.52 feet to 2135 a point 90.00 feet right of and radially from Station 111+50.00; 2136 thence S. 8° 24' 35" W., a distance of 369.32 feet to a point 2137 150.00 feet right of and radially from Station 108+00.00; thence 2138 512.92 feet along the line of the circular curve to the right, 2139 the radius of which us 3014.79 feet, the delta of which is 9° 2140 44' 53", and the chord if which bears S., 26°06' 57" W., a 2141 distance of 512.29 feet to the point of beginning containing 2142 28.207 acres, more or less, of which the present road occupies 2143 7.507 acres, more or less. 2144

Except that the grantor reserves the right to ingress and 2145 egress right of and radially from Station 114+50; left of and 2146 radially from Station 114+50, right of Station 128+04.20, left 2147 of Station 128+04.20, right of Station 143+80.20, and left of 2148 Station 143+80.20. 2149

PARCEL NO. 22-WD

Beginning at a point in the line between Section 21 and2151Section 16 which lies N. 85° 19" 06" W., a distance of 474.932152feet from the half section point; said point being 150.00 feet2153

left of and radially from Station 101+53.82 in the centerline of 2154 a survey made in 1968 by the Ohio Department of Highways of 2155 State Route 317, Section 6.38, in Franklin County; thence N. 85° 2156 19' 06" W., a distance of 319.98 feet along the section line to 2157 a point 1.13 feet right of Station 5+50.00 in the centerline of 2158 Bixby Road West, as the same was established as part of the 2159 aforementioned survey of State Route 317; thence N. 4° 40' 19" 2160 E., a distance of 41.23 feet to a point 40.00 feet left of 2161 Station 5+50.00; thence S. 85° 19' 06" E., a distance of 341.54 2162 feet parallel to the section line to a point 150.00 feet left of 2163 and radially from State Route 317 Station 102+00.72; thence S. 2164 33° 41' 48" W., a distance of 44.45 feet to the point of the 2165 beginning containing 0.299 acres, more or less, of which the 2166 present road occupies 0.224 acres, more or less. 2167

PARCEL NO. 22 - WD-1

Beginning at a point which lies 90.00 feet right of and 2169 radially from C. S. Station 114+98.52 in the centerline of a 2170 survey made in 1968 by The Ohio Department of Highways of State 2171 Route 317, Section 6.38, in Franklin County; thence N. 6° 58' 2172 12" E., a distance of 305.02 feet to a point 99.00 feet right of 2173 S.T. Station 117+98.52; thence N. 4° 16' 18" E., a distance of 2174 1221.15 feet to a point 99.00 feet right of and along the 2175 angular bisector from P.I. Station 130+19.90: thence N. 4° 31' 2176 58"E., a distance of 1379.87 feet to a point 99.00 feet right of 2177 Station 144+00.00; thence N. 10° 48' 38" E., a distance of 2178 100.60 feet to a point 110.00 feet right of Station 145.00.00; 2179 thence S. 12° 09' 59" E., a distance of 104.40 feet to a point 2180 140.00 feet right of Station 144+00.00; thence S. 4° 31' 58" W., 2181 a distance of 400.00 feet to a point 140.00 feet right of 2182 Station 140+00.00; thence S. 3° 56" 53" W., a distance of 979.81 2183 feet to a point 150.00 feet right of and along the angular 2184

Page 76

 bisector from P.I. Station 130+19.90: thence S. 4° 16' 18" W., a
 2185

 distance of 1019.56 feet to a point 150.00 feet right of Station
 2186

 120+00.00; thence S. 6° 00' 31" W., a distance of 508.96 feet to
 2187

 point 140.00 feet right of and radially from C. S> Station
 2188

 114+98.52; thence N. 82° 43" 42" W., a distance of 50.00 feet to
 2189

 the point of beginning.
 2190

It is understood that the tract of land above described contains 3.213 acres, more or less, exclusive of the present road which occupies 0.000 acres, more or less.

All of the above descriptions are based on a survey made 2194 under the direction of David B. Guthrie, Registered Surveyor No. 2195 4378. 2196

AND

Subject to the existing easement Rights-of-Way for US-332198delineated and occupied as Parcels 42-LA, 42-X1, 42-X2, 42-X3,219942-Y1, 42-Y2 and 42-WA on the State of Ohio Department of2200Highways plan set titled FRA-33-(26.21-30.13).2201

The foregoing legal description may be corrected or2202modified by the Department of Administrative Services to a final2203form if such corrections or modifications are needed to2204facilitate recordation of the deed.2205

(B) Pursuant to various Acts of Congress, section 16 in 2206 every township was dedicated for the use of schools (the "school 2207 lands"). In 1985, pursuant to former sections 501.01, et seq., 2208 of the Ohio Revised Code, the Ohio Department of Administrative 2209 Services was granted administrative control of school lands. 2210 Then in 1988, sections 501.01, et seq., of the Ohio Revised Code 2211 were amended to grant administrative control of school lands to 2212 the board of education of each school district. The real estate 2213

Page 77

2191

2192

2193

H. B. No. 379 As Introduced

described herein are the remaining portions of section 16 in 2214 Madison Township, Franklin County, which have not been conveyed 2215 to purchasers over the years. The real estate is currently 2216 titled in the records of the Franklin County Auditor as State of 2217 Ohio for the use and benefit of the Department of Administrative 2218 Services. The purpose of this legislation is to correct title of 2219 the real estate to the State of Ohio for the use and benefit of 2220 the Board of Education of the Groveport Madison Local School 2221 District. 2222

(C) The conveyance is subject to all easements, covenants, 2223 conditions, leases, and restrictions of record: all legal 2224 highways and public rights-of-way; zoning, building, and other 2225 laws, ordinances, restrictions, and regulations; and real estate 2226 taxes and assessments not yet due and payable. The real estate 2227 shall be conveyed in an "as-is, where-is, with all faults" 2228 condition. 2229

(D) Grantee shall pay all costs associated with the
purchase, closing and conveyance, including surveys, title
evidence, title insurance, transfer costs and fees, recording
costs and fees, taxes, and any other fees, assessments, and
costs that may be imposed.

(E) The Director of the Department of Administrative 2235 Services, with the assistance of the Attorney General, shall 2236 prepare a Governor's Deed to the real estate described in 2237 division (A) of this section. The Governor's Deed shall state 2238 the consideration and shall be executed by the Governor in the 2239 name of the State, countersigned by the Secretary of State, 2240 sealed with the Great Seal of the State, presented in the 2241 Department of Administrative Services for recording, and 2242 delivered to the Grantee. The Grantee shall present the 2243 Governor's Deed for recording in the Office of the Franklin2244County Recorder.2245

(F) This section shall expire 3 years after its effective 2246date. 2247

Section 5. (A) The Governor may execute a Governor's Deed2248in the name of the State conveying to the Madison County Board2249of Commissioners ("Grantee"), and its successors and assigns,2250all of the State's right, title, and interest in the following2251described real estate:2252

The following described 10.8003-acre tract is situated in 2253 the State of Ohio, Madison County, Deer Creek Township, VMS 2254 6246, being part of a 579.44 original acre tract (Deer Creek 2255 Township Parcel 05-00542.000) as conveyed to the State of Ohio 2256 Madison Correctional Prison by Deed Book 134 page 347, and being 2257 more particularly described as follows: 2258

Beginning at a mag nail set in the centerline of State 2259 Route 38, in the line between VMS 6246 and VMS 6169, in the line 2260 between Deer Creek Township and the City of London, being the 2261 Southeast corner of a 1.000-acre tract conveyed to Tom Farms Inc 2262 by Deed Book 278 page 889 and a corner to said 579.44 original 2263 acre tract, said mag nail bears North 15° 36' 05" West a 2264 distance of 5646.35 feet from Madison County Monument 02-004, 2265 said mag nail bears North 04° 15' 00" East a distance of 1079.10 2266 feet from the intersection of the centerline of State Route 38 2267 with the line between Deer Creek Township and Union Township; 2268

Thence, with the centerline of State Route 38, said VMS2269line and said Corp. line, South 04° 15' 00" West a distance of2270616.00 feet to a mag nail set;2271

Thence, across said 579.44 original acre tract with the

following two new courses: 2273 (1) South 81° 53' 47" West, passing an iron pin and cap 2274 set at 35.00 feet, a total distance of 728.66 feet to an iron 2275 2276 pin and cap set; (2) North 10° 12' 38" West a distance of 569.69 feet to an 2277 iron pin and cap set in the South line of a 100 original acre 2278 tract conveyed to Tom Farms Inc by Deed Book 268 page 770. 2279 Thence, with the South line of said 100 original acre 2280 tract, North 79° 47' 22" East, passing a 1/2-inch diameter iron 2281 pipe found at the Southwest corner of said Tom Farms Inc's 1.000 2282 acre tract at 591.70 feet, passing a 5-inch diameter steel post 2283 in concrete found at 849.53 feet, a total distance of 881.99 2284 feet returning to the Point of Beginning, containing 10.8003 2285 Acres more or less. 2286 Bearings are based on the centerline of State Route 38 2287 (North 04° 15' 00" East) as described in Official Record 307, 2288 page 2131. 2289 Subject to and with the benefit of all legal highways, 2290 restrictions, easements, limitations, and reservations, of 2291 record, if any and to zoning restrictions which have been 2292 2293 imposed thereon, if any.

All iron pins set are 5/8-inch diameter rebar with yellow2294plastic cap stamped "Cottrill Surveying." This description is2295based on an actual field survey performed by Nathan L. Cottrill,2296PS registration #8821 on October 25, 2024.2297

The foregoing legal description may be corrected or2298modified by the Department of Administrative Services to a final2299form if such corrections or modifications are needed to2300facilitate recordation of the deed.2301

(B) (1) The conveyance includes all improvements and 2302 chattels situated on the real estate, and is subject to all 2303 leases, agreements, licenses, permits, memoranda of 2304 understanding, easements, covenants, conditions, reservations, 2305 and restrictions of record, and encroachments whether of record 2306 or not; all legal highways and public rights-of-way; zoning, 2307 2308 building, and other laws, ordinances, restrictions, and regulations; and real estate taxes and assessments not yet due 2309 and payable. The real estate shall be conveyed in an "as-is, 2310 where-is, with all faults" condition. 2311

(2) The deed or deeds for the conveyance of the real
estate may contain restrictions, exceptions, reservations,
reversionary interests, and other terms and conditions the
Director of Administrative Services determines to be in the best
2312
2313
2314
2314
2315
2315
2315

(3) Subsequent to the conveyance, any restrictions,
exceptions, reservations, reversionary interests, or other terms
and conditions contained in the deed may be released by the
State or the Ohio Department of Rehabilitation without the
2320
necessity of further legislation.

(C) Consideration for the conveyance of the real estate2322described in division (A) of this section shall be \$211,686.00.2323

The Director of Administrative Services shall offer the 2324 real estate to Madison County Board of Commissioners through a 2325 real estate purchase agreement. Consideration for the conveyance 2326 of the real estate shall be at a price acceptable to the 2327 Director of Administrative Services and the Director of the Ohio 2328 Department of Rehabilitation. If the Madison County Board of 2329 Commissioners does not complete the purchase of the real estate 2330 within the time period provided in the real estate purchase 2331

agreement, the Director of Administrative Services may use any 2332 reasonable method of sale considered acceptable by the Ohio 2333 Department of Rehabilitation to determine an alternate grantee 2334 willing to complete the purchase within three years after the 2335 effective date of this section. The Ohio Department of 2336 Rehabilitation shall pay all advertising costs, additional fees, 2337 and other costs incident to the sale of the real estate. 2338

(D) The real estate described in division (A) of this2339section shall be sold as an entire tract and not in parcels.2340

(E) Grantee shall pay all costs associated with the
purchase, closing and conveyance, including surveys, title
evidence, title insurance, transfer costs and fees, recording
costs and fees, taxes, and any other fees, assessments, and
costs that may be imposed.

The net proceeds of the sale shall be deposited into the2346state treasury to the credit of the Leased Property Maintenance2347and Operating Fund under section 5120.22 of the Revised Code.2348

(F)(1) Upon execution of the real estate purchase 2349 agreement, the Director of Administrative Services, with the 2350 2351 assistance of the Attorney General, shall prepare a Governor's Deed to the real estate described in division (A) of this 2352 section. The Governor's Deed shall state the consideration and 2353 shall be executed by the Governor in the name of the State, 2354 countersigned by the Secretary of State, sealed with the Great 2355 Seal of the State, presented in the Department of Administrative 2356 Services for recording, and delivered to the Grantee. The 2357 Grantee shall present the Governor's Deed for recording in the 2358 Office of the Madison County Recorder. 2359

(2) The intent of this conveyance is for the Purchaser to 2360

use the real estate for the operational use of the Madison 2361 County Sheriff's Department; therefore, the deed shall contain a 2362 restriction stating that if the real estate described in 2363 division (A) of this section is no longer being used for the 2364 operations of the Madison County Sheriff's Department, the real 2365 estate described in division (A) of this section shall revert 2366 back to the State of Ohio at the sole discretion of the Director 2367 of Administrative Services and the Ohio Department of 2368 Rehabilitation and Correction, at the purchase price of the real 2369 estate described in division (A) of this section. 2370

(G) This section shall expire 3 years after its effective 2371date. 2372

Section 6. (A) The Governor may execute a Governor's Deed2373in the name of the State conveying to the Secretary of the2374United States Air Force, and its successors and assigns, all of2375the State's right, title, and interest in the building, the2376National Aviation Hall of Fame, located on the following2377described real estate:2378

Situated in the State of Ohio, County of Montgomery,2379Township of Mad River, part of Section 18, Town 2, Range 7 MRS2380and being part of the Wright-Patterson Air Force Base being more2381particularly described as follows:2382

Commencing at the Northeast corner of Building No. 487, 2383 also known as Hangar No. 2 of the Air Force Museum: 2384

Thence South 45 degrees -06 minutes -30seconds West, along 2385 the face of the North wall of said Building No. 487, a distance 2386 of 278.21 feet to the real place of beginning of the following 2387 described tract; 2388

Thence continuing South 45 degrees -06 minutes -30 seconds 2389

H. B. No. 379 As Introduced

West, along the face of wall of said Building No. 487, a	2390
distance of 179.49 feet to a corner of the passageway between	2391
said Building No. 487 and Building No. 489 of the museum also	2392
known as Hangar No. 1 of the Air Force Museum.	2393
Thence along the face of wall of said passageway by the	2394
next three courses;	2395
Thence North 44 degrees -53 minutes-30 seconds West, a	2396
distance of 34.70 feet;	2397
Thence North 45 degrees -06 -30 seconds East, a distance	2398
of 29.90 feet;	2399
Thence North 44 degrees -53minutes-30 seconds West, a	2400
distance of 55.30 feet;	2401
Thence North 45 degrees -06 minutes -30 seconds East, a	2402
distance of 149.59 feet to a point in the face of the South wall	2403
of Building No. 489;	2404
Thence South 44 degrees -53 minutes -30 seconds East, a	2405
distance of 90.00 feet to the place of beginning, containing,	2406
0.3329 Acre (14,500.63 square feet);	2407
Along with the right of ingress and egress over open base	2408
roads.	2409
The foregoing legal description may be corrected or	2410
modified by the Department of Administrative Services to a final	2411
form if such corrections or modifications are needed to	2412
facilitate recordation of the deed.	2413
(B) The conveyance includes the building, and any	2414
improvements, fixtures, and chattels contained within the	2415
building. The conveyance does not include the land, which is not	2416
owned by the State of Ohio.	2417

(C) Consideration for the conveyance of the building2418described in division (A) of this section shall be \$0.2419

The Director of Administrative Services shall offer the 2420 building to the Secretary of the United States Air Force as a 2421 gift. If the United States Air Force does not accept the gift, 2422 the Director of Administrative Services may use any reasonable 2423 method considered acceptable by the Ohio Facilities Construction 2424 Commission to determine an alternate grantee willing to accept 2425 the building as a gift within three years after the effective 2426 2427 date of this section. The Ohio Facilities Construction Commission shall pay all advertising costs, additional fees, and 2428 other costs incident to the transfer of the building. 2429

(D) Grantee shall pay all costs associated with the
transfer, closing and conveyance, including surveys, title
evidence, title insurance, transfer costs and fees, recording
costs and fees, taxes, and any other fees, assessments, and
costs that may be imposed.

(E) Upon acceptance of the gift, the Director of 2435 Administrative Services, with the assistance of the Attorney 2436 General, shall prepare a Governor's Deed to the building 2437 described in division (A) of this section. The Governor's Deed 2438 shall state the consideration and shall be executed by the 2439 Governor in the name of the State, countersigned by the 2440 Secretary of State, sealed with the Great Seal of the State, 2441 presented in the Department of Administrative Services for 2442 recording, and delivered to the Grantee. The Grantee shall 2443 present the Governor's Deed for recording in the Office of the 2444 Montgomery County Recorder. 2445

(F) This section shall expire 3 years after its effective 2446date. 2447

H. B. No. 379 As Introduced

Section 7. (A) The Governor may execute a Governor's Deed2448in the name of the State conveying to Trumbull County2449Metropolitan Park District ("Grantee"), and its successors and2450assigns, all of the State's right, title, and interest in the2451following described real estate:2452

Situated in the State of Ohio, County of Trumbull being a 2453 part of Lots 9, 14, 31, 36, 53, 57, 58, 72, and 75 (Twp. 5-N, 2454 Range 4-W) of Champion Township, and part of Lots 4, 5, 9, 11, 2455 12, 29, 36 and 45 (Twp. 6-N, Range 4-W) of Bristol Township, and 2456 parts of Lots 87 through 94 inclusive and 101 through 119 2457 inclusive (Twp. 7-N, Range 4-W) of Bloomfield Township, 2458 Connecticut Western Reserve, and being more fully described as 2459 follows: 2460

Commencing at the intersection of the centerlines of 2461 Champion Avenue and the original centerline of the Penn Central 2462 Railroad; 2463

Thence North 24° 23' 08" West a distance of 31.72 feet to 2464 an iron pipe set on the north right of way line of Champion 2465 Avenue and being THE TRUE PLACE OF BEGINNING of the tract herein 2466 to be described: 2467

Thence South 84° 33' 34" West, along the north right of 2468 way line of Champion Avenue, a distance of 169.85 feet to an 2469 iron pipe set on the east line of the lands of Northwood Golf 2470 Club; 2471

Thence North 01° 27' 18" West a distance of 216.29 feet to 2472 an iron pipe set; 2473

Thence North 26° 52' 59" West a distance of 899.50 feet to 2474 an iron pipe set; 2475

Thence South 84° 33' 34" West a distance of 24.71 feet to 2476

an iron pipe set;	2477
Thence North 26° 52' 59" West a distance of 1141.27 feet	2478
to an iron pipe set on the north line of Lot 75;	2479
Thence North 85° 33' 34" East, along the north line of Lot	2480
75, a distance of 24.88 feet to an iron pipe set;	2481
Thence North 26° 55' 56" West a distance of 4036.83 feet	2482
to an iron pipe set;	2483
Thence South 63° 04' 04" West a distance of 13.00 feet to	2484
an iron pipe set;	2485
Thence North 26° 55' 56" West (passing through the	2486
centerline of State Route 305 at 322.00 feet) a total distance	2487
of 355.31 feet to an iron pipe set on the north right of way	2488
line of State Route 305;	2489
Thence South 88° 50' 04" West, along the north right of	2490
way line of State Route 305, a distance of 94.48 feet to an iron	2491
pipe set;	2492
Thence North 26° 55' 56" West a distance of 788.90 feet to	2493
an iron pipe set;	2494
Thence North 88° 50' 04" East a distance of 120.02 feet to	2495
an iron pipe set;	2496
Thence North 26° 55' 56" West a distance of 3650.27 feet	2497
to an iron pipe set;	2498
Thence North 19° 00' 46" West a distance of 346.00 feet to	2499
an iron pipe set at a point of curvature;	2500
Thence with an arc to the right, having a delta of 11 $^\circ$ 06'	2501
20", a radius of 2850.973 feet, a chord which bears North 14°	2502
28' 32" West, a chord distance of 551.732 feet to an iron pipe	2503

set at a point of tangency, being on the west line of Lot 36;	2504
Thence along the west lines of Lots 36, 31 and 14, North	2505
08° 55' 22" West a distance of 7263.35 feet to an iron pipe set	2506
at the southwest corner of Lot 9;	2507
Thence North 88° 07' 48" East a distance of 0.50 feet to	2508
an iron pipe set;	2509
Thence North 08° 58' 02" West a distance of 1111.00 feet	2510
to an iron pipe set;	2511
Thence North 88° 07' 48" East a distance of 6.55 feet to	2512
an iron pipe set;	2513
Thence North 08° 58' 02" West a distance of 1502.62 feet	2514
to a railroad spike set in the centerline of Town-Line Road;	2515
Thence South 88° 30' 46" West, along the centerline of	2516
Town-Line Road, a distance of 7.06 feet to a railroad spike set;	2517
Thence North 08° 58' 02" West a distance of 5545.66 feet	2518
to an iron pipe set at a point of curvature;	2519
Thence with an arc to the right, having a delta of 08 $^\circ$ 05'	2520
54", a radius of 5404.557 feet, a chord which bears North 04 $^\circ$	2521
55' 05" West, a chord distance of 763.254 feet to an iron pipe	2522
set at a point of tangency;	2523
Thence North 00° 52' 08" West, a distance of 9099.29 feet	2524
to a railroad spike set in the centerline of State Route 88;	2525
Thence North 00° 55' 33" West, a distance of 6675.01 feet	2526
to a railroad spike set in the centerline of Hyde-Oakfield Road;	2527
Thence South 77° 54' 27" West, along the centerline of	2528
said road, a distance of 152.90 feet to a railroad spike set;	2529
Thence North 00° 54' 13" West a distance of 549.78 feet to	2530

to a railroad spike set;

an iron pipe set; 2531 Thence North 89° 05' 54" East a distance of 117.00 feet to 2532 an iron pipe set; 2533 Thence North 00° 54' 06" West a distance of 2285.04 feet 2534 to an iron pipe set on the south right of way line of Mahan-2535 Denman Road; 2536 Thence North 73° 34' 29" East, along the south right of 2537 way line of said road, a distance of 34.25 feet to an iron pipe 2538 set; 2539 Thence North 00° 54' 06" West a distance of 1642.48 feet 2540 to an iron pipe set at a point of curvature; 2541 Thence with an arc to the left, having a delta of 06° 44' 2542 09", a radius of 11426.192 feet, a chord which bears North 04° 2543 16' 11" West, a chord distance of 1342.503 feet to an iron pipe 2544 set at a point of tangency; 2545 Thence North 07° 38' 15" West a distance of 741.51 feet to 2546 an iron pipe set at a point of curvature; 2547 Thence with an arc to the right, having a delta of 06° 37' 2548 43", a radius of 11492.192 feet, a chord which bears North 04° 2549 19' 24" West, a chord distance of 1328.817 feet to an iron pipe 2550 set at a point of tangency; 2551 Thence North 01° 00' 32" West, along the west line of Lots 2552 118, 117, 116, 115, i14, 113 and 112 a distance of 11358.57 feet 2553 to a railroad spike set in the centerline of Burton-Bloomfield 2554 Road; 2555 Thence North 89° 02' 50" East, along the centerline of 2556 said road and the north line of Lot 112, a distance of 3.00 feet 2557

Page 89

H. B. No. 379 As Introduced

There North 01° 001 2211 Fost (being 20 0 foot west of and	2550
Thence North 01° 00' 32" East (being 30.0 feet west of and	2559
parallel to the west line of Lots 111 and 110) a distance of	2560
3362.67 feet to an iron pipe set on the north line of Lot 93;	2561
Thence South 89 $^\circ$ 07' 40" West, along the north line of Lot	2562
93, a distance of 3.00 feet to an iron pipe set;	2563
Thence North 01° 00' 32" West (being 33.0 feet west of and	2564
parallel to the west line of Lots 109 and 108) a distance of	2565
2463.00 feet to an iron pipe set;	2566
Thence North 89° 07' 40" East a distance of 3.0 feet to an	2567
iron pipe set;	2568
Thence North 01° 00' 32" West (being 30.0 feet west of and	2569
parallel to the west line of Lot 108) a distance of 820.00 feet	2570
to a railroad spike set in the centerline of Haines-East Road;	2571
Thence South 89° 07' 40" West, along the north line of Lot	2572
91 and the centerline of said road a distance of 3.0 feet to a	2573
railroad spike set;	2574
Thence North 01° 00' 32" West (being 33.0 feet west of and	2575
parallel to the west line of Lots 107, 106, 105 and 104) a	2576
distance of 5293.02 feet to an iron pipe set at a point of	2577
curvature;	2578
Thence with an arc to the right, having a delta of 07° 46'	2579
31", a radius of 11492.192 feet, a chord which bears North 02°	2580
52' 44" East, a chord distance of 1558.342 feet to an iron pipe	2581
set at a point of tangency;	2582
Thence North 06° 45' 59" East a distance of 393.14 feet to	2583
an iron pipe set at a point of curvature;	2584
Thence with an arc to the left, having a delta of 01° 53'	2585
06", a radius of 11426.192 feet, a chord which bears North 05° $$	2586

49' 26" East, a chord distance of 375.921 feet to an iron pipe2587set on the county line common to Trumbull County and Ashtabula2588County;2589

Thence North 88° 34' 38" East, along the north line of2590Trumbull County (passing iron pipes set at 3.02 feet and 33.202591feet) a total distance of 66.40 feet to an iron pipe set;2592

Thence with an arc to the right, having a delta of 01° 55'259317", a radius of 11492.192 feet, a chord which bears South 05°259440' 20" West, a chord distance of 385.382 feet to an iron pipe2595set at a point of tangency;2596

Thence South 06° 45' 59" West a distance of 393.14 feet to an iron pipe set at a point of curvature;

Thence with an arc to the left, having a delta of 01° 05'259942", a radius of 11426.192 feet, a chord which bears South 06°260013' 08" West, a chord distance of 218.35 feet to an iron pipe2601set on the south line of Lot 103;2602

Thence South 88° 34' 38" West, along the south line of Lot2603103 a distance of 3.02 feet to an iron pipe set;2604

Thence with an arc to the left, having a delta of 06° 40'260543", a radius of 11429.192 feet, a chord which bears South 02°260619' 49" West, a chord distance of 1331.452 feet to an iron pipe2607set at a point of tangency;2608

Thence South 01° 00" 32" East (being 30.0 feet east of and 2609 parallel to the west lines of Lots 104, 105, and 106) a distance 2610 of 3630.382 feet to an iron pipe set on the south line of Lot 2611 106; 2612

Thence North 89° 07' 40" East, a distance of 3.00 feet to 2613 an iron pipe set; 2614

Page 91

2597

Thence South 01° 00' 32" West (being 33.0 feet east of and	2615
parallel to the west line of Lot 107) a distance of 1662.79 feet	2616
to a railroad spike set in the-centerline of Haines-East Road;	2617
Thence South 89° 07' 40" West, along the centerline of	2618
said road, and the south line of Lot 107, a distance of 3.00	2619
feet to a railroad spike set;	2620
Thence South 01 $^\circ$ 00' 32" East (being 30.0 feet east of and	2621
parallel with the west line of Lots 108, 109, 110 and 111, a	2622
distance of 6645.58 feet to a railroad spike set in the	2623
centerline of Burton-Bloomfield Road;	2624
Thence North 89° 02' 51" East, along the centerline of	2625
said road, and the south line of Lot 111, a distance of 3.00	2626
feet to a railroad spike set;	2627
Thence South 01° 00' 32" East a distance of 334.75 feet to	2628
an iron pipe set;	2629
an fion pipe bee,	2029
Thence South 88° 40' 35" West a distance of 3.05 feet to	2630
an iron pipe set;	2631
Thence South 01° 19' 25" East a distance of 109.25 feet to	2632
an iron pipe set;	2633
Thence North 88° 40' 35" East, a distance of 2.45 feet to	2634
an iron pipe set;	2635
Thence South 01 $^\circ$ 00' 32" East (being 66.0 feet east of and	2636
parallel to the west lines of Lots 112, 113, 114 and 115) a	2637
distance of 5368.00 feet to an iron pipe set;	2638
Thence North 89° 59' 28" East a distance of 33.0 feet to	2639
an iron pipe set;	2640
Thence South 01° 00' 32" East a distance of 825.00 feet to	2641
mence south of our series a distance of \$25.00 feet to	2041

a railroad spike set in the centerline of Dunkerton-East Road;	2642
Thence South 88° 59' 28" West, along the centerline of	2643
Dunkerton-East Road, a distance of 33.00 feet to a railroad	2644
spike set;	2645
Thence South 01° 00' 32" East (being 66.0 feet east of the	2646
west line of Lots 115, 116, 117 and 118) a distance of 4721.51	2647
feet to an iron pipe set at a point of curvature;	2648
Thence with an arc to the left, having a delta of 06° 37'	2649
43", a radius of 11426.192 feet, a chord which bears South 04° $$	2650
19' 24" East, a chord distance of 1321.185 feet to an iron pipe	2651
set at a point of tangency;	2652
Thence South 07° 38' 15" East a distance of 741.51 feet to	2653
an iron pipe set at a point of curvature;	2654
Thence with an arc to the right, having a delta of 06° 44'	2655
09", a radius of 11492.192 feet, a chord which bears South 04°	2656
16' 11" East, a chord distance of 1350.258 feet to an iron pipe	2657
set at a point of tangency;	2658
Thence South 00° 54' 06" East, a distance of 1738.96 to an	2659
iron pipe set;	2660
Thence South 24° 47' 13" East, a distance of 81.50 feet to	2661
an iron pipe set;	2662
Thence South 00° 54' 06" East, a distance of 245.00 feet	2663
to an iron pipe set;	2664
to an iton pipe set,	2004
Thence South 18° 16' 03" West, a distance of 100.50 feet	2665
to an iron pipe set;	2666
Thence South 00° 54' 06" East, a distance of 2296.84 feet	2667
to a railroad spike set in the centerline of Hyde-Oakfield Road;	2668

Thence South 00° 55' 33" East, a distance of 5867.36 feet	2669
to an iron pipe set;	2670
Thence North 65° 48' 23" East, a distance of 5.00 feet to	2671
an iron pipe set;	2672
Thence South 16° 55' 13" East, a distance of 250.05 feet	2673
to an iron pipe set;	2674
Thence South 00° 55' 33" East a distance of 530.00 feet to	2675
a railroad spike set in the centerline of State Route 88;	2676
Thence South 65° 48' 23" West, along the centerline of	2677
State Route 88, a distance of 44.05 feet to a state highway	2678
monument box;	2679
Thence South 00° 52' 08" East, a distance of 9127.76 feet	2680
to an iron pipe set at a point of curvature;	2681
Thence with an arc to the left, having a delta of 51° 54'	2682
11", a radius of 5305.557 feet, a chord which bears South 04° $$	2683
55' 05" East, a chord distance of 749.273 feet to an iron pipe	2684
set at a point of tangency;	2685
Thence South 08° 58' 02" East a distance of 3144.86 feet	2686
to an iron pipe set;	2687
Thence North 89° 56' 02" East a distance of 59.60 feet to	2688
an iron pipe on the east line of lot 12;	2689
Thence South 01° 23' 14" East, along the east line of Lot	2690
12, a distance of 446.425 feet to an iron pipe set;	2691
Thence South 08° 58' 02" East a distance of 4575.05 feet	2692
to an iron pipe set on the south line of Lot 9;	2693
Thence South 08° 55' 22" East a distance of 6876.45 feet	2694
to an iron pipe set at a point of curvature;	2695

Thence with an arc to the left, having a delta of 17° 50' 2696 22" East, a radius of 5670.15 feet, a chord which bears South 2697 18° 18' 18" East, a chord distance of 1758.32 feet to an iron 2698 2699 pipe set; Thence South 89° 20' 05" West, a distance of 22.20 feet to 2700 an iron pipe set; 2701 Thence South 26° 55' 21" East, a distance of 10362.75 feet 2702 to an iron pipe set at a point of curvature; 2703 Thence with an arc to the right, having a delta of 02° 27' 2704 09", a radius of 562.65 feet, a chord which bears South 25° 39' 2705 24" East, a chord distance of 246.64 feet, to an iron pipe set 2706 on the north right of way of Champion Avenue; 2707 Thence South 84° 33' 34" West, along the north right of 2708 way line of Champion Avenue, a distance of 34.91 feet to The 2709 True Place of Beginning; 2710 Containing 153.799 acres, of which 53.099 acres are in 2711 Champion Township, 59.466 acres in Bristol Township and 41.234 2712 acres in Bloomfield Township. 2713 Iron pipes set are 111 O.D. x 30" length steel pipes with 2714 a yellow plastic cap stamped STULTS AND ASSOCIATES, INC. 2715 The bearing system herein are referenced to and derived 2716 from the Ohio State Plane Coordinate System, North Zone (pages 2717 Ohio revised code, Sections 157.01 to 157.07 inclusive). All 2718 distances, bearings and coordinates have been converted from 2719 geographic position to plane coordinate position based on the 2720 Lambert conformal conic projection. The coordinates of The True 2721 Place of Beginning are North 596,499.89831 and East 2722 2,461,031.30901. 2723

This survey is made subject to all easements,2724restrictions, and rights-of-way that are recorded or unrecorded.2725

A survey plat entitled "Plat of Survey of Land of the Penn 2726 Central Corporation to be acquired by The State of Ohio" 2727 consists of Sheet No. 1 through Sheet No. 14 inclusive, is to be 2728 recorded upon final acquisition with the Recorder's Office of 2729 Trumbull County. 2730

The foregoing legal description may be corrected or2731modified by the Department of Administrative Services or the2732Ohio Rail Development Commission, successor in interest to the2733Ohio Rail Transportation Authority, to a final form if such2734corrections or modifications are needed to facilitate2735recordation of the deed.2736

(B) (1) The conveyance includes all privileges, rights, 2737 easements, and appurtenances to the real estate, and any 2738 buildings and other structures and improvements erected thereon, 2739 and is subject to all leases, easements, reservations, 2740 restrictions, licenses, permits, memoranda of understanding, 2741 agreements, conditions, and covenants of record and 2742 encroachments whether of record or not; all legal highways and 2743 2744 public rights-of-way; zoning, building, and other laws, ordinances, restrictions, and regulations; and real estate taxes 2745 and assessments not yet due and payable. The real estate shall 2746 be conveyed in an "as-is, where-is, with all faults" condition. 2747

(2) The deed or deeds may contain restrictions,
exceptions, reservations, reversionary interests, and other
terms and conditions the Director of Administrative Services
determines to be in the best interest of the State.

(3) Subsequent to the conveyance, any restrictions, 2752

exceptions, reservations, reversionary interests, or other terms 2753 and conditions contained in the deed may be released by the 2754 State or the Ohio Rail Development Commission, successor in 2755 interest to the Ohio Rail Transportation Authority, without the 2756 necessity of further legislation. 2757

(C) Consideration for the conveyance of the real estate2758described in division (A) of this section shall be \$1.00.2759

The Director of Administrative Services shall offer the 2760 2761 real estate to Trumbull County Metropolitan Park District through a real estate purchase agreement. Consideration for the 2762 conveyance of the real estate shall be at a price acceptable to 2763 the Director of Administrative Services and the Director of Ohio 2764 Rail Development Commission, successor in interest to the Ohio 2765 Rail Transportation Authority. If Trumbull County Metropolitan 2766 Park District does not complete the purchase of the real estate 2767 within the time period provided in the real estate purchase 2768 agreement, the Director of Administrative Services may use any 2769 reasonable method of sale considered acceptable by the Ohio Rail 2770 Development Commission, successor in interest to the Ohio Rail 2771 2772 Transportation Authority, to determine an alternate grantee willing to complete the purchase within three years after the 2773 2774 effective date of this section. The Ohio Rail Development Commission, successor in interest to the Ohio Rail 2775 Transportation Authority, shall pay all advertising costs, 2776 additional fees, and other costs incident to the sale of the 2777 real estate. 2778

(D) The real estate described in division (A) of this 2779section may be conveyed as an entire tract or as multiple 2780parcels. 2781

(E) Grantee shall pay all costs associated with the 2782

purchase, closing and conveyance, including surveys, title2783evidence, title insurance, transfer costs and fees, recording2784costs and fees, taxes, and any other fees, assessments, and2785costs that may be imposed.2786

The net proceeds of the sale shall be deposited into the2787state treasury to the credit of the Rail Development Fund (Fund27884N40) under section 4981.09 of the Revised Code.2789

(F) (1) Upon payment of the purchase price, the Director of 2790 2791 Administrative Services, with the assistance of the Attorney General, shall prepare a Governor's Deed to the real estate 2792 described in division (A) of this section. The Governor's Deed 2793 shall state the consideration and shall be executed by the 2794 Governor in the name of the State, countersigned by the 2795 Secretary of State, sealed with the Great Seal of the State, 2796 presented in the Department of Administrative Services for 2797 recording, and delivered to the Grantee. The Grantee shall 2798 present the Governor's Deed for recording in the Office of the 2799 Trumbull County Recorder. 2800

(2) The intent of this conveyance is for the Purchaser to 2801 use the real estate for recreational purposes; therefore, the 2802 deed shall contain a restriction stating that if the real estate 2803 described in division (A) of this section is no longer being 2804 used for recreational purposes, the real estate described in 2805 division (A) of this section shall revert back to the State of 2806 Ohio at the sole discretion of the Director of the Ohio Rail 2807 Development Commission, successor in interest to the Ohio Rail 2808 Transportation Authority, at the purchase price of the real 2809 estate described in division (A) of this section. 2810

(G) This section shall expire 3 years after its effective 2811date. 2812

H. B. No. 379 As Introduced

Section 8. (A) The Governor may execute a Governor's Deed2813in the name of the State conveying to Ashtabula County2814Metropolitan Park District ("Grantee"), and its successors and2815assigns, all of the State's right, title, and interest in the2816following described real estate:2817

2818 Situated in the State of Ohio, County of Ashtabula being a part of Sections 3, 4, 7, 8, 13, 14, 18, 17, 23 and 24 (Township 2819 8-North, Range 4-West) of Orwell Township, and part of Lots 21, 2820 22, 23, 24, 25, 26, 27, 28, 29, 30, 33, 32, 35, 36, 37, 38, 39 2821 and 40 (Township 9-North, Range 4-West) of Rome Township, and 2822 part of Lots 6, 7, 17, 27, 37, 47, 57, 67, 76, 77, 86, 87, 96, 2823 106, 116, 126, 127, 136, 137, 146, 147, 156 and 157 (Township 2824 10-North, Range 4-West) of Morgan Township, and parts of Lots 6, 2825 7, 16, 26, 36, 46, 56, 57, 67, 66, 76, 77, 86, 87, 96 and 97 2826 (Township 11-North, Range 4-West) of Austinburg Township, and 2827 part of Lots 48, 49, 51, 52, 78, 79, 85, 86 and 87 (Township 12-2828 North, Range 4-West) of Saybrook Township, and part of Lots 16 2829 and 17 (Township 12-North, Range 3-West) of Ashtabula Township, 2830 and part of Lot 16 of The City of Ashtabula, Connecticut Western 2831 Reserve, and being more fully described as follows: 2832

Beginning at an iron pipe set at the southeast corner of2833Section 23 (Township 8-North, Range 4-West) in Orwell Township,2834being on the county line common to Ashtabula County and Trumbull2835County;2836

Thence South 88° 34' 38" West, along said common county2837line (passing an iron pipe set at 35.69 feet, and passing2838through an iron pipe set on the centerline of the railroad at283968.89 feet) a total distance of 99.07 feet to an iron pipe set;2840

Thence with an arc to the left, having a delta of 06° 18'284109", a radius of 11429.192 feet, a chord which bears North 01°2842

43' 43" East, a chord distance of 1256.570 feet to an iron pipe 2843 set at a point of tangency; 2844 Thence North 01° 25' 22" West a distance of 1223.00 feet 2845 to a railroad spike set in the centerline of Winter Road; 2846 Thence South 89° 05' 14" West, along the centerline of 2847 Winter Road, a distance of 30.00 feet to an iron pipe set; 2848 Thence North 01° 25' 22" West, along the west right of way 2849 line of Columbia Road, a distance of 1841.47 feet to a railroad 2850 spike set; 2851 Thence North 88° 34' 38" East a distance of 30.00 feet to 2852 an iron pipe set on the east right of way line of Columbia Road; 2853 Thence North 01° 25' 22" West a distance of 8168.45 feet 2854 to a railroad spike set in the centerline of U.S. Route 322; 2855 Thence South 88° 58' 16" West, along the centerline of 2856 U.S. Route 322, a distance of 3.00 feet to a railroad spike set; 2857 Thence North 01°29' 34" West a distance of 1253.73 feet to 2858 an iron pipe set on the west line of Section 14; 2859 Thence North 02° 20' 33" West, along the west line of 2860 Section 14, a distance of 1348.62 feet to an iron pipe set on 2861 the southwest corner of Section 7; 2862 Thence North 00° 53' 34'' West, along the west line of 2863 Section 7, a distance of 2674.20 feet to a railroad spike set in 2864 the centerline of Hague Road; 2865 Thence South 89° 03' 03" West, along the centerline of 2866 said Hague Road, a distance of 8.00 feet to an iron pipe set; 2867 Thence continuing along the west line of Section 7 and the 2868

west line of Section 4, North 01° 29' 34" West, a distance of 2869

4726.29 feet to an iron pipe set at a point of curvature; 2870 Thence with an arc to the right, having a delta of 12° 48' 2871 22", a radius of 5762.65 feet, a chord which bears North 04° 54' 2872 38" East, a chord distance of 1285.32 feet to an iron pipe set 2873 at a point of tangency; 2874 Thence North 11° 18' 49" East (passing through the 2875 township line common to Orwell and Rome Townships, at 2035.00 2876 feet, more or less) a total distance of 2391.76 feet to an iron 2877 pipe set at a point of curvature; 2878 Thence with an arc to the left, having a delta of 12° 22' 2879 07", a radius of 5696.65 feet, a chord which bears North 05° 47' 2880 46" East, a chord distance of 1227.38 feet to an iron pipe set 2881 at a point of tangency; 2882 Thence North 01° 03' 18" West (being 33.00 feet west of 2883 and parallel to the east line of Lots 30, 29 and 28) a distance 2884 of 4468.69 feet to an iron pipe found; 2885 Thence South 88 ° 31' 16" West, a distance of 140.00 feet 2886 to an iron pipe set; 2887 Thence North 01° 03' 18" West a distance of 1000.00 feet 2888 to a railroad spike set on the north line of Lot 28, and being 2889 in the centerline of Dodgeville Road; 2890 Thence North 88° 31' 16" East, along the north line of Lot 2891 28 and the centerline of said Dodgeville Road, a distance of 2892 140.00 feet to a railroad spike set; 2893 Thence North 01° 26' 00" West (being 33.00 feet west of 2894 and parallel to the east line of Lots 27 and 26) a distance of 2895 5347.30 feet to a railroad spike set on the north line of Lot 2896 26, and being in the centerline of U.S. Route 6; 2897

Thence South 88° 32' 19" West, along the north line of Lot 2898 26 and the centerline of U.S. Route 6, a distance of 47.00 feet 2899 to a railroad spike set; 2900 Thence North 01° 27' 02" West (being 113.00 feet west of 2901 and parallel to the east line of Lot 25) a distance of 1000.00 2902 feet to an iron pipe set; 2903 Thence North 88° 32' 19" East a distance of 47.00 feet to 2904 an iron pipe set; 2905 Thence North 01° 27' 02" West (being 66.00 feet west of 2906 and parallel to the east line of Lots 25 and 24) a distance of 2907 4358.45 feet to a railroad spike set on the north line of Lot 2908 24, being in the centerline of Ketcham Road; 2909 Thence North 01° 26' 14" West a distance of 6113.99 feet 2910 to an iron pipe set; 2911 Thence North 00° 43' 56" West a distance of 2072.80 feet 2912 to an iron pipe set on the north line of Lot 21 (also being on 2913 the north line of Rome Township and the south line of Morgan 2914 Township); 2915 Thence North 00° 39' 48" West a distance of 4185.75 feet 2916 to a railroad spike set in the centerline of Rock Creek Road; 2917 Thence North 00° 40' 45" West a distance of 571.65 feet to 2918 a point on the north waters edge of Rock Creek; 2919 Thence North 26° 01' 45" West (passing an iron pipe set at 2920 40.00 feet) a total distance of 105.00 feet to an iron pipe set; 2921 Thence North 00° 40' 45" West a distance of 150.00 feet to 2922 an iron pipe set; 2923 Thence North 06° 09' 15" East a distance of 151.10 feet to 2924

H. B. No. 379 As Introduced

an iron pipe set; 2925 Thence North 23° 33' 15" East a distance of 65.80 feet to 2926 an iron pipe set; 2927 Thence North 00° 40' 45" West a distance of 1540.39 feet 2928 2929 to an iron pipe set; Thence North 34° 28' 16" West a distance of 178.00 feet to 2930 an iron pipe set; 2931 Thence North 00° 40' 45" West a distance of 910.08 feet to 2932 2933 an iron pipe set; Thence South 87° 47' 05" East a distance of 99.13 feet to 2934 an iron pipe set; 2935 Thence North 00° 40' 45" West a distance of 823.23 feet to 2936 2937 an iron pipe set; Thence North 00° 38' 02" West a distance of 4116.14 feet 2938 to an iron pipe set on the centerline of Tische Road; 2939 Thence North 00° 32' 27" West a distance of 1663.87 feet 2940 to an iron pipe set on the north line of Lot 76; 2941 Thence North 00° 57' 05" West a distance of 1673.80 feet 2942 to an iron pipe set on the north line of Lot 66; 2943 Thence South 89° 37' 22" East, along the north line of Lot 2944 66, a distance of 12.00 feet to an iron pipe set; 2945 Thence North 00° 26' 27" West, a distance of 3329.39 feet 2946 to an iron pipe set on the north line of Lot 47; 2947 Thence North 00° 20' 39" West a distance of 6346.68 feet 2948 to an iron pipe set; 2949

Thence South 89° 39' 21" West a distance of 33.00 feet to 2950

an iron pipe set; 2951 Thence North 00° 20' 39" West a distance of 311.34 feet to 2952 an iron pipe set; 2953 Thence North 00 ° 13' 46" West a distance of 513.66 feet 2954 to a railroad spike set in the centerline of Eagleville-Jefferon 2955 Road; 2956 Thence North 72° 26' 11" East, along the centerline of 2957 said Eagleville-Jefferson Road, a distance of 34.57 feet to a 2958 railroad spike set; 2959 Thence North 00° 13' 46" West a distance of 539.74 feet to 2960 an iron pipe set; 2961 Thence North 18° 29' 32" West a distance of 105.30 feet to 2962 an iron pipe set; 2963 Thence North 00° 13' 46" West a distance of 400.00 feet to 2964 a point in or near the center of Mill Creek; 2965 Thence South 89° 46' 14" West, along or near the center of 2966 Mill Creek, a distance of 29.00 feet to a point; 2967 Thence North 00° 13' 46" West a distance of 1095.17 feet 2968 to an iron pipe set in the centerline of Mill Creek Road; 2969 Thence South 88° 51' 08" East, along the centerline of 2970 said Mill Creek Road, a distance of 13.00 feet to a railroad 2971 spike set; 2972 Thence North 00° 13' 46" West a distance of 108.04 feet to 2973 an iron pipe set; 2974 Thence North 89° 46' 14" East a distance of 49.00 feet to 2975 an iron pipe set; 2976

Thence North 00" 13' 46" West a distance of 532.00 feet to 2977

an iron pipe set on the north line of Lot 97; 2978 Thence South 89° 46' 14" West, along said lot line, a 2979 distance of 47.00 feet to an iron pipe set at the northwest 2980 corner of Lot 97; 2981 Thence North 02° 28' 35" East a distance of 535.93 feet to 2982 an iron pipe set; 2983 Thence South 89° 46' 14" West a distance of 25.30 feet to 2984 2985 an iron pipe set; Thence North 00° 13' 46" West a distance of 1566.62 feet 2986 to an iron pipe set; 2987 Thence South 83° 31' 08" East a distance of 10.07 feet to 2988 2989 an iron pipe set; Thence North 00° 13' 46" West a distance of 3289.98 feet 2990 to an iron pipe set on the north right of way line of Allen 2991 Road; 2992 Thence North 89° 09' 21" East, along the north right of 2993 way line of Allen Road, a distance of 37.00 feet to an iron pipe 2994 2995 set; Thence North 00 ° 13' 46" West a distance of 3906.81 feet 2996 to an iron pipe set at a point of curvature; 2997 Thence with an arc to the left, having a delta of 07° 37' 2998 57", a radius of 11426.192 feet, a chord which bears North 04° 2999 02' 44" West, a chord distance of 1520.96 feet to an iron pipe 3000 set on the north line of Lot 56, and being in the centerline of 3001 Lampson Road; 3002 Thence South 89° 00' 39" West, along said north line of 3003

Lot 56, and the centerline of said Lampson Road, a distance of

Page 105

17.12 feet to an iron pipe set; 3005 Thence with an arc to the left, having a delta of 06° 32' 3006 14", a radius of 11409.192 feet, a chord which bears North 11° 3007 08' 26" West, a chord distance of 1301.03 feet to an iron pipe 3008 set; 3009 Thence South 78° 42' 44" West a distance of 10.01 feet to 3010 3011 an iron pipe set; Thence with an arc to the left, having a delta of 06° 45' 3012 26", a radius of 11399.192 feet, a chord which bears North 17° 3013 47' 26" West, a chord distance of 1343.58 feet to an iron pipe 3014 set on the north line of Lot 46; 3015 Thence North 89° 17' 57" West, along the north line of Lot 3016 46, a distance of 10.78 feet to an iron pipe set; 3017 Thence with an arc to the left, having a delta of 02° 20' 3018 37", a radius of 11389.192 feet, a chord which bears North 22° 3019 21' 40" West, a chord distance of 465.802 feet to an iron pipe 3020 set at a point of tangency; 3021 Thence North 23° 31' 58" West a distance of 1064.95 feet 3022 to an iron pipe set; 3023 Thence North 89° 28' 02" East a distance of 40.20 feet to 3024 an iron pipe set; 3025 Thence North 23° 31' 58" West a distance of 1022.77 feet 3026 to an iron pipe set at a point of curvature; 3027 Thence with an arc to the right, having a delta of 20° 53' 3028

07", a radius of 5762.65 feet, a chord which bears North 13° 05'302925" West, a chord distance of 2088.959 feet to an iron pipe set3030at a point of compound curve;3031

Thence continuing on a curve with an arc to the right, having a delta of 26° 39' 42", a radius of 2633.574, a chord 3033 which bears North 10° 40' 59" East, a chord distance of 1214.463 3034 feet to an iron pipe set; 3035 Thence South 88° 05' 43" West a distance of 29.98 feet to 3036 3037 an iron pipe set; Thence North 23° 45' 38" East a distance of 2657.47 feet 3038 to a railroad spike set on the north line of Lot 16, being in 3039 the centerline of Clay Street; 3040 Thence North 88° 57' 25" East, along the north line of Lot 3041 16, and the centerline of said Clay Street, a distance of 11.02 3042 feet to a railroad spike set; 3043 Thence North 23° 44' 58" East a distance of 2885.84 feet 3044 to an iron pipe set on the north line of Lot 7, also being on 3045 the township line common to Austinburg Township and Saybrook 3046 Township; 3047 Thence South 89° 15' 30" West, along the common township 3048 line, a distance of 12.02 feet to an iron pipe set; 3049 Thence North 23° 44' 45" East a distance of 5313.94 feet 3050 to an iron pipe set on the north line of Lot 86; 3051 Thence South 45° 31' 02" West, along the north line of Lot 3052 86, a distance of 57.12 feet to an iron pipe set at a point of 3053

intersection of the centerline of Ashtabula-Austinburg Road; 3054 Thence North 23° 29' 02" East, along the tangent of said 3055 Ashtabula-Austinburg Road, a distance of 148.5 feet to an iron 3056 pipe set on the west line of Lot 79, being in the centerline of 3057 Moody Road; 3058

Thence North 00° 47' 34" West, along the west line of Lot 3059

Page 107

79 and the centerline of Moody Road, a distance of 396.35 feet	3060
to an iron pipe set;	3061
Thence South 66° 15' 14" East a distance of 213.47 feet to	3062
an iron pipe set;	3063
Thence North 23° 44' 45" East a distance of 1260.01 feet	3064
to an iron pipe set;	3065
Thence North 23° 49' 36" East a distance of 2865.35 feet	3066
to an iron pipe set;	3067
Thence North 23° 50' 37" East a distance of 5228.23 feet	3068
to an iron pipe set;	3069
Thence South 89° 04' 38" West a distance of 36.34 feet to	3070
an iron pipe set;	3071
Thence North 23° 50' 37" East a distance of 717.00 feet to	3072
an iron pipe set;	3073
Thence South 63° 04' 37" East a distance of 33.05 feet to	3074
an iron pipe set;	3075
Thence North 23° 50' 37" East a distance of 205.28 feet to	3076
an iron pipe set;	3077
Thence North 23° 46' 38" East (passing through the east	3078
line of Saybrook Township, at 2552.00 feet, more or less) a	3079
total distance of 2871.98 feet to an iron pipe set;	3080
Thence North 23° 48' 59" East a distance of 2951.01 feet	3081
to a railroad spike set in the centerline of State Route 84;	3082
Thence South 58° 57' 41" West, along the centerline of	3083
State Route 84, a distance of 29.53 feet to a railroad spike	3084
set;	3085
Thence North 23° 48' 59" East a distance of 370.67 feet to	3086
H. B. No. 379 As Introduced

an iron pipe set;	3087
Thence North 27° 46 1 21" East a distance of 246.41 feet	3088
to an iron pipe set at a point of curvature;	3089
Thence with an arc to the right, having a delta of 12° 59'	3090
02", a radius of 11492.19 feet, a chord which bears North 30 $^\circ$	3091
18' 30" East, a chord distance of 2598.70 feet to an iron pipe	3092
set at a point of tangency;	3093
Thence North 36° 48' 01" East a distance of 1937.23 feet	3094
to an iron pipe set on the north side of South 58th Street (in	3095
The City of Ashtabula);	3096
Thence North 36° 45' 46" East a distance of 2906.79 feet	3097
to an iron pipe set in the lands of the N.Y.C. & St. Louis	3098
Railroad;	3099
Thence North 56° 16' 25" East (passing an iron pipe set on	3100
the original centerline of the Penn Central Railroad, at 98.81	3101
feet) a total distance of 197.61 feet to an iron pipe set;	3102
Thence South 36° 45' 46" West a distance of 3105.31 feet	3103
to an iron pipe set on the south side of South 58th Street;	3104
Thence North 88° 40' 10" East, along the south side of	3105
said South 58th Street, a distance of 34.31 feet to an iron pipe	3106
set;	3107
Thence South 36° 48' 01", along a portion of the east	3108
right of way line of Nathan Avenue, a distance of 1946.20 feet	3109
to an iron pipe set;	3110
Thence South 36° 35' 28" West a distance of 83.24 feet to	3111
an iron pipe found at the southwest corner of Bardmoor	3112
Subdivision as platted in Plat Book 12, page 89, Ashtabula	3113
County Recorders Office;	3114

Thence South 45° 00' 00" East, along the south line of	3115
said Bardmoor Subdivision, a distance of 10.11 feet to an iron	3116
pipe set;	3117
Thence with an arc to the left, having a delta of 12 $^\circ$ 33'	3118
28", a radius of 11389.192 feet, a chord which bears South 30°	3119
05' 44" West, a chord distance of 2491.282 feet to an iron pipe	3120
set at a point of tangency;	3121
Thence South 23° 48' 59" West a distance of 245.83 feet to	3122
an iron pipe set;	3123
Thence South 66° 11' 0" East a distance of 20.00 feet to	3124
an iron pipe set;	3125
Thence South 23° 48' 59" West a distance of 171.80 feet to	3126
a railroad spike set in the centerline of State Route 84;	3127
Thence South 58° 57' 41" West, along the centerline of	3128
State Route 84, a distance of 64.28 feet to an iron pipe set;	3129
	2120
Thence South 23° 48' 59" West (passing through the west	3130
line of Ashtabula Township, at 635.00 feet, more or less) a	3131
total distance of 1710.16 feet to an iron pipe set;	3132
Thence South 00" 41' 01" East a distance of 16.88 feet to	3133
an iron pipe set;	3134
Thence South 23° 48' 59" West a distance of 1347.62 feet	3135
to an iron pipe set;	3136
Thence South 23° 46' 38" West a distance of 1405.99 feet	3137
	3137
to an iron pipe set;	2120
Thence South 66° 13' 22" East a distance of 5.00 feet to	3139
an iron pipe set;	3140
Thence South 23° 46' 38" West a distance of 1466.00 feet	3141

to an iron pipe set; 3142 Thence South 23° 50' 37" West a distance of 117.36 feet to 3143 an iron pipe set; 3144 Thence South 03° 26' 23" East a distance of 76.35 feet to 3145 3146 an iron pipe set; Thence South 23° 50' 37" West a distance of 1067.00 feet 3147 to an iron pipe set on the south line of Lot 48; 3148 Thence South 89° 04' 38" West, along the south line of Lot 3149 3150 48, a distance of 44.05 feet to an iron pipe set; Thence South 23° 50' 37" West, a distance of 1124.63 feet 3151 to a railroad spike set on the west line of Lot 51, being in the 3152 centerline of Sanborn Road; 3153 Thence South 00° 56' 43" East, along the west line of Lot 3154 51, and the centerline of Sanborn Road, a distance of 23.85 feet 3155 to a railroad spike set; 3156 Thence South 23° 50' 37" West a distance of 1037.50 feet 3157 to an iron pipe set; 3158 Thence South 89° 16' 37" West a distance of 11.00 feet to 3159 an iron pipe set; 3160 Thence South 23° 50' 37" West a distance of 2647.54 feet 3161 to an iron pipe found; 3162 Thence North 89° 36' 28" East a distance of 21.92 feet to 3163 an iron pipe set; 3164 Thence South 23° 49' 36" West a distance of 639.20 feet to 3165 an iron pipe set on the west line of Lot 52; 3166 Thence South 00° 20' 24" East, along the west line of Lot 3167

52, a distance of 208.98 feet to an iron pipe set; 3168

Thence South 85° 17' 47" West a distance of 120.15 feet to	3169
an iron pipe set;	3170
Thence South 23° 49' 36" West a distance of 2014.02 feet	3171
to an iron pipe set;	3172
Thence South 23° 44' 45" West a distance of 192.08 feet to	3173
an iron pipe set;	3174
Thence South 02° 20' 57" West a distance of 54.82 feet to	3175
an iron pipe set;	3176
Thence South 23° 44' 45" West a distance of 1104.51 feet	3177
to an iron pipe set;	3178
Thence North 45° 03' 31" East a distance of 55.75 feet to	3179
an iron pipe set;	3180
Thence South 23° 50' 31" West a distance of 443.95 feet to	3181
an iron pipe set;	3182
Thence South 23° 45' 36" West a distance of 234.48 feet to	3183
an iron pipe set;	3184
Thence North 00° 40' 53" West a distance of 95.42 feet to	3185
an iron pipe set;	3186
Thence South 23° 44' 45" West a distance of 2371.61 feet	3187
to an iron pipe set;	3188
Thence South 89 ° 15' 31" West a distance of 10.85 feet to	3189
a P.K. nail set in a twelve inch Cherry Tree;	3190
Thence South 23° 43' 44" West (passing through the south	3191
line of Saybrook Township, at 2713.00 feet, more or less) a	3192
total distance of 2738.76 feet to an iron pipe set;	3193
Thence South 23° 44' 58" West a distance of 2862.44 feet	3194
to a railroad spike set on the south line of Lot 6 (Austinburg	3195

Township); also being in the centerline of Clay Street; 3196 Thence North 88° 57' 25" East, along the centerline of 3197 Clay Street, a distance of 22.04 feet to a railroad spike set; 3198 Thence South 23° 45' 38" West a distance of 229.01 feet to 3199 an iron rod found; 3200 Thence South 02° 40' 44" East a distance of 112.50 feet to 3201 an iron rod found; 3202 Thence North 71° 28' 44" East a distance of 407.46 feet to 3203 an iron rod found; 3204 Thence South 01° 00' 30" East a distance of 519.94 feet to 3205 an iron rod found; 3206 Thence South 53° 20' 02" West a distance of 1049.64 feet 3207 to an iron pipe set in Coffee Creek; 3208 Thence South 89 ° 15' 51" West a distance of 56.42 feet to 3209 an iron pipe set; 3210 Thence South 23° 45' 38" West a distance of 1252.18 feet 3211 to an iron pipe set 70.0 feet east of the P.T. of the point of 3212 curvature of the original centerline; 3213 Thence South 22° 24' 19" West a distance of 119.71 feet to 3214 3215 an iron pipe set; Thence South 87° 42' 23" East a distance of 21.13 feet to 3216 an iron pipe set; 3217 Thence South 16° 53' 53" West a distance of 772.00 feet to 3218 an iron pipe set at a point of curvature; 3219 Thence with an arc to the left, having a delta of 06° 25' 3220 36", a radius of 2570.57 feet, a chord which bears South 00° 33' 3221 56" West, a chord distance of 288.193 feet to an iron pipe set 3222 at a point of compound curve; 3223 Thence South 02° 58' 36" East a distance of 65.43 feet to 3224 an iron pipe set; 3225 Thence North 89° 13' 21" East a distance of 3.00 feet to 3226 3227 an iron pipe set; Thence with an arc to the left, having a delta of 20° 13' 3228 34", a radius of 5696.65 feet, a chord which bears South 13° 25' 3229 11" East, a chord distance of 2000.558 feet to an iron pipe set 3230 at a point of tangency; 3231 Thence South 23° 31' 58" East a distance of 1050.79 feet 3232 to an iron pipe set; 3233 Thence North 89° 28' 02" East a distance of 40.20 feet to 3234 an iron pipe set; 3235 Thence South 23° 31' 58" East a distance of 1005.52 feet 3236 to an iron pipe set at a point of curvature; 3237 Thence with an arc to the right, having a delta of 09° 09' 3238 22", a radius of 11529.19 feet, a chord which bears South 18° 3239 57' 17" East, a chord distance of 1840.45 feet to an iron pipe 3240 3241 set; Thence South 78° 42' 44" West a distance of 20.03 feet to 3242 an iron pipe set; 3243 Thence with an arc to the right, having a delta of 06° 34' 3244 12", a radius of 11509.19 feet, a chord which bears South 11° 3245 05' 49", a chord distance of 1319.01 feet to an iron pipe set on 3246 the south line of Lot 47, being in the centerline of Lampson 3247 Road; 3248

Thence South 89° 00' 39" West, along the south line of Lot 3249

pipe set;

Road;

pipe set;

to an iron pipe set; 3251 Thence South 07° 44' 48" East a distance of 30.21 feet to 3252 an iron pipe set on the south right of way line of Lampson Road; 3253 Thence North 89° 00' 39" East, along the south right of 3254 way line of Lampson Road, a distance of 379.50 feet to an iron 3255 3256 Thence with an arc to the right, having a delta of 07° 13' 3257 44", a radius of 11869.19 feet, a chord which bears South 03° 3258 50' 38" East, a chord distance of 1496.52 feet to an iron pipe 3259 3260 set at a point of tangency; Thence South 00° 13' 46" East a distance of 3905.32 feet 3261 to an iron pipe set on the north right of way line of Allen 3262 3263 Thence South 89° 36' 41" West, along the north right of 3264 way line of Allen Road, a distance of 357.00 feet to an iron 3265 32.66 Thence South 00° 13' 46" East a distance of 25.00 feet to 3267 an iron pipe set on the south line of Lot 67, being in the 3268 centerline of Allen Road; 3269

Thence North 89° 36' 41" East, along the south line of Lot 3270 67, and the centerline of Allen Road, a distance of 40.00 feet 3271 to an iron pipe set; 3272

47, and the centerline of Lampson Road, a distance of 17.12 feet

Thence South 00° 13' 46" East (being 60.00 feet east of 3273 and parallel to the west line of Lot 77) a distance of 593.06 3274 feet to an iron pipe set; 3275

Thence South 88° 28' 36" West a distance of 13.00 feet to 3276 a corner post; 3277

Page 115

3250

Thence South 00° 13' 46" East (being 47.00 feet east of 3278 and parallel to the west line of Lots 77 and 87) a distance of 3279 2690.29 feet to an iron pipe set; 3280 Thence South 83° 31' 08" East a distance of 10.07 feet to 3281 an iron pipe set; 3282 Thence South 00° 13' 46" East a distance of 3816.85 feet 3283 to an iron pipe set on the south side of Mill Creek; 3284 Thence South 89° 46' 14" West a distance of 24.00 feet to 3285 an iron pipe set; 3286 Thence South 00° 13' 46" East a distance of 400.00 feet to 3287 an iron pipe set in Mill Creek; 3288 Thence South 18° 02' 01" West a distance of 105.30 feet to 3289 3290 an iron pipe set; Thence South 00° 13' 46" East (being 66.00 feet east of 3291 and parallel to the west line of Lot 97) a distance of 519.14 3292 feet to a railroad spike set in the centerline of Eagleview-3293 Jefferson Road; 3294 Thence North 72° 26' 12" East, along the centerline of 3295 said Eagleview-Jefferson Road, a distance of 34.57 feet to a 3296 3297 railroad spike set; Thence South 00° 13' 46" East a distance of 330.00 feet to 3298 3299 an iron pipe set; Thence South 89° 46' 14" West a distance of 33.00 feet to 3300 an iron pipe set; 3301 Thence South 00" 13' 46" East a distance of 224.37 feet to 3302 an iron pipe set; 3303 Thence South 00° 20' 40" East a distance of 6659.22 feet 3304

to an iron pipe set on the south line of Lot 37; 3305 Thence South 00" 26' 27" East a distance of 3328.87 feet 3306 to an iron pipe set on the south line of Lot 57; 3307 Thence South 00° 32' 27" East a distance of 3336.68 feet 3308 to an iron pipe set on the south line of Lot 77, being in the 3309 centerline of Tische Road; 3310 Thence South 00° 38' 02" East a distance of 4116.13 feet 3311 to an iron pipe set on the south side of Jefferson Street; 3312 Thence South 00° 40' 45" East a distance of 3446.62 feet 3313 to an iron pipe set; 3314 Thence South 15° 56' 45" East a distance of 228.00 feet to 3315 an iron pipe set; 3316 Thence South 00° 40' 45" East a distance of 80.00 feet to 3317 an iron pipe set; 3318 Thence South 22° 31' 29" West (passing an iron pipe set at 3319 122.37 feet) a total distance of 152.37 feet to a point in Rock 3320 Creek: 3321 Thence South 00° 40' 45" East a distance of 381.73 feet to 3322 an iron pipe set on the south line of Lot 127; 3323 Thence North 89° 00' 50" East a distance of 4.00 feet to 3324 an iron pipe set; 3325 Thence South 01° 14' 28" East a distance of 996.25 feet to 3326 an iron pipe set; 3327 Thence South 89° 20' 12" West a distance of 14.00 feet to 3328 an iron pipe set; 3329 Thence South 00° 39' 48" East a distance of 690.00 feet to 3330 an iron pipe set on the south line of Lot 136; 3331

Thence North 89° 20' 12" East, along the south line of Lot 3332 136, a distance of 10.00 feet to an iron pipe set at the 3333 southeast corner of Lot 136; 3334 Thence South 00° 50' 41" West a distance of 380.00 feet to 3335 an iron pipe set; 3336 Thence South 00° 39' 48" East a distance of 1470.00 feet 3337 3338 to an iron pipe set; Thence North 89° 49' 05" East a distance of 27.00 feet to 3339 an iron pipe set; 3340 Thence South 00° 39' 49" East a distance of 824.34 feet to 3341 an iron pipe set on the south line of Morgan Township (north 3342 line of Rome Township); 3343 Thence South 00° 43' 56" East a distance of 2072.17 feet 3344 to an iron pipe set; 3345 Thence South 01° 26' 14" East a distance of 6093.80 feet 3346 to an iron pipe set on the north right of way line of Ketcham 3347 Road: 3348 Thence South 88° 55' 46" West, along the north right of 3349 way line of Ketcham Road, a distance of 20.01 feet to an iron 3350 pipe set; 3351 Thence South 01° 27' 02" East, along the east line of Lots 3352 24 and 25, a distance of 2988.00 feet to an iron pipe set; 3353 Thence South 88° 32' 58" West a distance of 7.00 feet to 3354 an iron pipe set; 3355 Thence South 01° 27' 02" East a distance of 1390.17 feet 3356 to an iron pipe set; 3357 Thence North 88° 32' 19" East a distance of 150.00 feet to 3358

an iron pipe set;	3359
Thence South 01° 27' 02" East a distance of 1000.00 feet	3360
to a railroad spike set in the centerline of U.S. Route 6;	3361
Thence South 88° 32' 19" West, along the centerline of	3362
U.S. Route 6, a distance of 150.00 feet to a railroad spike set;	3363
Thence South 01° 26' 00" East a distance of 289.08 feet to	3364
an iron pipe set;	3365
Thence North 87° 36' 35" East a distance of 33.00 feet to	3366
an iron pipe set;	3367
Thence South 01° 26' 00" East (being 66.00 feet east of	3368
and parallel to the west line of Lot 36) a distance of 2426.30	3369
feet to an iron pipe set on the south line of Lot 36;	3370
Thence North 89° 35' 33" West, along the south line of Lot	3371
36, a distance of 8.00 feet to an iron pipe set;	3372
Thence South 01° 26' 00" East (being 58.00 feet east of	3373
and parallel to the west line of Lot 37) a distance of 2632.69	3374
feet to a railroad spike set on the south line of Lot 37, being	3375
in the centerline of Dodgeville Road;	3376
Thence North 88° 31' 16" East, along the centerline of	3377
Dodgeville Road, a distance of 2.00 feet to a railroad spike	3378
set;	3379
Thence South 01° 03' 18" East (being 60.00 feet east of	3380
and parallel to the west line of Lot 38) a distance of 1620.32	3381
feet to an iron pipe set;	3382
Thence North 89° 19' 02" East a distance of 13.00 feet to	3383
an iron pipe set;	3384
Thence South 01° 03' 18" East (being 73.00 feet east of	3385

and parallel to the west line of Lots 38 and 39) a distance of	3386
3686.19 feet to an iron pipe set on the south line of Lot 39,	3387
being in the centerline of Fillingham Road;	3388
Thence South 88° 48' 02" West, along the centerline of	3389
Fillingham Road, a distance of 40.00 feet to an iron pipe set;	3390
Thence South 01° 03' 18" East, a distance of 162.68 feet	3391
	3392
to an iron pipe set at a point of curvature;	3392
Thence with an arc to the right, having a delta of 12 $^\circ$ 22'	3393
07", a radius of 5762.65 feet, a chord which bears South 05° 07'	3394
45" West, a chord distance of 1241.586 feet to an iron pipe set	3395
at a point of tangency;	3396
Thence South 11° 18' 49" West (passing through the south	3397
line of Rome Township, at 320.00 feet, more or less) a total	3398
distance of 2391.76 feet to an iron pipe set at a point of	3399
curvature;	3400
Thence with an arc to the left, having a delta of 12° 31'	3401
23", a radius of 5696.65 feet, a chord which bears South 05° 03'	3402
07" West, a chord distance of 1242.64 feet to an iron pipe set	3403
at a point of tangency;	3404
Thence North 88° 31' 00" East a distance of 12.00 feet to	3405
Thence North 88° 31' 00" East a distance of 12.00 feet to an iron pipe set;	3405 3406
an iron pipe set;	3406
an iron pipe set; Thence South 00° 09' 14" West a distance of 420.00 feet to	3406 3407
an iron pipe set;	3406
an iron pipe set; Thence South 00° 09' 14" West a distance of 420.00 feet to	3406 3407
an iron pipe set; Thence South 00° 09' 14" West a distance of 420.00 feet to an iron pipe set;	3406 3407 3408
an iron pipe set; Thence South 00° 09' 14" West a distance of 420.00 feet to an iron pipe set; Thence South 01° 29' 34" East a distance of 9611.46 feet to a railroad spike set in the centerline of U.S. Route 322;	3406 3407 3408 3409
an iron pipe set; Thence South 00° 09' 14" West a distance of 420.00 feet to an iron pipe set; Thence South 01° 29' 34" East a distance of 9611.46 feet	3406 3407 3408 3409 3410

Thence South 01° 25' 22" East a distance of 11232.78 feet	3413
to an iron pipe set at a point of curvature;	3414
Thence with an arc to the right, having a delta of 04° 08' $\!\!$	3415
29", a radius of 11489.19 feet, a chord which bears South 00 $^\circ$	3416
38' 52" West, a chord distance of 830.27 feet to an iron pipe	3417
set on the west line of Section 24;	3418
Thence South 01° 25' 22" East, along the west line of	3419
Section 24 (east line of Section 23) a distance of 424.92 feet	3420
to The Place of Beginning;	3421
Containing 342.940 acres, more or less, of which 39.586	3422
acres are in Orwell Township, including 5.896 acres in the	3423
Village of Orwell; 43.848 acres in Morgan Township, including	3424
7.012 acres in the Village of Rock Creek; 128.847 acres are in	3425
Austinburg Township; 60.322 acres are in Rome Township; 53.044	3426
acres are in Saybrook Township; 17.293 acres are in Ashtabula	3427
Township, including 9.285 acres in The City of Ashtabula;	3428
Iron pipes set are 1" O.D. x 30" length steel pipes with	3429
yellow plastic caps stamped STULTS AND ASSOC.;	3430
The bearing system herein are referenced to and derived	3431
from the Ohio State Plane Coordinate System, North Zone (pages	3432
Ohio revised code, Sections 157.01 to 157.07 inclusive.) All	3433
distances, bearings and coordinates have been converted from	3434

distances, bearings and coordinates have been converted from 3434 geographic position to plane coordinate position based on the 3435 Lambert conformal conic projection. The coordinates of The Place 3436 of Beginning are North 672,489.10770 and East 2,452,473.55552. 3437

This survey is made subject to all easements, restrictions3438and rights-of-way that are recorded or unrecorded.3439

A survey plat entitled "Plat of Survey of Land of The Penn 3440 Central, Corporation to be acquired by The State of Ohio" 3441 consists of Sheet No. 14 through Sheet No. 37 inclusive, is to3442be recorded, upon final acquisition, with the Recorder's Office3443of Ashtabula County.3444

The foregoing legal description may be corrected or3445modified by the Department of Administrative Services or the3446Ohio Rail Development Commission, successor in interest to the3447Ohio Rail Transportation Authority, to a final form if such3448corrections or modifications are needed to facilitate3449recordation of the deed.3450

(B) (1) The conveyance includes all privileges, rights, 3451 easements, and appurtenances to the real estate, and any 3452 buildings and other structures and improvements erected thereon, 3453 and is subject to all leases, easements, reservations, 3454 restrictions, licenses, permits, memoranda of understanding, 3455 agreements, conditions, and covenants of record and 3456 encroachments whether of record or not; all legal highways and 3457 public rights-of-way; zoning, building, and other laws, 3458 ordinances, restrictions, and regulations; and real estate taxes 3459 and assessments not yet due and payable. The real estate shall 3460 be conveyed in an "as-is, where-is, with all faults" condition. 3461

(2) The deed or deeds may contain restrictions,
3462
exceptions, reservations, reversionary interests, and other
3463
terms and conditions the Ohio Rail Development Commission,
3464
successor in interest to the Ohio Rail Transportation Authority,
3465
determines to be in the best interest of the State.

(3) Subsequent to the conveyance, any restrictions,
exceptions, reservations, reversionary interests, or other terms
and conditions contained in the deed may be released by the
State or the Ohio Rail Development Commission, successor in
3469
interest to the Ohio Rail Transportation Authority, without the

necessity of further legislation.

(C) Consideration for the conveyance of the real estate3473described in division (A) of this section shall be \$1.00.3474

The Director of Administrative Services shall offer the 3475 3476 real estate to Ashtabula County Metropolitan Park District through a real estate purchase agreement. Consideration for the 3477 conveyance of the real estate shall be at a price acceptable to 3478 the Director of Administrative Services and the Director of Ohio 3479 Rail Development Commission, successor in interest to the Ohio 3480 Rail Transportation Authority. If Ashtabula County Metropolitan 3481 Park District does not complete the purchase of the real estate 3482 within the time period provided in the real estate purchase 3483 agreement, the Director of Administrative Services may use any 3484 reasonable method of sale considered acceptable by the Ohio Rail 3485 Development Commission to determine an alternate grantee willing 3486 to complete the purchase within three years after the effective 3487 date of this section. The Ohio Rail Development Commission, 3488 successor in interest to the Ohio Rail Transportation Authority, 3489 shall pay all advertising costs, additional fees, and other 3490 costs incident to the sale of the real estate. 3491

(D) The real estate described in division (A) of thissection may be conveyed as an entire tract or as multipleparcels.

(E) Grantee shall pay all costs associated with the
purchase, closing and conveyance, including surveys, title
evidence, title insurance, transfer costs and fees, recording
costs and fees, taxes, and any other fees, assessments, and
costs that may be imposed.

The net proceeds of the sale shall be deposited into the

Page 123

3472

3500

state treasury to the credit of the Rail Development Fund (Fund 3501 4N40) under section 4981.09 of the Revised Code. 3502

(F) (1) Upon payment of the purchase price, the Director of 3503 Administrative Services, with the assistance of the Attorney 3504 General, shall prepare a Governor's Deed to the real estate 3505 described in division (A) of this section. The Governor's Deed 3506 shall state the consideration and shall be executed by the 3507 Governor in the name of the State, countersigned by the 3508 Secretary of State, sealed with the Great Seal of the State, 3509 presented in the Department of Administrative Services for 3510 recording, and delivered to the Grantee. The Grantee shall 3511 present the Governor's Deed for recording in the Office of the 3512 3513 Ashtabula County Recorder.

(2) The intent of this conveyance is for the Purchaser to 3514 use the real estate for recreational purposes; therefore, the 3515 deed shall contain a restriction stating that if the real estate 3516 described in division (A) of this section is no longer being 3517 used for recreational purposes, the real estate described in 3518 division (A) of this section shall revert back to the State of 3519 Ohio at the sole discretion of the Director of the Ohio Rail 3520 Development Commission, successor in interest to the Ohio Rail 3521 Transportation Authority, at the purchase price of the real 3522 estate described in division (A) of this section. 3523

(G) This section shall expire 3 years after its effective 3524date. 3525

Section 9. (A) Notwithstanding division (A) (5) of section3526123.01 of the Revised Code, the Director of Administrative3527Services may execute a perpetual easement in the name of the3528State with the City of Columbus, Ohio, an Ohio municipal3529corporation, and its successors and assigns, for the3530

installation, construction, operation, maintenance, repair, 3531
reconstruction, servicing and/or replacement of a twelve inch 3532
(12") sanitary sewer pipeline, burdening the following described 3533
real estate: 3534

Situated in the Southwest Quarter of Town 1 North, Range 3535 18 West, City of Columbus, Franklin County, Ohio and being part 3536 of Lots 1 (PID 010-032095) in the name of the State of Ohio 3537 (Ohio State University) as recorded in Vol 2663, Page 143 and 3538 Lot 2 (PID 010-004693), Lot 3 (PID 010-004692), Lot 4 (PID 010-3539 004690), in the name of the State of Ohio (Ohio State 3540 University) as recorded in Vol 2660 Page 651 and Lots 5&6 (PID 3541 010-004731), in the name of the State of Ohio (Ohio State 3542 University) as recorded in Vol 2668, Page 112, and part Lot 7 3543 (PID 010-045989) in the name of the State of Ohio (Ohio State 3544 University) as recorded in Vol 2670, Page 498, and a portion of 3545 former 10th Ave. vacated per Ordinance 779-66 (010-026543) as 3546 shown on the Record Plat of the Kings Neil Ave. Subdivision Plat 3547 as recorded in Plat Book 7, Page 96 of the Exempted Lands of The 3548 Ohio State University and being more particularly described as 3549 follows: 3550

Beginning at a set mag nail the southeasterly corner of3551said Lot 1 of Kings Neil Ave. Subdivision Plat and the westerly3552right-of-way line of Neil Ave. and the northerly right-of-way3553line of W. 9th Ave.,3554

Thence along said northerly right-of-way line of West 9th3555Ave., North 87°01'43" West, a distance of 15.96 feet to the True3556Point of Beginning.3557

Thence continuing along said northerly right-of-way line3558of West 9th Ave., North 87°01'43" West, a distance of 31.50 feet3559to a point,3560

the following six courses: 3562 (1) North 53°33'28" East, a distance of 47.41 feet, to a 3563 3564 point, (2) North 08°14'18" West, a distance of 94.83 feet, to a 3565 point, 3566 (3) South 81°45'42" West, a distance of 12.00 feet, to a 3567 point, 3568 (4) North 08°14'18" West, a distance of 25.00 feet, to a 3569 3570 point, (5) North 81°45'42" East, a distance of 12.00 feet, to a 3571 3572 point, (6) North 08°14'18" West, a distance of 247.38 feet, to a 3573 point on the southerly line of a 1' reservation strip as shown 3574 on said Record Plat and the former northerly right-of-way line 3575 of W. 10th Ave. 3576 Thence along said southerly line of the reservation strip 3577 and the former northerly right-of-way line of W. 10th Ave. South 3578 87°01'43" East a distance of 12.74 feet to a mag nail on the 3579 aforementioned westerly right-of-way line of Neil Ave. 3580 Thence along said westerly right-of-way line of Neil Ave. 3581 South 08°14'18" East, a distance of 386.40 feet to a point and 3582 Thence along a line through the aforementioned Lot of 3583 Kings Plat, South 53°33'28" West, a distance of 17.77 feet to 3584 the True Point of Beginning. 3585

Thence along a line through the aforementioned Lots 1-7

Containing 0.1337 total acres (5824 sq. ft.) and being3586subject to all other easements, encumbrances, rights,3587

Page 126

3561

reservations and restrictions that may affect the subject	3588
parcels.	3589
North and bearing system based upon the Ohio State Plane	3590
Coordinate System South Zone NAD83(11) (Converted from 12a	3591
utilizing CORPSCON) and referenced to the O.D.O.T. CORS Network	3592
and collected utilizing a Spectra SP80 Network Rover and by a	3593
field survey conducted by or under the direct supervision of J.	3594
Bryant Abt, PS #8593.	3595
The foregoing legal description may be corrected or	3596
modified by the Department of Administrative Services to a final	3597
form if such corrections or modifications are needed to	3598
facilitate recordation of the perpetual easement.	3599
(B) The perpetual easement shall state the obligations of,	3600
and the duties to be observed and performed by the City of	3601
Columbus, Ohio, with regard to the perpetual easement, and	3602
require the City of Columbus, Ohio to assume perpetual	3603
responsibility for the installation, construction, operation,	3604
maintenance, repair, reconstruction, servicing and/or	3605
replacement of the twelve inch (12") sanitary sewer pipeline	3606
that is currently located on the real estate.	3607
(C) Consideration for the granting of the perpetual	3608
easement shall be \$1.00.	3609
(D) The Director of Administrative Services shall prepare	3610
the perpetual easement. The perpetual easement shall state the	3611
consideration and the terms and conditions for the granting of	3612
the perpetual easement. The perpetual easement shall be executed	3613
by the Director of Administrative Services in the name of the	3614
State, be kept in the records of the Department of	3615
Administrative Services, and delivered to the City of Columbus,	3616

Ohio. The City of Columbus, Ohio, shall present the perpetual3617easement for recording in the Office of the Franklin County3618Recorder. The City of Columbus, Ohio, shall pay the costs3619associated with recording the perpetual easement.3620

(E) This section shall expire three years after itsa 621a 622

Section 10. (A) Notwithstanding division (A) (5) of section 3623 123.01 of the Revised Code, the Director of Administrative 3624 Services may execute a perpetual easement in the name of the 3625 state with the City of Columbus, Ohio, an Ohio municipal 3626 corporation, and its successors and assigns, for the operation, 3627 maintenance, repair, reconstruction, servicing, and replacement 3628 of the Olentangy Scioto Interceptor Sewer and appurtenances 3629 thereto, burdening the following described real estate: 3630

Situated in the State of Ohio, County of Franklin, City of 3631 Columbus, lying in Quarter Township 3, Township 1, Range 18, 3632 United States Military District, being a 35 foot wide strip of 3633 land on, over, and across that tract conveyed to The State of 3634 Ohio by deed of record in Deed Book 620, Page 413 and that tract 3635 conveyed to The State of Ohio by deed of record in Deed Book 3636 627, Page 253 (all references are to the records of the 3637 Recorder's Office, Franklin County, Ohio) and being more 3638 particularly described as follows: 3639

Beginning, for reference, at the Southeast corner of the3640"Reserve" as shown on the Plat titled "ELIZABETH J. McMILLEN -3641HOMESTEAD" of record in Plat Book 4, Page 400, at the3642intersection of a Northerly Right-Of-Way line of an 18 foot wide3643Alley with a Westerly Right-Of-Way line of an 18 foot wide3644Alley; both Alleys of Record in said Plat Book 4, Page 400;3645

Thence North 73° 59' 54" West, across said State of Ohio 3646 tract and crossing said "Reserve", a distance of 94.90 feet to a 3647 point, being the TRUE POINT OF BEGINNING; 3648 Thence continuing across said State of Ohio tract, the 3649 following courses and distances: 3650 North 82° 28' 17" West, a distance of 35.02 feet to a 3651 3652 point; North 09° 17' 31" East, a distance of 80.78 feet to a 3653 point; 3654 North 09° 25' 36" East, a distance of 38.59 feet to a 3655 point; 3656 North 10° 02' 12" East, a distance of 42.12 feet to a 3657 3658 point; North 15° 51' 47" East, a distance of 43.93 feet to a 3659 point; 3660 North 15° 08' 24" East, a distance of 37.63 feet to a 3661 3662 point; North 15° 59' 29" East, a distance of 78.61 feet to a 3663 point; 3664 North 13° 32' 33" East, a distance of 41.80 feet to a 3665 3666 point; North 24° 20' 52" East, a distance of 28.50 feet to a 3667 point; 3668 North 74° 10' 08" East, a distance of 45.81 feet to a 3669 3670 point;

South 24° 20' 52" West, a distance of 54.74 feet to a 3671 point; 3672

point; 3674 South 15° 59' 29" West, a distance of 79.10 feet to a 3675 3676 point; South 15° 08' 24" West, a distance of 37.59 feet to a 3677 point; 3678 South 15° 51' 47" West, a distance of 42.37 feet to a 3679 point; 3680 South 10° 02' 12" West, a distance of 40.15 feet to a 3681 3682 point; South 09° 25' 36" West, a distance of 38.36 feet to a 3683 point; 3684 South 09° 17' 31" West, a distance of 79.66 feet to the 3685 TRUE POINT OF BEGINNING, containing 0.323 acres, more or less, 3686 which is located in Auditor's Parcel Number 010-067017. 3687 The bearings listed herein are based on the Ohio State 3688 Plane Coordinate System, South Zone as per NAD 83 (2011). 3689 The foregoing legal description may be corrected or 3690 modified by the Department of Administrative Services to a final 3691 form if such corrections or modifications are needed to 3692 facilitate recordation of the perpetual easement. 3693 (B) The perpetual easement shall state the obligations of, 3694 and the duties to be observed and performed by the City of 3695 Columbus, Ohio, with regard to the perpetual easement, and 3696 require the City of Columbus, Ohio to assume perpetual 3697 responsibility for the operation, maintenance, repair, 3698 reconstruction, servicing, and replacement of the Olentangy 3699 Scioto Interceptor Sewer and appurtenances thereto, that is 3700

South 13° 32' 33" West, a distance of 39.24 feet to a

Page 130

3673

currently located on the real estate.	3701
(C) Consideration for the granting of the perpetual	3702
easement shall be \$1.00.	3703
(D) The Director of Administrative Services shall prepare	3704
the perpetual easement. The perpetual easement shall state the	3705
consideration and the terms and conditions for the granting of	3706
the perpetual easement. The perpetual easement shall be executed	3707
by the Director of Administrative Services in the name of the	3708
state, be kept in the records of the Department of	3709
Administrative Services, and delivered to the City of Columbus,	3710
Ohio. The City of Columbus, Ohio shall present the perpetual	3711
easement for recording in the Office of the Franklin County	3712
Recorder. The City of Columbus, Ohio shall pay the costs	3713
associated with recording the perpetual easement.	3714

(E) This section shall expire three years after itsaffective date.3715

Section 11. (A) Notwithstanding division (A) (5) of section 3717 123.01 of the Revised Code, the Director of Administrative 3718 Services may execute a perpetual easement in the name of the 3719 state with the City of Columbus, Ohio, an Ohio municipal 3720 corporation, and its successors and assigns, for the 3721 installation, construction, operation, maintenance, repair, 3722 reconstruction, servicing, and replacement of storm sewer 3723 infrastructure, burdening the following described real estate: 3724

Situated in the State of Ohio, County of Franklin,3725Township of Clinton, lying in Quarter Township 3, Township 1,3726Range 18, United States Military District, being on, over, and3727across Lots 5 and 6 of that plat titled "J.O. Lisle Subdivision"3728of record in Plat Book 5, Page 431 and that 0.716 acre tract3729

conveyed to The State of Ohio, for the use and benefit of The3730Ohio State University by deed of record in Instrument Number3731200009290198264, and that tract conveyed to The State of Ohio by3732deed of record in Deed Book 602, Page 463 (all references are to3733the records of the Recorder's Office, Franklin County, Ohio) and3734being more particularly described as follows:3735

Beginning, for reference, at the centerline intersection of Kinnear Road and Kenny Road;

Thence North 03° 41' 02" East, with the centerline of said3738Kenny Road, a distance of 977.49 feet to a point;3739

Thence South 86° 18' 58" East, crossing said Kenny Road 3740 and that "Easement for Highway Purposes" as conveyed to the 3741 County of Franklin of record in Deed Book 3052, Page 549, to a 3742 point in the easterly right-of-way line of said Kenny Road, 3743 being the TRUE POINT OF BEGINNING; 3744

Thence with said easterly right-of-way line, the following 3745 courses and distances: 3746

North 03° 41' 02" East, a distance of 15.89 feet to an 3747 angle point in said easterly right-of-way line, in the southerly 3748 line of that "Right-of-Way Easement" conveyed as Parcel No. 8 to 3749 the County of Franklin, Ohio of record in Instrument Number 3750 201012020163433; 3751

South 86° 42' 58" East, with said southerly line, a3752distance of 10.00 feet to an angle point in said easterly right-3753of-way line; and3754

North 03° 41' 02" East, with the easterly line of said3755Parcel No. 8, distance of 30.04 feet to a point;3756

Thence crossing said State of Ohio tracts, the following 3757

3736

3737

courses and distances: 3758 South 86° 18' 47" East, a distance of 18.97 feet to a 3759 point; 3760 South 03° 26' 41" West, a distance of 32.05 feet to a 3761 3762 point; South 48° 26' 01" West, a distance of 19.65 feet to a 3763 point; and 3764 North 86° 18' 47" West, a distance of 15.27 feet to the 3765 TRUE POINT OF BEGINNING, containing 0.022 acre, more or less, of 3766 which 0.009 acre is from Auditor's Parcel Number 130-011864-00, 3767 and 0.013 acre is from Auditor's Parcel Number 130-011841-00. 3768 The bearings listed herein are based on the Ohio State 3769 Plane Coordinate System South Zone per NAD83 (NSRS2007). Control 3770 for bearings was from coordinates of monuments RINGLE and COC 4-3771 83 having a bearing of South 34° 13' 31" West, established by 3772 the Franklin County Engineering Department, using Global 3773

Positioning procedures and equipment.

The foregoing legal description may be corrected or3775modified by the Department of Administrative Services to a final3776form if such corrections or modifications are needed to3777facilitate recordation of the perpetual easement.3778

(B) The perpetual easement shall state the obligations of, 3779 and the duties to be observed and performed by the City of 3780 3781 Columbus, Ohio, with regard to the perpetual easement, and require the City of Columbus, Ohio to assume perpetual 3782 responsibility for the installation, construction, operation, 3783 maintenance, repair, reconstruction, servicing, and replacement 3784 of the storm sewer infrastructure that is currently located on 3785 the real estate. 3786

Page 133

3774

(C) Consideration for the granting of the perpetual	3787
easement shall be \$1.00.	3788
(D) The Director of Administrative Services shall prepare	3789
the perpetual easement. The perpetual easement shall state the	3790
consideration and the terms and conditions for the granting of	3791
the perpetual easement. The perpetual easement shall be executed	3792
by the Director of Administrative Services in the name of the	3793
state, be kept in the records of the Department of	3794
Administrative Services, and delivered to the City of Columbus,	3795
Ohio. The City of Columbus, Ohio shall present the perpetual	3796
easement for recording in the Office of the Franklin County	3797
Recorder. The City of Columbus, Ohio shall pay the costs	3798
associated with recording the perpetual easement.	3799
(E) This section shall expire three years after its	3800
effective date.	3801
Section 12. (A) The Director of Administrative Services is	3802
authorized to execute a perpetual easement burdening state-owned	3803

real estate under the jurisdiction of The Ohio State University, 3804 for the installation, construction, operation, maintenance, 3805 repair, reconstruction, servicing and/or replacement of a 3806 sanitary sewer pipeline, in accordance with the following 3807 guidelines: 3808

Notwithstanding division (A)(5) of section 123.01 of the 3809 Revised Code, the Director of Administrative Services may 3810 execute a perpetual easement in the name of the state with the 3811 city of Columbus, Ohio, an Ohio municipal corporation, and its 3812 successors and assigns, for the installation, construction, 3813 operation, maintenance, repair, reconstruction, servicing and/or 3814 replacement of a sanitary sewer pipeline, burdening the 3815 following described real estate: 3816

Situated in the state of Ohio, county of Franklin, city of 3817 Columbus, lying in Quarter Township 3, Township 1, Range 18, 3818 United State Military District, being on, over, and across that 3819 60.82 acre tract conveyed to state of Ohio by deed of record in 3820 Deed Book 103, Page 552 and that 79.59 acre tract conveyed to 3821 The State of Ohio by deed of record in Deed Book 428, Page 192, 3822 (all references are to the records of the Recorder's Office, 3823 Franklin County, Ohio) being more particularly described as 3824 follows: 3825

Beginning, for reference, in the easterly line of said 3826 79.59 acre tract, at the southwest corner of Lot 45 of that 3827 subdivision entitled ''R.P. Woodruffs", of record in Plat Book 3828 3, Page 421, being the westerly terminus of the northerly rightof-way line of Woodruff Avenue (60 feet in width), as dedicated 3830 by Plat Book 3, Page 421, and vacated by Ordinance Number 416-38; 382

Thence South 03° 37' 41" West, with the westerly terminus 3833 of said Woodruff Avenue, a distance of 30.00 feet to a point at 3834 the westerly terminus of the centerline of said Woodruff Avenue, 3835 at a common corner of said 60.82 and 79.59 acre tracts; 3836

Thence South 13° 55' 11" West, with the line common to3837said 60.82 and 79.59 acre tracts, a distance of 179.93 feet to3838the TRUE POINT OF BEGINNING;3839

Thence across said 60.82 and 79.59 acre tracts, the 3840 following courses and distances: 3841

South 86° 24' 45" East, a distance of 88.00 feet to a 3842 point; 3843

South 86° 24' 00" East, a distance of 32.29 feet to a 3844 point; 3845

North 81° 20' 51" East, a distance of 68.63 feet to a 3846 point; 3847 North 03° 51' 45" East, a distance of 12.79 feet to a 3848 3849 point; South 86° 07' 43" East, a distance of 40.00 feet to a 3850 point; 3851 South 03° 51' 45" West, a distance of 44.88 feet to a 3852 point; 3853 3854 South 81° 20' 51" West, a distance of 105.02 feet to a 3855 point; North 86° 24' 00" West, a distance of 36.58 feet to a 3856 point; 3857 North 86° 24' 45" West, a distance of 438.94 feet to a 3858 point; and 3859 North 41° 30' 46" West, a distance of 18.74 feet to a 3860 point in the easterly right-of-way line of Olentangy River Road; 3861 Thence North 04° 39' 57" East, with said easterly right-3862 of-way line, a distance of 55.44 feet to a point; 3863 Thence South 41° 30' 46" East, across said 79.59 acre 3864 tract, a distance of 40.60 feet to a point; 3865 Thence South 86° 24' 45" East, across said 79.59 acre 3866 tract, a distance of 334.42 feet to the TRUE POINT OF BEGINNING, 3867 containing 0.561 acre, more or less, out of Auditor Parcel 3868 Numbers 010-067007 and 010-203994. 3869 The coordinates shown hereon are based on the Ohio State 3870 Plane Coordinate System, South Zone, NAD 83 (1986). Said 3871 coordinates originated from a field traverse which was tied 3872

(referenced) to said coordinate system by Static GPS 3873
observations of Franklin County Engineering Department monuments 3874
COC4-83 and RINGLE, with a bearing of North 34° 13' 31" East 3875
between said monuments. 3876

The foregoing legal description may be corrected or3877modified by the Department of Administrative Services to a final3878form if such corrections or modifications are needed to3879facilitate recordation of the perpetual easement.3880

(B) The perpetual easement shall state the obligations of, 3881 and the duties to be observed and performed by the city of 3882 Columbus, Ohio, with regard to the perpetual easement, and 3883 require the city of Columbus, Ohio to assume perpetual 3884 responsibility for the installation, construction, operation, 3885 maintenance, repair, reconstruction, servicing and/or 3886 replacement of the sanitary sewer pipeline that is currently 3887 located on the real estate. 3888

(C) Consideration for the granting of the perpetualasement shall be \$1.00.3890

(D) The Director of Administrative Services shall prepare 3891 3892 the perpetual easement. The perpetual easement shall state the consideration and the terms and conditions for the granting of 3893 the perpetual easement. The perpetual easement shall be executed 3894 by the Director of Administrative Services in the name of the 3895 State, be kept in the records of the Department of 3896 Administrative Services, and delivered to the city of Columbus, 3897 Ohio. The city of Columbus, Ohio shall present the perpetual 3898 easement for recording in the Office of the Franklin County 3899 Recorder. The city of Columbus, Ohio shall pay the costs 3900 associated with recording the perpetual easement. 3901

(E) This section shall expire 3 years after its effective	3902
date.	3903
Section 13. (A) The Director of Administrative Services is	3904
authorized to execute a perpetual easement burdening state-owned	3905
real estate under the jurisdiction of The Ohio State University,	3906
for the installation, construction, operation, maintenance,	3907
repair, reconstruction, servicing and/or replacement of a	3908
thirty-inch sanitary sewer pipeline, in accordance with the	3909
following guidelines:	3910
Notwithstanding division (A)(5) of section 123.01 of the	3911
Revised Code, the Director of Administrative Services may	3912
execute a perpetual easement in the name of the state with the	3913
city of Columbus, Ohio, an Ohio municipal corporation, and its	3914
successors and assigns, for the installation, construction,	3915
operation, maintenance, repair, reconstruction, use, servicing	3916
and/or replacement of a thirty-inch (30") sanitary sewer	3917
pipeline, burdening the following described real estate:	3918
0.087-ACRE DESCRIPTION	3919
Being Situated in the state of Ohio, county of Franklin,	3920
city of Columbus, Quarter Township 3, Township 1N, Range 18W,	3921
United States Military Lands and being part of an original	3922
56.66-acre tract as conveyed to state of Ohio by deed of record	3923
in Deed Book 564, Page 9 of the Recorder's Office, Franklin	3924
County, Ohio, and being more particularly described as follows:	3925
Commencing at an aluminum disk in PVC encased concrete	3926
found in a monument box at an angle point in the centerline of	3927
Kenny Road (Width Varies), designation FCGS 1160, said point	3928
being part of the Franklin County Survey Control network and	3929
also being along the easterly line of an original 75.38-acre	3930

tract as conveyed to state of Ohio by deed of record in Deed	3931
Book 564, Page 8;	3932
There along the contouling of Kenny Deed, the estenic	2022
Thence along the centerline of Kenny Road, the easterly	3933
line of said 75.38-acre tract, and the easterly line of an	3934
original 56.66-acre tract as conveyed to state of Ohio in Deed	3935
Book 564, Page 9, North 03° 35' 03" East for a distance of 92.12	3936
feet to the True Point of Beginning;	3937
Thence leaving the centerline of Kenny Road and across	3938
said 56.66-acre tract for the following three courses:	3939
1. North 87° 13' 13" West for a distance of 151.58 feet to	3940
a point;	3941
2. North 02° 46' 47" East for a distance of 25.00 feet to	3942
a point;	3943
3. South 87° 13' 13" East for a distance of 151.93 feet to	3944
a point in the centerline of Kenny Road and the easterly line of	3945
said 56.66-acre tract;	3946
Thence along the centerline of Kenny Road and the easterly	3947
line of said 56.66-acre tract, South 03° 35' 03" West for a	3948
distance of 25.00 feet to the True Point of Beginning,	3949
containing 0.087 acres, more or less, all of which are within	3950
Auditor's Parcel Number 010-203994, subject however to all other	3951
legal rights of way, easements and agreements of record.	3952
Bearings are based on the centerline of Kenny Road being N	3953
03° 35' 03" E as referenced to the State Plane Coordinate	3954
System, Ohio South Zone, NAD 83 with 2011 NSRS Adjustment.	3955
0.479-ACRE DESCRIPTION	3956
Being Situated in the state of Ohio, county of Franklin,	3957
city of Columbus, Quarter Township 3, Township 1N, Range 18W,	3958

United States Military Lands and being part of a Reserve and 3959 Lots Numbered 33-35, 39, 40, 89 & 90 as the same are numbered 3960 and delineated upon the recorded plat of Wood-Brown Place (Plat 3961 Book 5, Page 196) and also being parts of lands owned by the 3962 state of Ohio as conveyed in Deed Book 649, Pages 245, 246, 248, 3963 249, 328 and Deed Book 694, Page 373 of the Recorder's Office, 3964 Franklin County, Ohio, and being more particularly described as 3965 follows: 3966

Commencing at an aluminum disk in PVC encased concrete3967found in a monument box at an angle point in the centerline of3968Kenny Road (Width Varies), designation FCGS 1160, said point3969being part of the Franklin County Survey Control;3970

Thence along the centerline of Kenny Road, North 03° 35'397103" East for a distance of 92.12 feet to a point;3972

Thence leaving the centerline of Kenny Road, South 87° 13' 3973 13" East for a distance of 25.00 feet to a point on the existing 3974 westerly line of said state of Ohio Lands, said point being True 3975 Point of Beginning; 3976

Thence along the existing westerly line of said state of3977Ohio lands, North 03° 35' 03" East for a distance of 25.00 feet3978to a point;3979

Thence across said state of Ohio lands the following four 3980 courses: 3981

 1. South 87° 13' 13" East for a distance of 185.10 feet to
 3982

 a point;
 3983

2. North 88° 27' 19" East for a distance of 251.68 feet to 3984 a point; 3985

3. North 70° 38' 49" East for a distance of 372.16 feet to 3986

a point;	3987
4. North 68° 13' 01" East for a distance of 22.40 feet to	3988
a point on the easterly line of said state of Ohio lands and the	3989
existing westerly railroad right of way as partitioned to CSX	3990
Transportation, Inc. in Complete Record 8, Page 459 of the	3991
Probate Records, Franklin County, Ohio and affected by Article	3992
of Merger in Official Record 13283, Page G13 of the Recorder's	3993
Office, Franklin County, Ohio;	3994
Thence with the easterly line of said state of Ohio lands	3995
and the existing westerly railroad right of way, South 11 $^\circ$ 29'	3996
43" East for a distance of 25.41 feet to a point;	3997
Thence across said state of Ohio lands the following four	3998
courses:	3999
1. South 68° 13' 01" West for a distance of 18.39 feet to	4000
a point;	4001
2. South 70° 38' 49" West for a distance of 376.60 feet to	4002
a point;	4003
3. South 88° 27' 19" West for a distance of 256.54 feet to	4004
a point;	4005
4. North 87° 13' 13" West for a distance of 186.39 feet to	4006
the True Point of Beginning, containing 0.479 acres, more or	4007
less, all of which are within Auditor's Parcel Number 010-	4008
204047, subject however to all other legal rights of way,	4009
easements and agreements of record.	4010
Bearings are based on the centerline of Kenny Road being N	4011
03° 35' 03" E as referenced to the State Plane Coordinate	4012
System, Ohio South Zone, NAD 83 with 2011 NSRS Adjustment.	4013
0.872-ACRE DESCRIPTION	4014

Being Situated in the state of Ohio, county of Franklin,4015city of Columbus, Quarter Township 3, Township 1N, Range 18W,4016United States Military Lands and being part of an original401779.59-acre tract as conveyed to The State of Ohio by deed of4018record in Deed Book 428, Page 192 of the Recorder's Office,4019Franklin County, Ohio, and being more particularly described as4020follows:4021

Commencing at angle point on the existing easterly limited4022access right of way of State Route 315 (FRA-315-2.85) and the4023grantor's westerly line, said point being located 115 feet right4024of station 118+00.00 (FRA-315-2.85);4025

Thence along the existing easterly limited access right of4026way of State Route 315 (FRA-315-2.85) and the grantor's westerly4027line, North 00° 02' 46" West for a distance of 251.17 feet to4028the True Point of Beginning;4029

Thence continuing along the existing easterly limited4030access right of way of State Route 315 (FRA-315-2.85) and the4031grantor's westerly line, North 00° 02' 46" West for a distance4032of 26.64 feet to a point;4033

Thence across the grantor's property the following eleven 4034 courses: 4035

(1) North 69° 45' 55" East for a distance of 375.30 feet; 4036
(2) South 80° 21' 24" East for a distance of 287.18 feet; 4037
(3) North 76° 50' 24" East for a distance of 124.49 feet; 4038
(4) South 86° 07' 10" East for a distance of 331.14 feet; 4039
(5) South 86° 20' 13" East for a distance of 402.48 feet; 4040
(6) South 03° 39' 47" West for a distance of 25.00 feet; 4041

(7) North 86° 20' 13" West for a distance of 402.52 feet; 4042 (8) North 86° 07' 10" West for a distance of 327.44 feet; 4043 (9) South 76° 50' 24" West for a distance of 125.78 feet; 4044 (10) North 80° 21' 24" West for a distance of 285.55 feet; 4045 (11) South 69° 45' 55" West for a distance of 377.82 feet 4046 to the True Point of Beginning, containing 0.872 acres, more or 4047 less, all of which are within Auditor's Parcel Number 010-4048 203994, subject however to all other legal rights of way, 4049 4050 easements and agreements of record. Bearings are based on the centerline of State Route 315 4051 being N 06° 58' 10" W as referenced to the State Plane 4052 4053 Coordinate System, Ohio South Zone, NAD 83 with 2011 NSRS 4054 Adjustment. Stations are based on ODOT Right of Way Plan Set "FRA-315-4055 2.85", dated March 03, 1973. 4056 The foregoing legal descriptions may be corrected or 4057

modified by the Department of Administrative Services to a final4058form if such corrections or modifications are needed to4059facilitate recordation of the perpetual easement.4060

(B) The perpetual easement shall state the obligations of, 4061 and the duties to be observed and performed by, the city of 4062 Columbus, Ohio with regard to the perpetual easement, and 4063 require the city of Columbus, Ohio to assume perpetual 4064 responsibility for the installation, construction, operation, 4065 maintenance, repair, reconstruction, servicing and/or 4066 replacement of the thirty-inch (30") sanitary sewer pipeline 4067 that is currently located on the real estate. 4068

(C) Consideration for the granting of the perpetual 4069

easement shall be \$1.00.

4070

Page 144

(D) The Director of the Department of Administrative 4071 Services shall prepare the perpetual easement. The perpetual 4072 easement shall state the consideration and the terms and 4073 conditions for the granting of the perpetual easement. The 4074 4075 perpetual easement shall be executed by the Director of Administrative Services in the name of the state, be kept in the 4076 records of the Department of Administrative Services, and 4077 delivered to the city of Columbus, Ohio. The city of Columbus, 4078 Ohio shall present the perpetual easement for recording in the 4079 Office of the Franklin County Recorder. The city of Columbus, 4080 Ohio shall pay the costs associated with recording the perpetual 4081 easement. 4082

(E) This section shall expire 3 years after its effective 4083date. 4084

Section 14. (A) The Director of Administrative Services is 4085 authorized to execute a perpetual easement burdening state-owned 4086 real estate under the jurisdiction of The Ohio State University, 4087 4088 for the installation, construction, reconstruction, use, operation, maintenance, repair, replacement, removal, servicing 4089 4090 and improvement of one twenty-inch natural gas pipeline with a maximum operating pressure of 190 psig, two twelve-inch natural 4091 gas pipelines, one eight-inch natural gas pipeline, one two-inch 4092 natural gas pipeline, two gas house facilities and two valves, 4093 in accordance with the following guidelines: 4094

Notwithstanding division (A) (5) of section 123.01 of the4095Revised Code, the Director of Administrative Services may4096execute a perpetual easement in the name of the State with4097Columbia Gas of Ohio, Inc., an Ohio corporation, and its4098successors and assigns, for the installation, construction,4099
reconstruction, use, operation, maintenance, repair, 4100 replacement, removal, servicing, and improvement of one twentyinch natural gas pipeline with a maximum operating pressure of 4102 190 psig, two twelve-inch natural gas pipelines, one eight-inch 4103 natural gas pipeline, one two-inch natural gas pipeline, two gas 4104 house facilities and two valves, burdening the following 4105 described real estate: 4106

2.583-ACRE DESCRIPTION

Situated in the State of Ohio, County of Franklin, City of 4108 Columbus, Section 3, Township 1 North, Range 18 West, United 4109 States Military Lands, being a 40 foot wide Pipeline Easement to 4110 Columbia Gas of Ohio, Inc. in, over and across the lands of The 4111 State of Ohio (Parcel No. 010-203996) as conveyed to them by 4112 deed in Deed Vol. 942, Page 326 as recorded in the Recorder's 4113 Office, Franklin County, Ohio, and being more particularly 4114 described as follows: 4115

Commencing in a ¾ inch iron rod found in the intersection4116of the Northerly right-of-way of Zollinger Road (As dedicated by4117the plat of Wright Place, PB40, Pg4) and the Southwesterly4118corner of Lot 4 of said Wright Place, THENCE;4119

Leaving said intersection, and in the Westerly line of 4120 said Wright Place, and the Westerly line of Section 3, South 03° 4121 07' 21" West, 12.52 feet to a point in the Northwesterly corner 4122 of said State of Ohio lands, and being THE TRUE POINT OF 4123 BEGINNING of the herein described 40' Pipeline Easement, THENCE; 4124

(1) Leaving the Westerly line of said Wright Place, and in
the Northerly line of said State of Ohio lands, South 86° 23'
34" East, 2336.70 feet to a point in the Northerly extension of
the Westerly line of Kenny Road (ROW Varies), THENCE;
4128

(2) Leaving said Northerly line, and in said Westerly 4129 right-of-way-line, South 33° 49' 27" East, 151.29 feet to a 4130 point, THENCE; 4131 (3) Continuing in said Westerly right-of-way line, South 4132 37° 57' 29" East, 190.98 feet to a point, THENCE; 4133 (4) Continuing in said Westerly right-of-way line, South 4134 26° 19' 17" East, 152.69 feet to a point, THENCE; 4135 4136 (5) Leaving said Westerly right-of-way, and over and across the lands of the aforementioned State of Ohio, South 82° 4137 38' 04" West, 45.50 feet to a point, THENCE; 4138 (6) Continuing in said easement line, North 25° 01' 19" 4139 West, 133.73 feet to a point, THENCE; 4140 (7) Continuing in said easement line, North 38° 21' 18" 4141 West 188.34 feet to a point, THENCE; 4142 (8) Continuing in said easement line, North 33° 19' 52" 4143 West, 133.35 feet to a point, THENCE; 4144 (9) Continuing in said easement line, North 86° 23' 34" 4145 West 2316.39 feet to a point in the Westerly line of the 4146 Grantor, also being the Westerly line of said Section 3, THENCE; 4147 (10) In said Westerly line, North 3° 07' 21" East, 40.00 4148 feet to THE TRUE POINT OF BEGINNING of the herein described 4149 Pipeline Easement, containing 112,533.64 Sq. Ft. or 2.583 Acres 4150 of land. 4151 Subject to all legal highways, easements and restrictions 4152 of record. 4153 Prior Deeds: Deed Vol. 942, Page 326 4154 Bearings are based on Geodetic North derived from GPS/RTN 4155

observations using ODOT CORS network stations, converted to the4156Ohio State Plane South Zone, Horizontal Datum NAD83(2011) epoch41572023.0425, resulting in the Northerly line of the State of Ohio4158being South 86° 23' 34" East.4159

The above legal description is the result of an actual4160field survey made under the direction of Scott R. Lindgren of4161Metro Consulting Associates, Ohio Registered Surveyor No. 78534162in April of 2023.4163

0.051-ACRE DESCRIPTION

Situated in the State of Ohio, County of Franklin, City of 4165 Columbus, Section 3, Township 1 North, Range 18 West, United 4166 States Military Lands, being a Gas Facilities and Regulator 4167 Easement granted to Columbia Gas of Ohio, Inc. in, over and 4168 across the lands of The State of Ohio (Parcel No. 010-203996) as 4169 conveyed to them by deed in Deed Vol. 942, Page 326 as recorded 4170 in the Recorder's Office, Franklin County, Ohio, and being more 4171 particularly described as follows: 4172

Commencing in a 3/4 inch iron rod found in the4173intersection of the Northerly right-of-way of Zollinger Road (As4174dedicated by the plat of Wright Place, PB40, Pg4) and the4175Southwesterly corner of Lot 4 of said Wright Place, THENCE;4176

Leaving said intersection, and in the Westerly line of 4177 said Wright Place, and the Westerly line of Section 3, South 03° 4178 07' 21" West, 12.52 feet to a point, THENCE; 4179

Leaving the Westerly line of said Wright Place, South 86° 4180 23' 34" East, 2336.70 feet to a point in the Westerly line of 4181 Kenny Road (ROW Varies), THENCE; 4182

In said Westerly right-of-way-line, South 33° 49' 27" 4183 East, 151.29 feet to a point, THENCE; 4184

being South 86° 23' 34" East.

57' 29" East, 190.98 feet to a point, THENCE; 4186 Continuing in said Westerly right-of-way line, South 26° 4187 19' 17" East, 152.69 feet to a point, being THE TRUE POINT OF 4188 BEGINNING of the herein described gas facilities and regulator 4189 easement, THENCE; 4190 (1) Continuing in said Westerly right-of-way line, South 4191 26° 19' 17" East, 16.36 feet to a point, THENCE; 4192 (2) Continuing in said Westerly right-of-way line, South 4193 16° 03' 22" East, 34.93 feet to a point, THENCE; 4194 (3) Leaving said Westerly right-of-way line, in the said 4195 easement line and over and across the lands of the State of 4196 Ohio, South 82° 38' 04" West 40.46 feet to a point, THENCE; 4197 (4) Continuing in said easement line, North 24° 43' 22" 4198 West, 52.39 feet to a point in the Southwesterly corner of a 40' 4199 4200 pipeline easement, THENCE; (5) In the Southerly line of said 40' pipeline easement, 4201 North 82° 38' 04" East 45.50 feet to THE TRUE POINT OF BEGINNING 4202 of the herein described Gas Facilities and Regulator Easement, 4203 containing 2,200.02 Sg. Ft. or 0.051 Acres of land. 4204 Subject to all legal highways, easements and restrictions 4205 of record. 4206 Prior Deeds: Deed Vol. 942, Page 326 4207 Bearings are based on Geodetic North derived from GPS/RTN 4208 observations using ODOT CORS network stations, converted to the 4209 Ohio State Plane South Zone, Horizontal Datum NAD83(2011) epoch 4210 2023.0425, resulting in the Northerly line of the State of Ohio 4211

Continuing in said Westerly right-of-way line, South 37°

4185

The above legal description is the result of an actual 4213 field survey made under the direction of Scott R. Lindgren of 4214 Metro Consulting Associates, Ohio Registered Surveyor No. 7853 4215 in April of 2023. 4216

0.923-ACRE DESCRIPTION

Situated in the State of Ohio, County of Franklin, City of Columbus, Section 3, Township 1 North, Range 18 West, United States Military Lands, being a variable width Pipeline Easement 4220 to Columbia Gas of Ohio, Inc. in, over and across the lands of The State of Ohio (Parcel No. 010-204024) as conveyed to them by 4222 deed in Deed Vol. 2077, Page 222 as recorded in the Recorder's 4223 Office, Franklin County, Ohio, and being more particularly described as follows:

Commencing in a found three-fourths inch iron pipe in the 4226 intersection of the Northerly right-of-way line of Ackerman 4227 Road. (variable ROW) and the Westerly right-of-way line of CSX 4228 Railroad (FKA Chesapeake and Ohio Railroad), THENCE; 4229

Leaving said Northerly right-of-way line of Ackerman Road, 4230 and in said Westerly right-of-way line of said CSX Railroad, 4231 South 11° 28' 15" East, 208.57 feet to a point, said point being 4232 101.38 feet right of centerline station 99+63.00 (Ackerman Road) 4233 and 50 feet left of station 227+17.14 of CSX Railroad as shown 4234 on SR 315 plans FRA-315-2.85-6.1 (1969), recorded in Plat Book 4235 41, Page 28 of the Franklin County Recorder's Office, also being 4236 THE TRUE POINT OF BEGINNING of the herein described Pipeline 4237 Easement, THENCE; 4238

(1) Leaving the Southerly right-of-way line of said 4239 Ackerman Road, and in said Westerly right-of-way line of CSX 4240 Railroad, South 11° 38' 11" East, 5.15 feet to a point, THENCE; 4241

Page 149

4224 4225

4217

4218

4219

(2) Leaving Westerly right-of-way line, and in the line of	4242
the herein described Pipeline Easement, North 88° 37' 20" West,	4243
632.50 feet to a point, THENCE;	4244
(3) Continuing in said Easement line, North 01° 22' 41"	4245
East, 35.50 feet to a point, THENCE;	4246
(4) Continuing in said Easement line, North 87° 55' 26"	4247
West, 30.84 feet to a point, THENCE;	4248
(5) Continuing in said Easement line, North 85° 00' 46"	4249
West, 107.98 feet to a point in the Easterly right-of-way line	4250
of Kenny Road (ROW Varies), THENCE;	4251
(6) In said Easterly right-of-way line, North 29° 48' 03"	4252
West, 30.17 feet to a point, THENCE;	4253
(7) In a line that transitions from the Easterly right-of-	4254
way line of Kenny Road to the Southerly right-of-way line of the	4255
aforementioned Ackerman Road, North 48° 23' 04" East, 34.71 feet	4256
to a point in the Southerly right-of-way line of Ackerman Road,	4257
THENCE;	4258
(8) Continuing in said Southerly right-of-way line, South	4259
84° 05' 33" East 100.08 feet to a point, THENCE;	4260
(9) Continuing in said Southerly right-of-way line, South	4261
88° 40' 26" East 100.08 feet to a point, THENCE;	4262
(10) Continuing in said Southerly right-of-way line, South	4263
82° 39' 48" East 200.34 feet to a point, THENCE;	4264
(11) Continuing in said Southerly right-of-way line, South	4265
79° 24' 51" East, 365.79 feet to THE TRUE POINT OF BEGINNING of	4266
the herein described Pipeline Easement, containing 40,187.03 Sq.	4267
Ft. or 0.923 Acres of land.	4268

Subject to all legal highways, easements and restrictions	4269
of record.	4270
Prior Deeds: Deed Vol. 2077, Page 222	4271
Bearings are based on Geodetic North derived from GPS/RTN	4272
observations using ODOT CORS network stations, converted to the	4273
Ohio State Plane South Zone, Horizontal Datum NAD83(2011) epoch	4274
2023.1212, resulting in the centerline of Ackerman Road being	4275
South 86° 23' 00" East.	4276
	4077
The above legal description is the result of an actual	4277
field survey made under the direction of Scott R. Lindgren of	4278
Metro Consulting Associates, Ohio Registered Surveyor No. 7853	4279
in December of 2023.	4280
2.319-ACRE DESCRIPTION	4281
Situated in the State of Ohio, County of Franklin, City of	4282
Columbus, Section 3, Township 1 North, Range 18 West, United	4283
States Military Lands, being a 50' wide Pipeline Easement to	4284
Columbia Gas of Ohio, Inc. in, over and across the lands of The	4285
State of Ohio (Parcel No. 010-062731) as conveyed to them by	4286
deed in Deed Vol. 2077, Page 222; Bk. 616, Pg. 399; Bk. 804, Pg.	4287
360; Bk. 966, Pg. 339, Deed Vol. 2077, Page 226 as recorded in	4288
the Recorder's Office, Franklin County, Ohio, and being more	4289
particularly described as follows:	4290

Commencing in a found ¾ inch iron pipe in the intersection4291of the Northerly right-of-way of Ackerman Road (variable ROW)4292and the Easterly right-of-way of State Route 315 (SR315),4293THENCE;4294

Leaving said Northerly right-of-way line of Ackerman Road,4295and in a tie-line, South 16° 50' 22" East, 170.68 feet to a4296point, said point being 70.00 feet right of centerline station4297

107+10.00 (Ackerman Road) and 364.65 feet right of station 4298 172+01.48 of State Route 315 as shown on SR 315 plans FRA-315-4299 2.85-6.1 (1969), recorded in Plat Book 41, Page 28 of the 4300 Franklin County Recorder's Office, also being THE TRUE POINT OF 4301 BEGINNING of the herein described Pipeline Easement, THENCE; 4302 Leaving said Easterly right-of-way line of SR315, and in 4303 the Southerly right-of-way line of Ackerman Road, North 89° 06' 4304 10" East, 190.59 feet to a point, THENCE; 4305 Continuing in said right-of-way line, South 86° 23' 00" 4306 East, 100.00 feet to a point, THENCE; 4307 Continuing in said right-of-way line, North 89° 53' 52" 4308 East, 200.42 feet to a point, THENCE; 4309 Continuing in said right-of-way line, South 86° 23' 00" 4310 East, 100.00 feet to a point, THENCE; 4311 Continuing in said right-of-way line, South 84° 05' 34" 4312 East 200.16 feet to a point, THENCE; 4313 Continuing in said right-of-way line, South 88° 40' 26" 4314 East 200.16 feet to a point, THENCE; 4315 Continuing in said right-of-way line, South 86° 23' 00" 4316 East, 200.00 feet to a point, THENCE; 4317 Continuing in said right-of-way line, South 85° 27' 42" 4318 East, 495.54 feet to a point, THENCE; 4319 Continuing in said right-of-way line, South 79° 25' 21" 4320 East, 93.73 feet to a point, THENCE; 4321 Continuing in said right-of-way line, South 64° 37' 23" 4322 East, 151.47 feet to a point, THENCE; 4323 Continuing in said right-of-way line, South 87° 02' 07" 4324

East, 25.58 feet to a point, THENCE;	4325
Continuing in said right-of-way line, In a curve to the	4326
right, having a radius of 608.86 feet, an arc length of 69.11	4327
feet, and a delta angle of 06 $^\circ$ 30' 14", also having a chord	4328
bearing South 55° 43' 12" East, with a chord distance of 69.08	4329
feet to a point, THENCE;	4330
Leaving said Southerly right-of-way-line, and in the line	4331
of the herein described Pipeline Easement, South 38° 03' 22"	4332
West, 28.64 feet to a point in the Northeasterly corner of the	4333
existing Gas Facilities and Regulator Easement, THENCE;	4334
In the Northerly line of said Easement, North 88° 14' 34"	4335
West, 55.00 feet to a point in the Northwesterly corner of said	4336
station, THENCE;	4337
Leaving said station and over and across the lands of the	4338
aforementioned State of Ohio, North 64° 19' 55" West, 180.19	4339
feet to a point, THENCE;	4340
Continuing in said easement line, North 79° 25' 21" West,	4341
84.59 feet to a point, THENCE;	4342
Continuing in said easement line, North 85° 27' 42" West,	4343
492.50 feet to a point, THENCE;	4344
Continuing in said easement line, North 86° 23' 00" West,	4345
198.60 feet to a point, THENCE;	4346
Continuing in said easement line, North 88° 40' 26" West,	4347
201.16 feet to a point, THENCE;	4348
Continuing in said easement line, North 84° 05' 34" West,	4349
201.16 feet to a point, THENCE;	4350
Continuing in said easement line, North 86° 23' 00" West,	4351

97.38 feet to a point, THENCE; 4352 Continuing in said easement line, South 89° 53' 52" West, 4353 200.42 feet, to a point, THENCE; 4354 Continuing in said easement line, North 86° 23' 00" West, 4355 99.65 feet to a point, THENCE; 4356 Continuing in said easement line, South 89° 04' 29" West, 4357 212.08 feet to a point in the aforementioned Easterly right-of-4358 way of SR315, THENCE; 4359 In said Easterly right-of-way line, North 24° 11' 27" 4360 East, 55.32 feet to THE TRUE POINT OF BEGINNING of the herein 4361 described Pipeline Easement, containing 101,040.12 Sq. Ft. or 4362 2.319 Acres of land. 4363 Subject to all legal highways, easements and restrictions 4364 of record. 4365 Prior Deeds: Deed Vol. 2077, Page 222; Bk. 616, Pg. 399; 4366 Bk. 804, Pg. 360; Bk. 966, Pg. 339, Deed Vol. 2077, Page 226 4367 Bearings are based on Geodetic North derived from GPS/RTN 4368 observations using ODOT CORS network stations, converted to the 4369 Ohio State Plane South Zone, Horizontal Datum NAD83(2011) epoch 4370 2023.1212, resulting in the centerline of Ackerman Road being 4371 South 86° 23' 00" East. 4372 The above legal description is the result of an actual 4373 field survey made under the direction of Scott R. Lindgren of 4374 Metro Consulting Associates, Ohio Registered Surveyor No. 7853 4375 in December of 2023. 4376 0.111-ACRE DESCRIPTION 4377 Situated in the State of Ohio, County of Franklin, City of 4378

Columbus, Section 3, Township 1 North, Range 18 West, United 4379 States Military Lands, being an Access Easement to Columbia Gas 4380 of Ohio, Inc. in, over and across the lands of The State of Ohio 4381 (Parcel No. 010-062731) as conveyed to them by deed in Deed Vol. 4382 2077, Page 222; Bk. 616, Pg. 399; Bk. 804, Pg. 360; Bk. 966, Pg. 4383 339, Deed Vol. 2077, Page 226 as recorded in the Recorder's 4384 Office, Franklin County, Ohio, and being more particularly 4385 described as follows: 4386

Commencing in a found ¾ inch iron pipe in the intersection4387of the Northerly right-of-way of Ackerman Road (variable ROW)4388and the Easterly right-of-way of State Route 315 (SR315),4389THENCE;4390

Leaving said Northerly right-of-way line of Ackerman Road, 4391 and in a tie-line, South 16° 50' 22" East, 170.68 feet to a 4392 point, said point being 70.00 feet right of centerline station 4393 107+10.00 (Ackerman Road) and 364.65 feet right of station 4394 172+01.48 of State Route 315 as shown on SR 315 plans FRA-315- 4395 2.85-6.1 (1969), recorded in Plat Book 41, Page 28 of the 4396 Franklin County Recorder's Office, THENCE; 4397

Leaving said Easterly right-of-way line of SR315, and in 4398 the Southerly right-of-way line of Ackerman Road, North 89°06' 4399 10" East, 190.59 feet to a point, THENCE; 4400

Continuing in said right-of-way line, South 86° 23' 00" 4401 East, 100.00 feet to a point, THENCE; 4402

Continuing in said right-of-way line, North 89° 53' 52"4403East, 200.42 feet to a point, THENCE;4404

Continuing in said right-of-way line, South 86° 23' 00"4405East, 100.00 feet to a point, THENCE;4406

Continuing in said right-of-way line, South 84° 05' 34" 4407

East 200.16 feet to a point, THENCE; 4408 Continuing in said right-of-way line, South 88° 40' 26" 4409 East 200.16 feet to a point, THENCE; 4410 Continuing in said right-of-way line, South 86° 23' 00" 4411 East, 200.00 feet to a point, THENCE; 4412 Continuing in said right-of-way line, South 85° 27' 42" 4413 East, 495.54 feet to a point, THENCE; 4414 Continuing in said right-of-way line, South 79° 25' 21" 4415 East, 93.73 feet to a point, THENCE; 4416 Continuing in said right-of-way line, South 64° 37' 23" 4417 East, 100.06 feet to a point, also being THE TRUE POINT OF 4418 BEGINNING of the herein described Access Easement, THENCE; 4419 Continuing in said right-of-way line, South 64° 37' 23" 4420 East, 21.73 feet to a point, THENCE; 4421 Leaving said right-of-way line, and over and across the 4422 lands of the aforementioned State of Ohio, in the line of the 4423 herein described Access Easement, South 02° 21' 13" West, 87.66 4424 feet to a point, THENCE; 4425 South 88° 14' 34" East, 39.96 feet to a point in the 4426 Westerly line of the existing Gas Facilities and Regulator 4427 Easement, THENCE; 4428 In the Westerly line of said Easement, North 88° 14' 34" 4429 West, 60.48 feet to a point, THENCE; 4430 Continuing over and across the lands of the aforementioned 4431 State of Ohio, North 02° 21' 13" East, 146.34 feet to THE TRUE 4432 POINT OF BEGINNING of the herein described Access Easement, 4433

containing 4,851.11 Sq. Ft. or 0.111 Acres of land. 4434

Page 157

Subject to all legal highways, easements and restrictions of record.	4435 4436
	4430
Prior Deeds: Deed Vol. 2077, Page 222; Bk. 616, Pg. 399;	4437
Bk. 804, Pg. 360; Bk. 966, Pg. 339, Deed Vol. 2077, Page 226	4438
Bearings are based on Geodetic North derived from GPS/RTN	4439
observations using ODOT CORS network stations, converted to the	4440
Ohio State Plane South Zone, Horizontal Datum NAD83(2011) epoch	4441
2023.1212, resulting in the centerline of Ackerman Road being	4442
South 86° 23' 00" East.	4443
The above legal description is the result of an actual	4444
field survey made under the direction of Scott R. Lindgren of	4445
Metro Consulting Associates, Ohio Registered Surveyor No. 7853	4446
in December of 2023.	4447
0.082-ACRE DESCRIPTION	4448
Situated in the State of Ohio, County of Franklin, City of	4449
Columbus, Section 3, Township 1 North, Range 18 West, United	4450
States Military Lands, being a Gas Facilities and Regulator	4451
Easement to Columbia Gas of Ohio, Inc. in, over and across the	4452
lands of The State of Ohio (Parcel No. 010-062731) as conveyed	4453
to them by deed in Deed Vol. 2077, Page 222; Bk. 616, Pg. 399;	4454
Bk. 804, Pg. 360; Bk. 966, Pg. 339, Deed Vol. 2077, Page 226 as	4455
recorded in the Recorder's Office, Franklin County, Ohio, and	4456
being more particularly described as follows:	4457
Commencing in a found $rak{3}_4$ inch iron pipe in the intersection	4458
of the Northerly right-of-way of Ackerman Road (variable ROW)	4459
and the Easterly right-of-way of State Route 315 (SR315),	4460
THENCE;	4461

Leaving said Northerly right-of-way line of Ackerman Road, 4462 and in a tie-line, South 16° 50' 22" East, 170.68 feet to a 4463 point, said point being 70.00 feet right of centerline station 4464 107+10.00 (Ackerman Road) and 364.65 feet right of station 4465 172+01.48 of State Route 315 as shown on SR 315 plans FRA-315-4466 2.85-6.1 (1969), recorded in Plat Book 41, Page 28 of the 4467 Franklin County Recorder's Office, THENCE; 4468 Leaving said Easterly right-of-way line of SR315, and in 4469 the Southerly right-of-way line of Ackerman Road, North 89° 06' 4470 10" East, 190.59 feet to a point, THENCE; 4471 Continuing in said right-of-way line, South 86° 23' 00" 4472 East, 100.00 feet to a point, THENCE; 4473 Continuing in said right-of-way line, North 89° 53' 52" 4474 East, 200.42 feet to a point, THENCE; 4475 Continuing in said right-of-way line, South 86° 23' 00" 4476 East, 100.00 feet to a point, THENCE; 4477 Continuing in said right-of-way line, South 84° 05' 34" 4478 East 200.16 feet to a point, THENCE; 4479 Continuing in said right-of-way line, South 88° 40' 26" 4480 East 200.16 feet to a point, THENCE; 4481 Continuing in said right-of-way line, South 86° 23' 00" 4482 East, 200.00 feet to a point, THENCE; 4483 Continuing in said right-of-way line, South 85° 27' 42" 4484 East, 495.54 feet to a point, THENCE; 4485 Continuing in said right-of-way line, South 79° 25' 21" 4486 East, 93.73 feet to a point, THENCE; 4487 Continuing in said right-of-way line, South 64° 37' 23" 4488 East, 151.47 feet to a point, THENCE; 4489 Continuing in said right-of-way line, South 87° 02' 07" 4490

East, 25.58 feet to a point, THENCE;

Continuing in said right-of-way line, In a curve to the4492right, having a radius of 608.86 feet, an arc length of 69.114493feet, and a delta angle of 06° 30' 14", also having a chord4494bearing South 55° 43' 12" East, with a chord distance of 69.084495feet to a point, THENCE;4496

Leaving said Southerly right-of-way-line, and in the 4497 Easterly line of a Pipeline Easement, South 38° 03' 22" West, 4498 28.64 feet to a point, being the Northeasterly corner, and THE 4499 TRUE POINT OF BEGINNING of the herein described Gas Facilities 4500 and Regulator Easement, THENCE; 4501

Continuing over and across the lands of the aforementioned State of Ohio and in the Easterly line of said Easement, South 01° 45' 26" West, 65.00 feet to a point, THENCE;

Continuing over and across the lands of the aforementioned4505State of Ohio, North 88° 14' 34" West, 55.00 feet to a point in4506the Easterly line of an Access Easement, THENCE;4507

In said Easterly line, North 01° 45' 26" East, 65.00 feet 4508 to a point, THENCE; 4509

South 88° 14' 34" East, 55.00 feet to THE TRUE POINT OF4510BEGINNING of the herein described Gas Facilities and Regulator4511Easement, containing 3,575.00 Sq. Ft. or 0.082 Acres of land.4512

Subject to all legal highways, easements and restrictions4513of record.4514

Prior Deeds: Deed Vol. 2077, Page 222; Bk. 616, Pg. 399;4515Bk. 804, Pg. 360; Bk. 966, Pg. 339, Deed Vol. 2077, Page 2264516

Bearings are based on Geodetic North derived from GPS/RTN4517observations using ODOT CORS network stations, converted to the4518

Page 159

ye 159

4491

4502

4503

Page 160

Ohio State Plane South Zone, Horizontal Datum NAD83(2011) epoch	4519
2023.1212, resulting in the centerline of Ackerman Road being	4520
South 86° 23' 00" East.	4521
The above legal description is the result of an actual	4522
field survey made under the direction of Scott R. Lindgren of	4523
Metro Consulting Associates, Ohio Registered Surveyor No. 7853	4524
in December of 2023.	4525
The foregoing legal descriptions may be corrected or	4526
modified by the Department of Administrative Services to a final	4527
form if such corrections or modifications are needed to	4528
facilitate recordation of the perpetual easement.	4529
(B) The perpetual easement shall state the obligations of,	4530
(B) The perpetual easement shall state the obligations of, and the duties to be observed and performed by Columbia Gas of	4530 4531
and the duties to be observed and performed by Columbia Gas of	4531
and the duties to be observed and performed by Columbia Gas of Ohio, Inc., with regard to the perpetual easement, and require	4531 4532
and the duties to be observed and performed by Columbia Gas of Ohio, Inc., with regard to the perpetual easement, and require Columbia Gas of Ohio, Inc. to assume perpetual responsibility	4531 4532 4533
and the duties to be observed and performed by Columbia Gas of Ohio, Inc., with regard to the perpetual easement, and require Columbia Gas of Ohio, Inc. to assume perpetual responsibility for the installation, construction, reconstruction, use,	4531 4532 4533 4534
and the duties to be observed and performed by Columbia Gas of Ohio, Inc., with regard to the perpetual easement, and require Columbia Gas of Ohio, Inc. to assume perpetual responsibility for the installation, construction, reconstruction, use, operation, maintenance, repair, replacement, removal, servicing	4531 4532 4533 4534 4535
and the duties to be observed and performed by Columbia Gas of Ohio, Inc., with regard to the perpetual easement, and require Columbia Gas of Ohio, Inc. to assume perpetual responsibility for the installation, construction, reconstruction, use, operation, maintenance, repair, replacement, removal, servicing and improvement of one (1) twenty-inch (20") natural gas	4531 4532 4533 4534 4535 4536
and the duties to be observed and performed by Columbia Gas of Ohio, Inc., with regard to the perpetual easement, and require Columbia Gas of Ohio, Inc. to assume perpetual responsibility for the installation, construction, reconstruction, use, operation, maintenance, repair, replacement, removal, servicing and improvement of one (1) twenty-inch (20") natural gas pipeline with a maximum operating pressure of 190 psig, two (2)	4531 4532 4533 4534 4535 4536 4537
and the duties to be observed and performed by Columbia Gas of Ohio, Inc., with regard to the perpetual easement, and require Columbia Gas of Ohio, Inc. to assume perpetual responsibility for the installation, construction, reconstruction, use, operation, maintenance, repair, replacement, removal, servicing and improvement of one (1) twenty-inch (20") natural gas pipeline with a maximum operating pressure of 190 psig, two (2) twelve-inch (12") natural gas pipelines, one (1) eight-inch (8")	4531 4532 4533 4534 4535 4536 4537 4538

(C) Consideration for the granting of the perpetual
 4542
 easement shall be at a price acceptable to the Director of
 Administrative Services and Board of Trustees of The Ohio State
 4544
 University.

(D) The Director of Administrative Services shall prepare4546the perpetual easement. The perpetual easement shall be executed4547

by the Director of Administrative Services in the name of the	4548
State, be kept in the records of the Department of	4549
Administrative Services, and delivered to Columbia Gas of Ohio,	4550
Inc. Columbia Gas of Ohio, Inc., shall present the perpetual	4551
easement for recording in the Office of the Franklin County	4552
Recorder. Columbia Gas of Ohio, Inc., shall pay the costs	4553
associated with recording the perpetual easement.	4554
(T) This section shall survive 2 warms often its offertion	4 E E E
(E) This section shall expire 3 years after its effective	4555
date.	4556