

As Passed by the House

136th General Assembly

Regular Session

2025-2026

Sub. S. B. No. 217

Senator Landis

**Cosponsors: Senators Blackshear, Cirino, DeMora, Hicks-Hudson, Ingram,
Johnson, O'Brien, Reineke, Timken, Weinstein**

**Representatives Brennan, Brewer, Brownlee, Hoops, Lorenz, Mathews, A.,
Mathews, T., Salvo, Sigrist, Stewart, White, A., Willis, Young**

To authorize the conveyance of state-owned land.

1

BE IT ENACTED BY THE GENERAL ASSEMBLY OF THE STATE OF OHIO:

Section 1. (A) The Governor may execute a Governor's Deed
in the name of the state conveying to one or more purchaser or
purchasers, their heirs, successors, and assigns all of the
State's right, title, and interest in the following described
real estate:

2
3
4
5
6

Situated in the State of Ohio, County of Greene, in the
City of Xenia, in Virginia Military Survey 548.

7
8

Beginning at the North West corner of Lot No. 12 of Block
7 of Frank W. Dodds 2nd Addition to the City of Xenia;

9
10

Thence with the W line of said Lot No. 12 and the East
line of Detroit Boulevard, South 20 feet to a point in the West
line of said Lot;

11
12
13

Thence at right angles to the West line of said lot, 16
feet to the point of beginning of the following description:

14
15

Thence, Southwardly, parallel and 16 feet East of the West

16

line of Lot No. 12 and Lot No. 1, 289 feet to a point 35 feet 17
North of the North line of Park Drive; 18

Thence, in a Northeasterly direction, parallel with the 19
North line of Park Drive and 30 feet from the same, 444 feet to 20
a point; 21

Thence, in a Northwesterly direction 29 feet to a point 20 22
feet South of the South line of Weaver Street; 23

Thence, in a Westerly direction, parallel with the South 24
line of said Weaver Street and 20 feet South of same, 340 feet 25
to the beginning of this description, containing 54,444 square 26
feet (1.25 acres). The above described tract is parts of Lot 27
Nos. 1 - 2 - 3 - 4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 of Block 28
No. 7 of Frank W. Dodds Second Addition to Xenia as recorded in 29
Plat Book No. 2, Page 102 - 103 (now known as Plat Cabinet 31, 30
Pages 267B-268A) of Greene County Plat Records. 31

Parcel Number(s): M40000200040012600, M40000200040012700, 32
M40000200040012800, M40000200040012900, M40000200040013000, 33
M40000200040013100, M40000200040013200, M40000200040013300, 34
M40000200040013400, M40000200040013500, M40000200040013600, 35
M40000200040013700 36

Prior Instrument: Deed Book 145, Page 118 - Greene County 37
Recorder 38

The foregoing legal description may be corrected or 39
modified by the Department of Administrative Services to a final 40
form if such corrections or modifications are needed to 41
facilitate recordation of the deed. 42

(B) (1) The conveyance shall include the improvements and 43
chattels situated on the real estate, and is subject to all 44
leases, agreements, licenses, permits, memoranda of 45

understanding, easements, covenants, conditions, reservations, 46
and restrictions of record, and encroachments whether of record 47
or not; all legal highways and public rights of way; zoning, 48
building, and other laws, ordinances, restrictions, and 49
regulations; and real estate taxes and assessments not yet due 50
and payable. The real estate shall be conveyed in an "as-is, 51
where-is, with all faults" condition. 52

(2) The deed or deeds for the conveyance of the real 53
estate may contain restrictions, exceptions, reservations, 54
reversionary interests, and other terms and conditions the 55
Director of Administrative Services determines to be in the best 56
interest of the State. 57

(3) Subsequent to the conveyance, any restrictions, 58
exceptions, reservations, reversionary interests, or other terms 59
and conditions contained in the deed may be released by the 60
State or the Adjutant General's Department without the necessity 61
of further legislation. 62

(4) The real estate described above shall be conveyed 63
only if the Director of Administrative Services and the Director 64
of the Adjutant General's Department first have determined that 65
the real estate is surplus real property no longer needed by the 66
State and that the conveyance is in the best interest of the 67
State. 68

(C) The Director of Administrative Services shall conduct 69
a sale of the real estate by sealed bid auction or public 70
auction, and the real estate shall be sold to the highest bidder 71
at a price acceptable to the Director of Administrative Services 72
and the Adjutant General's Department. The Department of 73
Administrative Services shall advertise the sealed bid auction 74
or public auction by publication in a newspaper of general 75

circulation in Greene County, once a week for three consecutive 76
weeks before the date on which the sealed bids are to be opened. 77
The Director of Administrative Services shall notify the 78
successful bidder or bidders in writing. The Director of 79
Administrative Services may reject any or all bids. 80

The purchaser shall pay ten percent of the purchase price 81
to the Director of Administrative Services within five business 82
days after receiving the notice the bid has been accepted. When 83
the deposit has been received, the Director and purchaser or 84
purchasers shall enter into a real estate purchase agreement, in 85
the form prescribed by the Department of Administrative 86
Services. The purchaser or purchasers shall pay the balance of 87
the purchase price to the Department of Administrative Services 88
within sixty days after receiving notice the bid has been 89
accepted, or at closing. Payment may be made by bank draft or 90
certified check made payable to the Treasurer of State. A 91
purchaser who does not complete the conditions of the sale as 92
prescribed in this division shall forfeit ten percent of the 93
purchase price paid to the State as liquidated damages. If a 94
purchaser fails to complete the purchase, the Director of 95
Administrative Services may accept the next highest bid, subject 96
to the foregoing conditions. If the Director of Administrative 97
Services rejects all bids, the Department of Administrative 98
Services may repeat the sealed bid auction or public auction, or 99
may use an alternative sale process that is acceptable to the 100
Adjutant General's Department. 101

The Adjutant General's Department shall pay advertising 102
and other costs incident to the sale of the real estate. 103

(D) The real estate described in division (A) of this 104
section shall be sold as an entire tract and not in parcels. 105

(E) Except as otherwise specified above, the purchaser 106
shall pay all costs associated with the purchase, closing and 107
conveyance, including surveys, title evidence, title insurance, 108
transfer costs and fees, recording costs and fees, taxes, and 109
any other fees, assessments, and costs that may be imposed. 110

The proceeds of the sale of the real estate shall be 111
deposited into the state treasury to the credit of the Fund 5340 112
ALI 745612, Armory Improvements, under section 5911.10 of the 113
Revised Code. 114

(F) Upon execution of the real estate purchase agreement, 115
the Director of Administrative Services, with the assistance of 116
the Attorney General, shall prepare a Governor's Deed to the 117
real estate described in division (A) of this section. The 118
Governor's Deed shall state the consideration and shall be 119
executed by the Governor in the name of the State, countersigned 120
by the Secretary of State, sealed with the Great Seal of the 121
State, presented in the Department of Administrative Services 122
for recording, and delivered to the Grantee(s). The Grantee(s) 123
shall present the Governor's Deed for recording in the Office of 124
the Greene County Recorder. 125

(G) This section shall expire 3 years after its effective 126
date. 127

Section 2. (A) The Governor may execute a Governor's Deed 128
in the name of the State conveying to one or more purchaser or 129
purchasers, their heirs, successors and assigns all of the 130
State's right, title, and interest in the following described 131
real estate: 132

Situated in the City of Dover, County of Tuscarawas, and 133
State of Ohio and being part of the 3rd Quarter of Township 9, 134

Range 2 of the United States Military Lands; being part of the 135
tract (PN: 15-05312-000) conveyed to The State of Ohio in Vol. 136
538, Pg. 554 and being more fully described as follows: 137

Beginning at the northeast corner of a tract conveyed to 138
Ohio Department of Transportation in Vol. 1268, Pg. 2284, being 139
2.07 feet right of Sta. 133+30.75 of the centerline of right of 140
way of Ohio Ave. (C.R. 80) as shown on the TUS-77-24.50 R/W 141
Plans (2006); thence with Wooster Ave. and on the east line of 142
said Ohio Department of Transportation tract, South 26 Degrees 143
48 Minutes 43 Seconds East, a distance of 121.00 feet to the 144
southeast corner of said Ohio Department of Transportation tract 145
and being the TRUE POINT OF BEGINNING for the tract hereinafter 146
described, thence in a clockwise direction along the following 147
eight courses; 148

(1) Thence continuing with Wooster Ave. and on the east 149
line of said State of Ohio tract, South 26 Degrees 48 Minutes 43 150
Seconds East, a distance of 87.38 feet to a point; 151

(2) Thence through said State of Ohio tract on a new line 152
of division, South 63 Degrees 32 Minutes 07 Seconds West, 153
passing a 5/8-inch iron pin with cap "SHAFFER PS 8726" set at a 154
distance of 28.90 feet, a total distance of 389.47 feet to a 155
5/8-inch iron pin with cap "SHAFFER PS 8726" set; 156

(3) Thence North 69 Degrees 16 Minutes 14 Seconds West, a 157
distance of 68.78 feet to a 3/4-inch iron pin found on the west 158
line of said State of Ohio tract and on the east line of a 18.54 159
acre tract conveyed to Zimmer Orthopedic Surgical Products, Inc. 160
in Vol. 1064, Pg. 2292; 161

(4) Thence on said line, North 20 Degrees 37 Minutes 59 162
Seconds East, a distance of 318.28 feet to a 5/8-inch iron pin 163

with cap "SHAFFER PS 8726" set on the south right of way line of 164
said Ohio Ave. at the southwest corner of said Ohio Department 165
of Transportation tract; 166

(5) Thence on the south right of way line of said Ohio 167
Ave. and the south line of said Ohio Department of 168
Transportation tract, South 87 Degrees 03 Minutes 02 Seconds 169
East, a distance of 162.13 feet to a 5/8-inch iron pin with cap 170
"SHAFFER PS 8726" set at a point of curvature; 171

(6) Thence continuing on said line with a curve to the 172
right, having a radius of 50.00 feet, a central angle of 61 173
Degrees 49 Minutes 54 Seconds East, a chord bearing South 56 174
Degrees 08 Minutes 05 Seconds East, a chord length of 51.38 175
feet, an arc length of 53.96 feet to a 5/8 inch iron pin with 176
cap "SHAFFER PS 8726" set at a point of tangency on the west 177
right of way line of said Wooster Ave.; 178

(7) Thence continuing on the south line of said Ohio 179
Department of Transportation tract and the west right of way 180
line of said Wooster Ave, South 25 Degrees 13 Minutes 08 Seconds 181
East, a distance of 54.69 feet to an iron pin with cap 182
"QUICKSALL" found; 183

(8) Thence continuing on said line, North 64 Degrees 46 184
Minutes 52 Seconds East, passing an iron pin with cap 185
"QUICKSALL" found at a distance of 10.01 feet, a total distance 186
of 37.07 feet to the TRUE POINT OF BEGINNING. 187

The above described tract contains 1.734 acres, more or 188
less, and is subject to all easements, restrictions, and 189
covenants of record. 190

Split from Tuscarawas County APN: 15-05312-000 191

The foregoing legal description may be corrected or 192

modified by the Department of Administrative Services to a final 193
form if such corrections or modifications are needed to 194
facilitate recordation of the deed. 195

(B) (1) The conveyance shall include the improvements and 196
chattels situated on the real estate, and is subject to all 197
leases, agreements, licenses, permits, memoranda of 198
understanding, easements, covenants, conditions, reservations, 199
and restrictions of record, and encroachments whether of record 200
of not; all legal highways and public rights of way; zoning, 201
building, and other laws, ordinances, restrictions, and 202
regulations; and real estate taxes and assessments not yet due 203
and payable. The real estate shall be conveyed in an "as-is, 204
where-is, with all faults" condition. 205

(2) The deed for the conveyance of the real estate may 206
contain restrictions, exceptions, reservations, reversionary 207
interests, and other terms and conditions the Director of 208
Administrative Services determines to be in the best interest of 209
the State. 210

(3) Subsequent to the conveyance, any restrictions, 211
exceptions, reservations, reversionary interests, or other terms 212
and conditions contained in the deed may be released by the 213
State or the Adjutant General's Department without the necessity 214
of further legislation. 215

(4) The real estate described above shall be conveyed only 216
if the Director of Administrative Services and the Director of 217
the Adjutant General's Department first have determined that the 218
real estate is surplus real property no longer needed by the 219
State and that the conveyance is in the best interest of the 220
State. 221

(C) The Director of Administrative Services shall conduct 222
a sale of the real estate by sealed bid auction or public 223
auction, and the real estate shall be sold to the highest bidder 224
at a price acceptable to the Director of Administrative Services 225
and the Adjutant General's Department. The Department of 226
Administrative Services shall advertise the sealed bid auction 227
or public auction by publication in a newspaper of general 228
circulation in Tuscarawas County, once a week for three 229
consecutive weeks before the date on which the sealed bids are 230
to be opened. The Director of Administrative Services shall 231
notify the successful bidder in writing. The Director of 232
Administrative Services may reject any or all bids. 233

The purchaser shall pay ten percent of the purchase price 234
to the Director of Administrative Services within five business 235
days after receiving the notice the bid has been accepted. When 236
the deposit has been received, the Director and purchaser shall 237
enter into a real estate purchase agreement, in the form 238
prescribed by the Department of Administrative Services. The 239
purchaser shall pay the balance of the purchase price to the 240
Department of Administrative Services within sixty days after 241
receiving notice the bid has been accepted, or at closing. 242
Payment may be made by bank draft or certified check made 243
payable to the Treasurer of State. A purchaser who does not 244
complete the conditions of the sale as prescribed in this 245
division shall forfeit the ten percent of the purchase price 246
paid to the State as liquidated damages. If a purchaser fails to 247
complete the purchase, the Director of Administrative Services 248
may accept the next highest bid, subject to the foregoing 249
conditions. If the Director of Administrative Services rejects 250
all bids, the Department of Administrative Services may repeat 251
the sealed bid auction or public auction, or may use an 252

alternative sale process that is acceptable to the Adjutant 253
General's Department. 254

The Adjutant General's Department shall pay advertising 255
and other costs incident to the sale of the real estate. 256

(D) The real estate described in division (A) of this 257
section shall be sold as an entire tract and not in parcels. 258

(E) Except as otherwise specified above, the purchaser 259
shall pay all costs associated with the purchase, closing, and 260
conveyance, including surveys, title evidence, title insurance, 261
transfer costs and fees, recording costs and fees, taxes, and 262
any other fees, assessments, and costs that may be imposed. 263

The proceeds of the sale of the real estate shall be 264
deposited into the state treasury to the credit of 5340 ALI 265
745612, Armory Improvements under section 5911.10 of the Revised 266
Code. 267

(F) Upon execution of the real estate purchase agreement, 268
the Director of Administrative Services, with the assistance of 269
the Attorney General, shall prepare a Governor's Deed to the 270
real estate described in division (A) of this section. The 271
Governor's Deed shall state the consideration and shall be 272
executed by the Governor in the name of the State, countersigned 273
by the Secretary of State, sealed with the Great Seal of the 274
State, presented in the Department of Administrative Services 275
for recording, and delivered to the Grantee(s). The Grantee(s) 276
shall present the Governor's Deed for recording in the Office of 277
the Tuscarawas County Recorder. 278

(G) This section shall expire 3 years after its effective 279
date. 280

Section 3. (A) The Governor may execute a Governor's Deed 281

in the name of the State conveying to The Board of Education of 282
the Eastland-Fairfield Career and Technical School District 283
("Grantee"), and its successors and assigns, all of the State's 284
right, title, and interest in the following described real 285
estate: 286

Tract A 287

Situated in the City of Groveport, County of Franklin, 288
State of Ohio; also being a part of Section 16, Township 11 289
North, Range 21 West, Congress Lands as held in trust by the 290
State of Ohio pursuant to Ohio School and Ministerial Lands, 291
section 501.01 of the Revised Code; also being a portion of 292
school lands as described in a Journal Entry by the Office of 293
the Auditor of the State of Ohio, Volume 17, Page 48 (dated 294
7/14/1966), allocating a 40.00 acre tract to Eastern Franklin 295
County Joint Vocational School District, now known as The 296
Eastland-Fairfield Career and Technical Schools; being more 297
particularly described as follows: 298

Beginning at a 1" iron pipe found at the intersection of 299
the westerly right-of-way line of Hamilton Road (State Route 300
317; right-of-way varies) and the northerly right-of-way line of 301
Directors Boulevard (80' right-of-way) as dedicated in 302
"Dedication of Williams Road, Marketing Place, Directors 303
Boulevard, Investor Avenue, and Eastland School Avenue (Eastland 304
Corporate Park I)" as recorded in Plat Book 46, Page 93; said 305
point also being along a westerly line of a 7.507 acre tract as 306
transferred to the State of Ohio, Department of Transportation, 307
as recorded in Deed Book 3241, Page 395, Parcel 22-WL, said 308
point being the TRUE POINT OF BEGINNING, and from said beginning 309
point; running, 310

Along the northerly right-of-way line of Directors 311

Boulevard, North 85° 36' 06" West for a distance of 62.95' to an 312
iron pin set at a point of curvature; thence, 313

Along the northerly right-of-way line of Directors 314
Boulevard following a curve to the right having an arc length of 315
28.36', a radius of 25.00', a central angle of 65° 00' 00", and 316
a chord that bears North 53° 06' 06" West for a distance of 317
26.86' to an iron pin set at a point of tangency; thence, 318

Along the easterly right-of-way line of Directors 319
Boulevard, North 20° 36' 06" West for a distance of 216.10' to a 320
1" iron pipe found in the northerly line of said 40.00 acre 321
tract, said point being the southwesterly corner of a 3.381 acre 322
tract as conveyed to 4343 South Hamilton Road, LLC as described 323
in Instrument No. 199901040000730; thence, 324

Along the northerly line of said 40.00 acre tract and the 325
southerly line of said 3.381 acre tract, South 85° 36' 06" East 326
for a distance of 170.62' to a 1" iron pipe found, said point 327
being the southeasterly corner of said 3.381 acre tract, said 328
point being along a westerly line of said 7.507 acre tract and 329
along the westerly right-of-way line of Hamilton Road; thence, 330

Along a westerly line of said 7.507 acre tract and along 331
the westerly right-of-way line of Hamilton Road, South 04° 31' 332
49" West for a distance of 40.22' to a 1" iron pipe found; 333
thence, 334

Along a westerly line of said 7.507 acre tract and along 335
the westerly right-of-way line of Hamilton Road, South 02° 14' 336
23" West for a distance of 170.20' to the point of beginning, 337
containing 0.598 acres of land, more or less, as determined by 338
Michael L. Keller, Professional Surveyor, Ohio License No. 7978, 339
based on a survey performed by The Kleingers Group in June, 340

2017. 341

Basis of bearings for the herein-described courses is the 342
State Plane Coordinate System, Ohio South Zone (NAD83-NSRS2007), 343
with a portion of the westerly right-of-way line of Directors 344
Boulevard being South 20° 36' 06" East as determined by a GPS 345
survey utilizing CORS Station "COLB" and monument "FCGS 9935". 346

Iron pins set are 5/8" rebar, 30" in length, with plastic 347
identifier caps stamped "THE KLEINGERS GROUP". 348

Subject to any easements, restrictions, covenants, 349
ordinances or agreements of record. 350

Tract B 351

Situated in the City of Groveport, County of Franklin, 352
State of Ohio; also being a part of Section 16, Township 11 353
North, Range 21 West, Congress Lands as held in trust by the 354
State of Ohio pursuant to Ohio School and Ministerial Lands, 355
section 501.01 of the Revised Code; also being a portion of 356
school lands as described in a Journal Entry by the Office of 357
the Auditor of the State of Ohio, Volume 17, Page 48 (dated 358
7/14/1966), allocating a 40.00 acre tract to Eastern Franklin 359
County Joint Vocational School District, now known as The 360
Eastland-Fairfield Career and Technical Schools; being more 361
particularly described as follows: 362

Beginning at a 1" iron pipe found at the intersection of 363
the westerly right-of-way line of Hamilton Road (State Route 364
317; right-of-way varies) and the southerly right-of-way line of 365
Directors Boulevard (80' right-of-way) as dedicated in 366
"Dedication of Williams Road, Marketing Place, Directors 367
Boulevard, Investor Avenue, and Eastland School Avenue (Eastland 368
Corporate Park I)" as recorded in Plat Book 46, Page 93; said 369

point also being along a westerly line of a 7.507 acre tract as 370
transferred to the State of Ohio, Department of Transportation, 371
as recorded in Deed Book 3241, Page 395, Parcel 22-WL, said 372
point being the TRUE POINT OF BEGINNING, and from said beginning 373
point running thence the following four courses along the 374
westerly right-of-way lines of Hamilton Road and along westerly 375
lines of said 7.507 acre tract: 376

(1) South 12° 10' 08" East for a distance of 104.34' to an 377
iron pin set; thence, 378

(2) South 04° 31' 49" West for a distance of 250.00' to an 379
iron pin set; thence, 380

(3) South 06° 26' 22" West for a distance of 300.17' to an 381
iron pin set; thence, 382

(4) South 01° 15' 35" West for a distance of 160.67' to a 383
point, said point referenced by an iron pin set that bears North 384
85° 35' 40" West for a distance of 5.00' from said corner, said 385
point also being along the northerly line of a 49.736 acre 386
tract, the residual of a 49.998 acre tract as conveyed to 387
Madison Local School District as described in Deed Book 3336, 388
Page 482; thence, 389

Along the southerly line of said 40.00 acre tract and 390
along the northerly line of said 49.736 acre tract, North 85° 391
35' 40" West for a distance of 1496.33' to a point, passing over 392
an iron pin set at a distance of 5.00' from the beginning of 393
this course and passing over an iron pin set at a distance of 394
3.00' from the terminus of this course, said point also 395
witnessed by an iron pin that bears South 04° 18' 59" West for a 396
distance of 3.00' from said point; said point also being the 397
southeasterly corner of a 0.2625 acre tract as conveyed to 398

Groveport Madison Local School District as described in 399
Instrument No. 201601070002077, Tract 1, said point also being 400
the northeasterly corner of a 0.2625 acre tract as conveyed to 401
Groveport Madison Local School District as described in 402
Instrument No. 201601070002077, Tract 2, thence, 403

Along the easterly line of said 0.2625 acre tract as 404
described in Instrument No. 201601070002077, Tract 1 and then 405
along the easterly line of a 4.647 acre tract as conveyed to 406
Groveport Madison Local School District as described in 407
Instrument No. 201511160161625 and then along the easterly line 408
of a 1.6187 acre tract as conveyed to Groveport Madison Local 409
School District as described in Instrument No. 201601070002077 410
and then along the easterly line of a 2.10 acre tract as 411
conveyed to Corporation of the Presiding Bishop of the Church of 412
Jesus Christ of the Latter-Day Saints as described in Deed Book 413
3752, Page 204, North 04° 18' 59" East for a distance of 414
1100.52' to a 1" iron pipe found, passing over an iron pin set 415
at a distance of 288.33' from the terminus of this course, said 416
point being the northwesterly corner of said 40.00 acre tract, 417
said point also being the northeasterly corner of said 2.10 acre 418
tract, said point also being along the southerly line of a 4.410 419
acre tract as conveyed to Mulligan Real Estate II, LLC as 420
described in Instrument No. 201403140031424; thence, 421

Along the northerly line of said 40.00 acre tract and 422
along the southerly line of said 4.410 acre tract and then along 423
the southerly line of a 1.500 acre tract as conveyed to Charles 424
and Vicki Golden as described in Instrument No. 200108140187784, 425
Instrument No 200108140187785 and Instrument No. 200108140187788 426
and then along the southerly line of a 3.00 acre tract as 427
conveyed to Kinell Properties, LLC as described in Instrument 428
No. 201201050001830 and then along the southerly line of a 2.433 429

acre tract as conveyed to Peerless Saw Company as described in 430
Official Record 8645 B-05, South 85° 36' 06" East for a distance 431
of 1224.44' to a 1" iron pipe found, said point being the 432
southeasterly corner of said 2.433 acre tract and being along 433
the westerly right-of-way line of Directors Boulevard (60' 434
right-of-way as dedicated in Plat Book 46, Page 93); thence, 435

Along the westerly right-of-way line of Directors 436
Boulevard, South 20° 36' 06" East for a distance of 320.30' to a 437
railroad spike found; thence, 438

Along the southerly right-of-way line of Directors 439
Boulevard, South 85° 36' 06" East for a distance of 110.81' to 440
the point of beginning, containing 36.400 acres of land, more or 441
less, as determined by Michael L. Keller, Professional Surveyor, 442
Ohio License No. 7978, based on a survey performed by The 443
Kleingers Group in June, 2017. 444

Basis of bearings for the herein-described courses is the 445
State Plane Coordinate System, Ohio South Zone (NAD83-NSRS2007), 446
with a portion of the westerly right-of-way line of Directors 447
Boulevard being South 20° 36' 06" East as determined by a GPS 448
survey utilizing CORS Station "COLB" and monument "FCGS 9935." 449

Iron pins set are 5/8" rebar, 30" in length, with plastic 450
identifier caps stamped "THE KLEINGERS GROUP". 451

Subject to any easements, restrictions, covenants, 452
ordinances or agreements of record. 453

Tract C 454

Situated in the City of Groveport, County of Franklin, 455
State of Ohio; also being a part of Section 16, Township 11 456
North, Range 21 West, Congress Lands as held in trust by the 457
State of Ohio pursuant to Ohio School and Ministerial Lands, 458

section 501.01 of the Revised Code; also being a portion of 459
school lands as described in a Journal Entry by the Office of 460
the Auditor of the State of Ohio, Volume 17, Page 48 (dated 461
7/14/1966), allocating a 40.00 acre tract to Eastern Franklin 462
County Joint Vocational School District, now known as The 463
Eastland-Fairfield Career and Technical Schools; being more 464
particularly described as follows: 465

Commencing at a 1" iron pipe found at the intersection of 466
the westerly right-of-way line of Hamilton Road (State Route 467
317; right-of-way varies) and the southerly right-of-way line of 468
Directors Boulevard (80' right-of-way) as dedicated in 469
"Dedication of Williams Road, Marketing Place, Directors 470
Boulevard, Investor Avenue, and Eastland School Avenue (Eastland 471
Corporate Park I)" as recorded in Plat Book 46, Page 93; said 472
point also being along a westerly line of a 7.507 acre tract as 473
transferred to the State of Ohio, Department of Transportation, 474
as recorded in Deed Book 3241 Page 395 Parcel 22-WL, thence the 475
following four courses along the westerly right-of-way lines of 476
Hamilton Road and along westerly lines of said 7.507 acre tract: 477

(1) South 12° 10' 08" East for a distance of 104.34' to an 478
iron pin set; thence, 479

(2) South 04° 31' 49" West for a distance of 250.00' to an 480
iron pin set; thence, 481

(3) South 06° 26' 22" West for a distance of 300.17' to an 482
iron pin set; thence, 483

(4) South 01° 15' 35" West for a distance of 160.67' to a 484
point, said point referenced by an iron pin set that bears North 485
85° 35' 40" West for a distance of 5.00' from said corner, said 486
point also being along the northerly line of a 49.736 acre 487

tract, the residual of a 49.998 acre tract as conveyed to 488
Madison Local School District as described in Deed Book 3336, 489
Page 482; said point being the thence, 490

Along the southerly line of said 40.00 acre tract and 491
along the northerly line of said 49.736 acre tract and then 492
along a common line between two 0.2625 acre tracts as conveyed 493
to Groveport Madison Local School District as described in 494
Instrument No. 201601070002077, Tracts 1 and 2, North 85° 35' 495
40" West for a distance of 1877.52' to an iron pin set, passing 496
over an iron pins set at a distance of 5.00' and at a distance 497
of 1493.33 from the beginning of this course, said point being 498
along the southerly line of said 40.00 acre tract, said point 499
also being a common corner of said 49.736 acre tract and said 500
0.2625 acre tracts, said point also being the TRUE POINT OF 501
BEGINNING, and from said beginning point running thence, 502

Along a common line between said 40.00 acre tract and said 503
49.736 acre tract, North 85° 35' 53" West for a distance of 504
280.18' to a point generally along Black Lick Creek, said point 505
witnessed by a 1" iron pipe found that bears South 53° 43' 34" 506
East for a distance of 0.93' from said point; thence, 507

Along a westerly line of said 40.00 acre tract and 508
generally following Black Lick Creek, North 48° 01' 47" West for 509
a distance of 49.20' to a point, said point witnessed by a 1" 510
iron pipe found that bears South 25° 51' 12" East for a distance 511
of 0.54' from said point; thence, 512

Along a northerly line of said 40.00 acre tract, South 85° 513
35' 53" East for a distance of 319.10' to an iron pin set, said 514
point being the northwesterly corner of said northerly-most 515
0.2625 acre tract as described in Instrument No. 516
201601070002077, Tract 1; thence, 517

Along the westerly line of said 0.2625 acre tract, South 518
04° 15' 07" West for a distance of 30.00' to the point of 519
beginning, containing 0.206 acres of land, more or less, as 520
determined by Michael L. Keller, Professional Surveyor, Ohio 521
License No. 7978, based on a survey performed by The Kleingers 522
Group in June, 2017. 523

Basis of bearings for the herein-described courses is the 524
State Plane Coordinate System, Ohio South Zone (NAD83-NSRS2007), 525
with a portion of the westerly right-of-way line of Directors 526
Boulevard being South 20° 36' 06" East as determined by a GPS 527
survey utilizing CORS Station "COLB" and monument "FCGS 9935." 528

Iron pins set are 5/8" rebar, 30" in length, with plastic 529
identifier caps stamped "THE KLEINGERS GROUP." 530

Subject to any easements, restrictions, covenants, 531
ordinances or agreements of record. 532

The foregoing legal descriptions may be corrected or 533
modified by the Department of Administrative Services to a final 534
form if such corrections or modifications are needed to 535
facilitate recordation of the deeds. 536

(B) In 1966, the Auditor of State, as Supervisor of School 537
and Ministerial Lands pursuant to former section 501.01 of the 538
Revised Code consented to the use of these lands by the 539
predecessor to the Board of Education of the Eastland-Fairfield 540
Career and Technical School District for school purposes, and 541
the purpose of this legislation is to fulfill this intention. 542

(C) Consideration for the conveyance of the real estate 543
described in division (A) of this section shall be \$1.00. 544

(D) The conveyance includes improvements and chattels 545
situated on the real estate, and is subject to all easements, 546

covenants, conditions, leases, and restrictions of record; all 547
legal highways and public rights-of-way; zoning, building, and 548
other laws, ordinances, restrictions, and regulations; and real 549
estate taxes and assessments not yet due and payable. The real 550
estate shall be conveyed in an "as-is, where-is, with all 551
faults" condition. 552

(E) The Grantee shall pay all costs associated with the 553
purchase, closing and conveyance, including surveys, title 554
evidence, title insurance, transfer costs and fees, recording 555
costs and fees, taxes, and any other fees, assessments, and 556
costs that may be imposed. 557

The net proceeds of the sale shall be deposited into the 558
state treasury to the credit of the General Revenue Fund. 559

(F) Upon payment of the purchase price, the Director of 560
Administrative Services, with the assistance of the Attorney 561
General, shall prepare a Governor's Deed to the real estate 562
described in division (A) of this section. The Governor's Deed 563
shall state the consideration and shall be executed by the 564
Governor in the name of the State, countersigned by the 565
Secretary of State, sealed with the Great Seal of the State, 566
presented in the Department of Administrative Services for 567
recording, and delivered to the Grantee. The Grantee shall 568
present the Governor's Deed for recording in the Office of the 569
Franklin County Recorder. 570

(G) This section shall expire 3 years after its effective 571
date. 572

Section 4. (A) The Governor may execute a Governor's Deed 573
in the name of the State transferring the following described 574
real estate to the State of Ohio for the use and benefit of the 575

Board of Education of the Groveport Madison Local School 576
District ("Grantee"): 577

Situated in the State of Ohio, County of Franklin, the 578
City of Groveport and the City of Columbus, and, the Township of 579
Madison, being all of Section 16, Township 11, Range 21, 580
Congress Lands East of the Scioto, as held in trust by the State 581
of Ohio, Department of Administrative Services, and pursuant to 582
Ohio School and Ministerial Lands, section 501.01 of the Revised 583
Code, less and excepting those properties as conveyed out of 584
title as identified as Tracts 1 through 21 and being more 585
particularly described as follows: 586

Tract 1 587

Being situated in the State of Ohio, County of Franklin, 588
Village of Groveport, Section 16, Township 11, Range 21, 589
Congress Lands, and being more particularly described as 590
follows: 591

Commencing at a found iron pin at the intersection of the 592
centerline of Bixby Road with the centerline of Hendron Road, 593
and at the southwest corner of said Section 16; 594

Thence along the southerly line of said Section 16, and 595
along the centerline of said Bixby Road, South 85 degrees 15 596
minutes 30 seconds East, a distance of 300.0 feet to a spike and 597
the TRUE POINT OF BEGINNING OF THIS DESCRIPTION: 598

Thence partly across said Section 16, and parallel to the 599
westerly line of said Section 16, passing iron pins on line at 600
30.0 feet and 40.0 feet, North 4 degrees 08 minutes East, a 601
total distance of 940.0 feet to an iron pin; Thence partly 602
across said Section 16, and parallel to the southerly line of 603
said Section 16 (centerline of said Bixby Road), South 85 604

degrees 15 minutes 30 seconds East, a distance of 500.0 feet to 605
an iron pin; 606

Thence partly across said Section 16, South 4 degrees 08 607
minutes West, passing iron pins on line at 900.0 feet and 910.0 608
feet, a total distance of 940.0 feet to a spike in the southerly 609
line of said Section 16, and in the centerline of said Bixby 610
Road; 611

Thence along the southerly line of said Section 16, and 612
along the centerline of said Bixby Road, North 85 degrees 15 613
minutes 30 seconds West, a distance of 500.0 feet to the place 614
of beginning, containing 10.789 acres, subject to all legal 615
highways and easements and restrictions and leases and 616
agreements and utilities of record. 617

Tract 2 618

Situated in the State of Ohio, County of Franklin, Village 619
of Groveport, being part of the northwest quarter of Section 16, 620
Township 11, Range 21, Buckingham's Survey of the Congress Lands 621
and containing 44.557 acres of land, more or less, said 44.57 622
acres being particularly described as follows: 623

Beginning, for reference, at a monument assembly at the 624
point of intersection of the centerline of Williams Road and 625
(OLD) Hamilton Road, said point being in the easterly line of 626
the northwest quarter of Section 16; thence S 4° 24' 13" W, with 627
the original centerline of said Hamilton Road, a distance of 628
1,069.07 feet to a point, said point being the northeasterly 629
corner of a 40.00 acre tract of land used by all five of the 630
school districts in the Eastern Franklin County Joint Vocational 631
School District, including the Groveport School District and the 632
Canal Winchester School District in Madison Township and shown 633

of record in "Journal Entry" Office of the Auditor of the State 634
of Ohio; thence N 85° 35' 47" W, perpendicular to the preceding 635
course, with the northerly line of said 40.00 acre tract, a 636
distance of 104.71 feet to the true point of beginning, said 637
point located In the westerly right-of-way line of Relocated 638
Hamilton Road, as the same is shown on State of Ohio, Department 639
of Highway Plans (FRA-317 6.38) being 140 feet left of Station 640
146 + 40.27: 641

Thence, from said true point of beginning, N 85° 35' 47" 642
W, continuing with the northerly line of said 40.00 acre tract, 643
a distance of 1,847.41 feet to a point: 644

Thence, N 4° 24' 13" E, perpendicular to the preceding 645
course, parallel to and 1,952.12 feet westerly from (as measured 646
at right angles) the original center line of said Hamilton Road, 647
a distance of 1,042.06 feet to a point, said point located 20 648
feet southerly of the centerline of Williams Road; 649

Thence S 85° 48' 08" E, parallel with and 20.00 feet 650
southerly from (as measured at right angles) the centerline of 651
said Williams Road, a distance of 1,477.55 feet to a point, said 652
point being 20.00 feet left of Station 4+75 as same is shown on 653
Highway Plan FRA-33-(26.21-30.13); 654

Thence, S 78° 57' 34" E, a distance of 125.90 feet to a 655
point, said point located 35.00 feet left of Station 3 + 50 of 656
said Plan; 657

Thence, S 80° 41' 18" E, a distance of 220.25 feet to a 658
point located in the westerly right-of-way line of said 659
relocated Hamilton Road; 660

Thence, S 30° 15' 51" E, with said westerly right-of-way 661
line, a distance of 65.98 feet to a point, said point located 662

130.00 feet left of Station 156 + 00 (FRA-317 6.3R); 663

Thence with said westerly right-of-way line by the 664
following four courses and distances: 665

(1) S 0° 02' 29" E, a distance of 250.80 feet to a point, 666
said point located 110.00 feet left of Station 155 + 50; 667

(2) S 4° 51' 58" W, a distance of 300.00 feet to a point, 668
said point located 110.00 feet left of Station 150 + 50; 669

(3) S 15° 50' 30" W, a distance of 152.97 feet to a point, 670
said point located 140.00 feet left of Station 149 + 00; 671

(4) S 4° 31' 53" W, a distance of 259.73 feet to the true 672
point of beginning and containing 44.557 acres of land, more or 673
less. 674

Subject to all easements, right-of-way and restrictions, 675
if any, of previous record. 676

The above description was prepared by Hockaden-Lipes- 677
Rousculp, Inc., Consulting Engineers, Columbus, Ohio, from 678
information obtained by an actual survey of premises. 679

Tract 3 680

Situated in the State of Ohio, County of Franklin, 681
Township of Madison and being part of the Southwest Quarter and 682
part of the Northwest Quarter of Section 16, Township 11, Range 683
21, Congress Lands and being more particularly described as 684
follows: 685

Beginning at a railroad spike in the center line of 686
Hamilton Road and in the easterly line of the Northwest Quarter 687
of Section 16, said spike being S. 4° 28' W. a distance of 688
2169.07 feet from the northeasterly corner of the Northwesterly 689

Quarter of Section 16; thence S. 4° 28' W. along the center line 690
of Hamilton Road and passing an iron pin at the southeast corner 691
of the Northwest Quarter of Section 16 at a distance of 527.43 692
feet, a distance of 1112.83 feet to a railroad spike; thence N. 693
85° 32' W. and parallel to the northerly line of the Southwest 694
Quarter of Section 16 and 585.40 feet. Southerly therefrom, 695
passing an iron pin on line at 35.00 feet and passing an iron 696
pin at top of bank at a distance of 1689.17 feet a distance of 697
1905.00 feet to a point in the center line of Blacklick Creek; 698
thence in a Northerly direction the following ten courses and 699
distances along the center line of Blacklick Creek: 700

(1) N. 00° 25' 37" W. a distance of 58.61 feet to a point; 701

(2) Thence N. 27° 39' 55" E, a distance of 114.24 feet to 702
a point; 703

(3) Thence N. 17° 51' 33" E, a distance of 107.94 feet to 704
a point; 705

(4) Thence N. 7° 18' 03" E, a distance of 202.25 feet to a 706
point; 707

(5) Thence N. 25° 00' 33" W. a distance of 132.10 feet to 708
a point; 709

(6) Thence N. 26° 04' 26" W. a distance of 116.11 feet to 710
a point; 711

(7) Thence N. 56° 44' 59" W. a distance of 207.66 feet to 712
a point; 713

(8) Thence N. 28° 12' 59" E. a distance of 109.25 feet to 714
a point; 715

(9) Thence N. 22 12' 41" E. a distance of 105.00 feet to a 716
point; 717

(10) Thence N. 47° 57' 54" W. a distance of 209.00 ft. to 718
a point; 719

Said point being Northerly as measured at right angles to 720
the southerly line of the Northwest Quarter of Section 16, a 721
distance of 527.43 feet; thence S. 85° 32' E. and parallel to 722
the southerly line of the Northwest Quarter of Section 16, 723
passing an iron pin on line at 271.00 feet, and an iron pin on 724
line at 2190.66 feet a distance of 2225.66 feet to the place of 725
beginning, containing 49.998 acres; subject to all easements and 726
restrictions shown of record; also subject to all legal 727
highways. 728

Tract 4 729

PARCEL NO. 1 730

Being situated in the State of Ohio, County of Franklin, 731
Village of Groveport, and being a part of the Madison School 732
Section, Section 16, Twp. 11, R. 21, Buckingham's Survey, 733
Congress Lands, and being more particularly described as 734
follows: 735

Beginning at the Southwesterly corner of Marketing Place 736
(60' wide) as shown on dedicated plat in Plat Book 46, Page 93, 737
said point being on the south line of a 44.557 acre tract 738
conveyed to Ball, Ball, Galloway and Jacobs, an Ohio general 739
partnership, by deed of record in Deed Book 3327, Page 174, said 740
point being located a distance of 56.14 feet Easterly of the 741
Southwest corner of said 44.557 acre tract. 742

Thence, South 85 degrees 35 minutes 31 seconds East, along 743
the south line of said Marketing Place, and along a part of the 744
south line of a 4.410 acre tract conveyed to Ball, Ball, 745
Galloway and Jacobs, an Ohio general partnership, by deed of 746

record in Deed Book 3393, Page 888,889, a distance of 330.52 747
feet to a point; 748

Thence, South 4 degrees 24 minutes 29 seconds West, across 749
said Madison School Section, along a line perpendicular to the 750
last described line, a distance of 495.0 feet to a point; 751

Thence North 85 degrees 35 minutes 31 seconds West, across 752
said Madison School Section, along a line perpendicular to the 753
last described line, and along a line parallel to the south line 754
of the said 44.557 acre tract, a distance of 311.19 feet to a 755
point, said point being on the arc of a curve having a radius of 756
70.0 feet; 757

Thence, Southerly and Westerly, along the arc of said 758
curve having a radius of 70.0 feet, sub-delta angle of 180 759
degrees 0 minutes 00 seconds, along chord bearing North 85 760
degrees 35 minutes 31 seconds West, a distance of 140.00 feet to 761
a point; 762

Thence, North 85 degrees 35 minutes 31 seconds West, 763
across said Madison School Section, along a line parallel to the 764
south line of the said 44.557 acre tract, a distance of 365.00 765
feet to a point; 766

Thence, North 20 degrees 34 minutes 54 seconds West, 767
across said Madison School Section, a distance of 275.82 feet to 768
a point; 769

Thence, South 85 degrees 35 minutes 31 seconds East, along 770
a line parallel to the south line of the said 44.557 acre tract, 771
a distance of 527.49 feet to a point, said point being on the 772
arc of a curve to the right having a radius of 730 feet; 773

Thence, Northernly, along the arc of said curve to the 774
right having a radius of 730 feet, a delta angle of 24 degrees 775

30 minutes 00 seconds, a chord bearing North 20 degrees 19 776
minutes 29 seconds East, a distance of 217.90 feet to a point of 777
reverse curvature; said chord having a sub-delta angle of 17 778
degrees 10 minutes 00 seconds; 779

Thence, continuing northerly, along the arc of a curve to 780
the left, having a radius of 670 feet, a delta angle of 3 781
degrees 17 minutes 27 seconds, a chord bearing North 27 degrees 782
15 minutes 46 seconds East, a distance of 38.47 feet to the 783
place of beginning containing 7.3032 acres of land, subject 784
however to all legal highways and easements and restrictions of 785
record. 786

PARCEL NO. 2 787

Being situated in the State of Ohio, County of Franklin, 788
Village of Groveport, and being a part of the Madison School 789
Section, Section 16, Township 11, Range 21, Buckingham's Survey, 790
Congress Lands, and being more particularly described as 791
follows: 792

Commencing at the southwesterly corner of Marketing Place 793
(60' wide) as shown on dedicated plat in Plat Book 46, Page 93, 794
said corner being on the south line of a 44.557 acre tract 795
conveyed to Ball, Ball, Galloway and Jacobs, an Ohio general 796
partnership, by deed of record in Deed Book 3327, Page 174, said 797
corner being located a distance of 56.14 feet easterly of the 798
Southwest corner of the said 44.557 acre tract, said point also 799
being on the arc of a curve to the right having a radius of 670 800
feet; 801

Thence, southerly, along the west right-of-way of a 802
proposed road 60 feet wide and along the arc of a curve to the 803
right having a radius of 670 feet, a sub-delta angle of 3 804

degrees 17 minutes 27 seconds, a chord bearing South 27 degrees 805
15 minutes 46 seconds West, a distance of 38.47 feet to a point 806
of reverse curvature of a said west line; 807

Thence, southerly, continuing along the west right-of-way 808
of said proposed road, along the arc of a curve to the left 809
having a radius of 730.0 feet, a delta angle of 24 degrees 30 810
minutes 00 seconds, a long chord bearing South 16 degrees 39 811
minutes 29 seconds East, a distance of 309.78 feet to a point of 812
tangency of said curve; 813

Thence, South 4 degrees 24 minutes 29 seconds West, 814
continuing along the west right-of-way line of said proposed 815
road, along a tangent to the last described curve, a distance of 816
58.84 feet to a point on a curve: 817

Thence, southerly, continuing along the said west right- 818
of-way line, along the arc of a curve to the right having a 819
radius of 70.0 feet, a delta angle of 44 degrees 24 minutes 55 820
seconds, a chord bearing South 26 degrees 36 minutes 56 seconds 821
West, a distance of 52.91 feet to a point of reverse curvature; 822

Thence, southerly, continuing along the said west right- 823
of-way line, along the arc of a curve to the left having a 824
radius of 70.0 feet, a sub-delta angle of 44 degrees 24 minutes 825
55 seconds, a chord bearing South 26 degrees 36 minutes 56 826
seconds West, a distance of 52.91 feet to a point, and the TRUE 827
POINT OF BEGINNING OF THIS DESCRIPTION; 828

Thence, southerly, continuing along the west right-of-way 829
line, and along the arc of the said curve to the left having a 830
radius of 70.0 feet, a sub-delta angle of 37 degrees 26 minutes 831
19 seconds, a chord bearing South 14 degrees 18 minutes 40 832
seconds East, a distance of 44.93 feet to a point; 833

Thence, southwesterly, across said Madison School Section, 834
along a line radial to the last described curve, S 56°58'10" 835
West, a distance of 333.02 feet to a point; 836

Thence, North 20 degrees 44 minutes 12 seconds West, 837
across said Madison School Section, a distance of 270.65 feet to 838
a point; 839

Thence, South 85 degrees 35 minutes 31 seconds East, along 840
a line radial to the last described curve, a distance of 365.0 841
feet to the place of beginning, containing 1.1866 acres of land, 842
subject however to all legal highways and easements and 843
restrictions of record. 844

Tract 5 845

Situated in the State of Ohio, County of Franklin, Village 846
of Groveport, Section 16, Township 11, Range 21, Congress Lands, 847
and being a part of School Section 16 as reserved by Act of 848
Congress in the Land Act of May 8, 1796, and being more 849
particularly described as follows: 850

Beginning, for reference, at a monument found at 851
Centerline Station 140+00.00 as shown on a plat entitled 852
"CENTERLINE SURVEY PLAT, FRA-317-6.38", of record in Plat Book 853
41, Page 65, Franklin County Recorder's Office: 854

Thence N 4 degrees 31 minutes 58 seconds E, with said 855
centerline, a distance of 390.28 feet to a point, said point 856
being on the easterly extension of the centerline of Eastland 857
School Avenue as shown on a plat entitled DEDICATION OF WILLIAMS 858
ROAD, MARKETING PLACE, DIRECTORS BOULEVARD, INVESTORS AVENUE, 859
AND EASTLAND SCHOOL AVENUE, of record in Plat Book 46, Page 93; 860

Thence S 85 degrees 35 minutes 31 seconds E, with said 861
easterly extension of the centerline of Eastland School Avenue, 862

a distance of 140.00 feet to an iron pin in the easterly line of 863
a 3.213 acre tract described in a deed to the Ohio Department of 864
Highways (Parcel 22-WD-1), of record in Deed Book 3241, Page 865
395, said point being the TRUE PLACE OF BEGINNING; 866

Thence S 85 degrees 35 minutes 31 seconds E, continuing 867
with said easterly extension of said centerline, a distance of 868
1260.00 feet to an iron pin; 869

Thence S 4 degrees 24 minutes 29 seconds W, a distance of 870
1586.08 feet to an iron pin; 871

Thence S 85 degrees 35 minutes 31 seconds E, a distance of 872
320.00 feet to an iron pin; 873

Thence S 4 degrees 16 minutes 18 seconds W, a distance of 874
522.00 feet to an iron pin; 875

Thence N 85 degrees 35 minutes 31 seconds W, a distance of 876
1572.72 feet to an iron pin in the easterly line of said 3.213 877
acre tract; 878

Thence N 4 degrees 16 minutes 18 seconds E, with the 879
easterly line of said 3.213 acre tract, passing an iron pin at a 880
distance of 522.00 feet, a total distance of 737.70 feet to an 881
iron pin at an angle point therein, said point being located S 882
85 degrees 35 minutes 26 seconds E (along the angular bisector), 883
a distance of 150.00 feet from a monument found at Station 884
130+19.90 in said centerline; 885

Thence N 3 degrees 57 minutes 45 seconds E, continuing 886
with the easterly line of said 3.213 acre tract, a distance of 887
979.81 feet to an iron pin at an angle point therein, said point 888
being located S 85 degrees 27 minutes 36 seconds E (along the 889
angular bisector), a distance of 140.00 feet from a monument 890
found at Station 140+00.00; 891

Thence N 4 degrees 31 minutes 58 seconds E, continuing 892
with the easterly line of said 3.213 acre tract, a distance of 893
390.60 feet to THE TRUE PLACE OF BEGINNING, containing 64.627 894
acres, more or less, subject to all easements restrictions, and 895
rights-of-way of previous record. 896

Tract 6 897

Situated in the State of Ohio, County of Franklin, Village 898
of Groveport, Section 16, Township 11, Range 21, Congress Lands, 899
and being a part of School Section 16 as reserved by Act of 900
Congress in the Land Act of May 18, 1796, and being more 901
particularly described as follows: 902

Beginning at an iron pin at the northwesterly corner of a 903
64.627 acre tract described in a deed from the State of Ohio to 904
Ball, Ball, Galloway and Jacobs, recorded February 8, 1978, and 905
bearing instrument No. 17, Page 134, School Lands, said iron pin 906
being in the easterly line of a 3.213 acre tract described in a 907
deed to the Ohio Department of Highways (Parcel 22-WD-1), of 908
record in Deed Book 3241, Page 395; 909

Thence N 4 degrees 31 minutes 58 seconds E, with the 910
easterly line of said 3.213 acre tract, a distance of 9.41 feet 911
to an angle point therein; 912

Thence N 12 degrees 09 minutes 59 seconds W, continuing 913
with said easterly line, a distance of 16.26 feet to a point; 914

Thence, through said School Lands, the following four 915
courses: 916

(1) S 85 degrees 35 minutes 31 seconds E (parallel to and 917
25.00 feet northerly from the northerly line of said 64.627 acre 918
tract), a distance of 45.70 feet to a point; 919

(2) N 64 degrees 24 minutes 29 seconds E, a distance of 920
55.00 feet to a point; 921

(3) S 55 degrees 35 minutes 31 seconds E, a distance of 922
65.00 feet to a point; 923

(4) S 4 degrees 24 minutes 29 seconds W, a distance of 924
20.00 feet to a point in the northerly line of said 64.627 acre 925
tract. 926

Thence N 85 degrees 35 minutes 31 seconds W, with said 927
northerly line, a distance of 145.00 feet to the place of 928
beginning, containing 0.114 acres, more or less. 929

This description was prepared by Hockaden and Associates, 930
Inc., Consulting Engineers, Columbus, Ohio, a plat of said 0.144 931
acre tract being attached hereto and made a part hereof. 932

Tract 7 933

Situated in the State of Ohio, Franklin County, Village of 934
Groveport, Section 16, Township 11, Range 21, Congress Lands, 935
and being a part of School Section 16 as reserved by act of 936
Congress in the Land Act of May 18, 1796, and being more fully 937
described as follows: 938

Beginning at the northeast corner of a 64.627 acre tract 939
conveyed to Ball, Ball, Galloway and Jacobs, an Ohio general 940
partnership, and recorded February 8, 1978, and bearing 941
instrument No. 17, Page 134, School Lands; 942

Thence with the north line of said 64.627 acre tract 943
extended easterly, South 85°35'31" East a distance of 170.00 944
feet; 945

Thence South 00°15'37" East a distance of 232.69 feet; 946

Thence South 29°14'06" East a distance of 158.03 feet; 947

Thence South 02°02'33" West a distance of 1190.81 feet; 948

Thence South 20°53'00" East a distance of 610.84 feet; 949

Thence North 86°08'06" West a distance of 265.38 feet; 950

Thence with the east line of said 64.627 acre tract North 951
04° 16' 18" East a distance of 522.00 feet; 952

Thence continuing with said east line North 85°35'31" West 953
a distance of 320.00 feet; 954

Thence continuing with said east line North 04°24' 29" 955
East a distance of 1586.08 feet to the point of beginning, 956
containing 11.849 acres more or less. 957

Tract 8 958

Situated in the State of Ohio, County of Franklin, Village 959
of Groveport in the Madison School Section, Section 16, Township 960
11, Range 21, Buckingham's Survey, Congress Lands and being more 961
particularly described as follows: 962

Beginning at an iron pipe in the westerly Cul-de-sac 963
right-of-way line of Marketing Place (said Marketing Place was 964
dedicated in Plat Book 51, Page 119, Recorder's Office, Franklin 965
County) and at the southeasterly corner of the Metal Art 966
Investment Company 1.1866 acre tract (Parcel I) of record in 967
Deed Book 3642, Page 793, said Recorder's Office; 968

Thence, along the line of said Marketing Place and along 969
the arc of a curve to the left having a radius of 70.00 feet, a 970
sub-delta angle of 84 degrees 28 minutes 10 seconds, a tangent 971
distance of 63.55 feet and a chord bearing and distance of South 972
75 degrees 15 minutes 58 seconds East, 94.10 feet to an iron 973

pipe; 974

Thence, across said Madison School Section, South 4 975
degrees 24 minutes 29 seconds West, 355.58 feet to an iron pipe; 976

Thence, continue across said Madison School Section, North 977
85 degrees 35 minutes 31 seconds West, 165.00 feet to an iron 978
pipe at the southeasterly corner of the Metal Art Investment 979
Company, 1.073 acre tract 9 parcel II) of record in Deed Book 980
3642, Page 793, said Recorder's Office; 981

Thence, along the easterly line of said 1.073 acre tract, 982
North 4 degrees 24 minutes 29 seconds East, 317.00 feet to an 983
iron pipe at the northeasterly corner of said 1.073 acre tract 984
and in the southeasterly line of said 1.1866 acre tract; 985

Thence, along the southeasterly line of said 1.1866 acre 986
tract, North 56 degrees 58 minutes 10 seconds East, 91.21 feet 987
to the place of beginning, containing 1.320 acres, subject, 988
however, to all legal highways, easements, restrictions, 989
agreements and leases of record and of records in the respective 990
utility offices. 991

The above survey was made by Albert J. Myers, Registered 992
Surveyor No. 6579. 993

Tract 9 994

Situated in the State of Ohio, County of Franklin, Village 995
of Groveport, Section 16, Township 11, Range 21, Congress Lands, 996
and being a part of the School Section 16 as reserved by Act of 997
Congress in the Land Act of May 18, 1795, and being more 998
particularly described as follows: 999

Beginning, for reference, at the northwesterly corner of a 1000
64.627 acre tract of land described in a deed to Columbus and 1001

Southern Ohio Electric Company, to Deed Book 3636, Page 229, 1002
(all references to Deed Books in this description are of record 1003
in the Recorder's Office, Franklin County, Ohio), said corner 1004
being in the easterly line of a 3.213 acre tract of land 1005
described in a deed to the Ohio Department of Highways (Parcel 1006
22-WD-1), of record in Deed Book 3241, Page 395, thence S 1007
85°35'31" E, with the northerly line of said 64.627 acre tract, 1008
a distance of 181.64 feet to the TRUE PLACE OF BEGINNING; 1009

Thence S 85°35'31" E, continuing with said northerly line, 1010
a distance of 182.11 feet to a point; 1011

Thence N 79°54'08" W, a distance of 187.48 feet to a 1012
point; 1013

Thence S 9°03'45" E, with the easterly right-of-way of 1014
proposed HIGGINS BOULEVARD, a distance of 19.12 feet to the TRUE 1015
PLACE OF BEGINNING, and containing 0.0395 acres of land, more or 1016
less. 1017

This description was prepared by Hockaden and Associates, 1018
Inc., Consulting Engineers, Columbus, Ohio. Cloyd E. Evers, 1019
Registered Surveyor No. 6579. 1020

Tract 10 1021

Situated in the State of Ohio, County of Franklin, Village 1022
of Groveport, Section 16, Township 11, Range 21, Congress Lands, 1023
and being a part of School Section 16 as reserved by Act of 1024
Congress in the Land Act of May 18, 1796, and being more 1025
particularly described as follows: 1026

Beginning, for reference at an iron pin at the 1027
northwesterly corner of a 64.627 acre tract described in a deed 1028
to COLUMBUS & SOUTHERN OHIO ELECTRIC COMPANY, of record in Deed 1029
Book 3636, Page 229, (all references to Deed Books in this 1030

description are of record in the Recorder's Office, Franklin 1031
County, Ohio) said iron pin being in the easterly line of a 1032
3.213 acre tract described in a deed to The Ohio Department of 1033
Highways (Parcel 22-WD-1), of record in Deed Book 3241, Page 1034
395, thence N 4°31'58" E, with the easterly line of said 3.213 1035
acre tract, a distance of 9.41 feet to an angle point; 1036

Thence N 12°09'59" W, continuing with said easterly line, 1037
a distance of 16.26 feet to the northwesterly corner of a 0.114 1038
acre tract of land described in a deed to Ball, Ball, Galloway 1039
and Jacobs, of record in Deed Book 3636, page 225, said corner 1040
being the TRUE POINT OF BEGINNING; 1041

Thence N 12°09'59" W, continuing with said easterly line, 1042
a distance of 8.45 feet to a point; 1043

Thence, through said School Lands, the following three 1044
courses: 1045

(1) N 74°40'07" E, a distance of 116.24 feet to a point; 1046

(2) S 55°35'31" E, a distance of 85.10 feet to a point; 1047

(3) S 9°03'45" E, a distance of 30.66 feet to a point in 1048
the northerly line of said 64.627 acre tract. 1049

Thence N 85°35'31" W, with said northerly line, a distance 1050
of 38.22 feet to the southeasterly corner of said 0.114 acre 1051
tract; 1052

Thence, with the easterly and northerly lines of said 1053
0.114 acre tract, the following four courses: 1054

(1) N 4°24'29" E, a distance of 20.00 feet to a point; 1055

(2) N 55°35'31" W, a distance of 65.00 feet to a point; 1056

(3) S 64°24'29" W, a distance of 55.00 feet to a point; 1057

(4) N 85°35'31" W, a distance of 45.70 feet to the point 1058
of beginning, containing 0.104 acres of land, more or less. 1059

This description was prepared by Hockaden and Associates, 1060
Inc., Consulting Engineers, Columbus, Ohio. Cloyd E. Evers, 1061
Registered Surveyor No. 6579. 1062

Tract 11 1063

PARCEL #2 1064

Being situated in the State of Ohio, County of Franklin, 1065
Village of Groveport, and being a part of Madison School 1066
Section, Section 16, Township 11, Range 21, Buckingham's Survey 1067
of Congress Lands, and being more particularly described as 1068
follows: 1069

Commencing at a point on the southerly right-of-way line 1070
of Williams Road (40 feet wide) at the northwesterly corner of 1071
an original 44.557 acre tract conveyed to Ball, Ball, Galloway 1072
and Jacobs shown of record in Deed Book 3327, Page 174, and at 1073
the northwesterly corner of Williams Road as dedicated in Plat 1074
Book 46, Page 93, said point being on the City of Columbus, and 1075
Village of Groveport Corporation line; 1076

Thence, South 4 degrees 24 minutes 29 seconds West, along 1077
the westerly line of said Williams Road as dedicated in Plat 1078
Book 46, Page 93, and along the westerly line of said 44.557 1079
acre tract, a distance of 20.00 feet to a point and THE TRUE 1080
POINT OF BEGINNING OF THIS DESCRIPTION: 1081

Thence, South 4 degrees 24 minutes 29 seconds West, along 1082
the westerly line of said 44.557 acre tract, a distance of 1083
456.33 feet to a point; 1084

Thence, North 85 degrees 48 minutes 08 seconds West, along 1085

a line parallel with the centerline of said Williams Road, a 1086
distance of 388.48 feet to a point; 1087

Thence, North 4 degrees 24 minutes 29 seconds East, along 1088
a line parallel with the westerly line of said 44.557 acre 1089
tract, a distance of 456.33 feet to a point; 1090

Thence, South 85 degrees 48 minutes 08 seconds East, along 1091
a line parallel with and 40.00 feet southerly of and measured at 1092
right angles to the centerline of said Williams Road, a distance 1093
of 388.48 feet to the place of beginning, containing 4.0697 1094
acres, subject however, to all highways and easements of record 1095
and of records, easements and restrictions in the respective 1096
utility offices. 1097

PARCEL #2-A 1098

Being situated in the State of Ohio, County of Franklin, 1099
Village of Groveport, and being a part of Madison School Section 1100
16, Township 11, Range 21, Buckingham's Survey of Congress 1101
Lands, and being more particularly described as follows: 1102

Beginning at a point on the southerly right-of-way line of 1103
Williams Road (40 feet wide) at the northwesterly corner of an 1104
original 44.557 acre tract conveyed to Ball, Ball, Galloway and 1105
Jacobs shown of record in Deed Book 3327, Page 174, and at the 1106
northwesterly corner of Williams Road as dedicated in Plat Boone 1107
46, Page 93, said point being on the City of Columbus, and 1108
Village of Groveport Corporation line; 1109

Thence, South 4 degrees 24 minutes 29 seconds West, along 1110
the westerly line of said Williams Road as dedicated in Plat 1111
Book 46, Page 93, a distance of 20.00 feet to a point at the 1112
southwesterly corner of Williams Road dedicated in Plat Book 46, 1113
Page 93; 1114

Thence, North 85 degrees 48 minutes 08 seconds West, along 1115
a line parallel with and 40.00 feet southerly of measured at 1116
right angles to the centerline of said Williams Road, a distance 1117
of 388.48 feet to a point; 1118

Thence, North 4 degrees 24 minutes 29 seconds East, along 1119
a line parallel with the westerly line of said 44.557 acre 1120
tract, a distance of 20.00 feet to a point on the southerly 1121
right-of-way line of said Williams Road; 1122

Thence, South 85 degrees 48 minutes 08 seconds East, along 1123
the southerly right-of-way line of said Williams Road, and along 1124
a line parallel with and 20.00 feet southerly of and measured at 1125
right angles to the centerline of said Williams Road, a distance 1126
of 388.48 feet to the place of beginning, containing 0.1784 1127
acres, subject however, to all highways and easements of record 1128
and of records, easements and restrictions in the respective 1129
utility offices. 1130

PARCEL 02-B 1131

Being situated in the State of Ohio, County of Franklin, 1132
Village of Groveport, and being a part of Madison School 1133
Section, Section 16, Township 11, Range 21, Buckingham's Survey 1134
of Congress Lands, and being more particularly described as 1135
follows: 1136

Commencing at a point on the Southerly right-of-way line 1137
of Williams Road (40 feet wide) at the northwesterly corner of 1138
an original 44.557 acre tract conveyed to Ball, Ball, Galloway 1139
and Jacobs shown of record in Deed Book 3327, Page 174, and at 1140
the northwesterly corner of Williams Road as dedicated in Plat 1141
Book 46, Page 93, said point being on the City of Columbus and 1142
Village of Groveport Corporation line; 1143

Thence, South 4 degrees 24 minutes 29 seconds West, along 1144
the westerly line of said Williams Road as dedicated in Plat 1145
Book 46, Page 93, and along the westerly line of said 44.557 1146
acre tract, a distance of 476.33 feet to a point, and THE TRUE 1147
POINT OF BEGINNING OF THIS DESCRIPTION; 1148

Thence, South 4 degrees 24 minutes 29 seconds West, along 1149
the westerly line of said 44.57 acres tract, a distance of 50.00 1150
feet to a point; 1151

Thence, North 85 degrees 48 minutes 08 seconds West, along 1152
a line parallel with the centerline of said Williams Road, a 1153
distance of 408.48 feet to a point; 1154

Thence, North 4 degrees 24 minutes 29 seconds East, along 1155
a line parallel with the westerly line of said 44.557 acre 1156
tract, a distance of 50.00 feet to a point; 1157

Thence, South 85 degrees 48 minutes 08 seconds East, along 1158
a line parallel with the centerline of said Williams Road, a 1159
distance of 408.48 feet to the place of beginning, containing 1160
0.4689 acres, subject however, to all highways and easements of 1161
record and of records, easements and restrictions in the 1162
respective utility offices. 1163

The description for Parcel No. 2, 2-A and 2-B were 1164
prepared by Albert H. Andrews, Registered Surveyor No. 5699. 1165

Tract 12 1166

Being situated in the State of Ohio, County of Franklin, 1167
Village of Groveport, and being a part of Section 16, Township 1168
11, Range 21, Congress Lands, and also being known as School 1169
Section 16 as reserved by Act of Congress in the Land Act of May 1170
18, 1796, and being more particularly described as follows: 1171

Commencing at a point on the easterly limited access 1172
right-of-way line of Hamilton Road (FRA-317-6.38), and on the 1173
westerly right-of-way line of Higgins Boulevard as dedicated in 1174
Plat Book 58, Page 63, said point being at the northwesterly 1175
corner of an original 64.627 acre tract conveyed to Columbus and 1176
Southern Ohio Electric Company shown of record in Deed Book 1177
3636, Page 229; 1178

Thence North 4 degrees 31 minutes 58 seconds East, along 1179
the easterly limited access right-of-way line of said Hamilton 1180
Road and along the westerly right-of-way line of said Higgins 1181
Boulevard, a distance of 9.41 feet to an angle point in said 1182
line; 1183

Thence North 12 degrees 09 minutes 59 seconds West 1184
continuing along the easterly limited access right-of-way line 1185
of said Hamilton Road and along the westerly right-of-way line 1186
of said Higgins Boulevard, a distance of 24.72 feet to an iron 1187
pin at the northwesterly corner of said Higgins Boulevard, and 1188
also the northwesterly corner of a 0.104 acre tract conveyed to 1189
Ball, Ball, Galloway and Jacobs shown of record in official 1190
Record 721, Page A-12, and the true point beginning of the 1191
description: 1192

Thence North 12 degrees 09 minutes 59 seconds West, 1193
continuing along the easterly limited access right-of-way line 1194
of said Hamilton Road, distance of 79.68 feet to an iron pin at 1195
the angle point in said line; 1196

Thence North 4 degrees 31 minutes 58 seconds East, 1197
continuing along the easterly limited access right-of-way line 1198
of said Hamilton Road, a distance of 500.13 feet to an iron pin 1199
at an angle point in said line; 1200

Thence North 1 degree 05 minutes 57 seconds East, 1201
continuing along the easterly limited access right-of-way line 1202
of said Hamilton Road, a distance of 500.90 feet to an iron pin 1203
at an angle point in said line; 1204

Thence North 4 degrees 31 minutes 58 seconds East, 1205
continuing along the easterly limited access right-of-way line 1206
of said Hamilton Road, a distance of 209.02 feet to an iron pin 1207
at the intersection of the easterly limited access right-of-way 1208
line of said Hamilton Road, with the northerly line of Section 1209
16, (southerly line of Section 9), said point being at the 1210
southwesterly corner of a 3.781 acre tract conveyed to James E. 1211
Gillain shown of record in Deed Book 3172, Page 248; 1212

Thence South 85 degrees 22 minutes 52 seconds East, along 1213
the northerly line of Section 16, and along the southerly line 1214
of said 3.781 acre tract (southerly line of Section 9), a 1215
distance of 872.84 feet to an iron pin on the southwesterly 1216
limited access right-of-way line of U.S. 33 (FRA-33-26.21-30.13) 1217
at the southeasterly corner of said 3.781 acre tract, said point 1218
being at the intersection of the northerly line of Section 16 1219
(southerly line of Section 9), with the southwesterly limited 1220
access right-of-way line of said U.S. 33; 1221

Thence South 49 degrees 26 minutes 03 seconds East, along 1222
the southwesterly limited access right-of-way line of said U.S. 1223
33, a distance of 68.25 feet to a concrete monument at an angle 1224
point in said line; 1225

Thence South 50 degrees 14 minutes 27 seconds East, 1226
continuing along the southwesterly limited access right-of-way 1227
line of said U.S. 33, a distance of 710.07 feet to a concrete 1228
monument at an angle point in said line; 1229

Thence South 49 degrees 26 minutes 03 seconds East, 1230
continuing along the southwesterly limited access right-of-way 1231
line of said U.S. 33, a distance of 100.00 feet to a concrete 1232
monument at an angle point in said line; 1233

Thence South 46 degrees 34 minutes 18 seconds Eat, 1234
continuing along the southwesterly limited access right-of-way 1235
line of said U.S. 33, a distance of 200.25 feet to a concrete 1236
monument at an angle point in said line; 1237

Thence South 52 degrees 17 minutes 48 seconds East, 1238
continuing along the southwesterly limited access right-of-way 1239
line of said U.S. 33, a distance of 159.97 feet to an iron pin 1240
at an angle point in said line; 1241

Thence South 72 degrees 03 minutes 23 seconds West, a 1242
distance of 458.50 feet to an iron pin; 1243

Thence South 0 degrees 15 minutes 37 seconds East, a 1244
distance of 418.51 feet to an iron pin at the northeasterly 1245
corner of an 11.849 acre tract conveyed to Ball, Ball, Galloway 1246
and Jacobs shown of record in Deed Book 3673, Page 519; 1247

Thence North 85 degrees 35 minutes 31 seconds West, along 1248
the northerly line of said 11.849 acre tract, and along the 1249
northerly line of said 64.627 acre tract, a distance of 1246.78 1250
feet to a cross in concrete on the easterly right-of-way line of 1251
said Higgins Boulevard, said point being at the southeasterly 1252
corner of said 0.104 acre tract; 1253

Thence North 9 degrees 03 minutes 45 seconds West, along 1254
the easterly right-of-way line of said Higgins Boulevard and 1255
along said line produced northerly, and along the easterly line 1256
of said 0.104 acre tract, a distance of 30.66 feet to an iron 1257
pin at the northeasterly corner of said 0.104 acre tract; 1258

Thence North 55 degrees 35 minutes 31 seconds West, along 1259
the northerly right-of-way line of said Higgins Boulevard 1260
produced easterly, and along the northerly right-of-way line of 1261
Higgins Boulevard, and along the northerly line of said 0.104 1262
acre tract, a distance of 85.10 feet to an iron pin at an angle 1263
point in the northerly line of said 0.104 acre tract, and at a 1264
corner of said Higgins Boulevard; 1265

Thence South 74 degrees 40 minutes 07 seconds West, 1266
leaving the northerly right-of way line of said Higgins 1267
Boulevard, and along the northerly line of said 0.104 acre 1268
tract, a distance of 116.24 feet to the place of beginning, 1269
containing 42.849 acres, subject however to all highways and 1270
easements of record and of records, easements, and restrictions 1271
in the respective utility office. 1272

The above description was prepared by Albert H. Andrews, 1273
Registered Surveyor No. 5699. 1274

Tract 13 1275

Being situated in the State of Ohio, County of Franklin, 1276
Village of Groveport, and being a part of Section 16, Township 1277
11, Range 21, Congress Lands, and also being known as School 1278
Section 16, as reserved by the Act of Congress in the Land Act 1279
of May 18, 1796, and being more particularly described as 1280
follows: 1281

Beginning at an iron pin on the westerly right-of-way line 1282
of Marketing Place (60 feet wide), said point being at the 1283
northwesterly corner of Marketing Place (60 feet wide) as 1284
dedicated in Plat Book 51, Page 119, and the southwesterly 1285
corner of Marketing Place (60 feet wide) as dedicated in Plat 1286
Book 46, Page 93, said point being on the southerly line of an 1287

original 44.557 acre tract conveyed to Ball, Ball, Galloway and 1288
Jacobs shown of record in Deed Booke 3327, Page 174; 1289

Thence in a southerly direction, along the westerly right- 1290
of-way line of said Marketing Place, and along the arc of a 1291
curve to the right having a radius of 670.00 feet, a subdelta 1292
angle of 3 degrees 17 minutes 27 seconds, a tangent of 19.24 1293
feet, an arc of 38.48 feet, a long chord bearing and distance of 1294
South 27 degrees 15 minutes 46 seconds West, 38.47 feet to an 1295
iron pin at a point of Reverse Curvature; 1296

Thence in a southerly direction continuing along the 1297
westerly right-of-way line of said Marketing Place, and along 1298
the arc of a curve to the left having a radius of 730.00 feet, a 1299
subdelta angle of 17 degrees 10 minutes, a tangent of 110.18 1300
feet, an arc of 218.72 feet, along chord bearing and distance of 1301
South 20 degrees 19 minutes 29 seconds West, 217.90 feet to an 1302
iron pin at the northeasterly corner of a 2.618 acre tract 1303
conveyed to Westinghouse Electric Corporation shown of record in 1304
Deed Book 3585, Page 445; 1305

Thence North 85 degrees 35 minutes 31 seconds West, along 1306
the northerly line of said 2.618 acre tract, a distance of 1307
527.49 feet to an iron pin at the northwesterly corner of said 1308
2.618 acre tract; 1309

Thence North 20 degrees 34 minutes 54 seconds West, along 1310
the westerly line of said 2.618 acre tract produced 1311
northwesterly, a distance of 393.01 feet to an iron pin; 1312

Thence South 85 degrees 35 minutes 31 seconds East, along 1313
a line parallel with the northerly line of said 2.618 acre 1314
tract, a distance of 712.08 feet to an iron pin on the westerly 1315
line of said 44.557 acre tract; 1316

Thence South 4 degrees 24 minutes 29 seconds West, along 1317
the westerly line of said 44.557 acre tract, a distance of 1318
111.22 feet to an iron pin at the southwesterly corner of said 1319
44.557 acre tract; 1320

Thence South 85 degrees 35 minutes 31 seconds East, along 1321
the southerly line of said 44.557 acre tract, a distance of 1322
56.14 feet to the place of beginning, containing 5.211 acres, 1323
subject however to all highways and easements of record, and of 1324
records, easements, and restrictions in the respective utility 1325
offices. 1326

The above description was prepared by Albert H. Andrews 1327
Registered Surveyor No. 5699. 1328

Tract 14 1329

PARCEL 1 1330

Being situated in the State of Ohio, County of Franklin, 1331
Village of Groveport, and being a part of Section 16, Township 1332
11, Range 21, Congress Lands, and also being known as School 1333
Section 16, as reserved by the Act of Congress in the Land Act 1334
of May 18, 1796, and being more particularly described as 1335
follows: 1336

Beginning at an iron pin on the easterly right-of-way line 1337
of South Hamilton Road (State Route 317) (FRA-317-6.38), and on 1338
the easterly line of a 3.213 acre tract (Parcel 22-WD-1) 1339
conveyed to the State of Ohio shown of record in Deed Book 3241, 1340
Page 395, said point being at the southwesterly corner of an 1341
original 64.627 acre tract conveyed to the Columbus and Southern 1342
Ohio Electric Company shown of record in Deed Book 3636, Page 1343
229, and the southwesterly corner of a 3.00 acre tract conveyed 1344
to Madison Township Trustees shown of record in Official Record 1345

833, Page C-17, said point being South 4 degrees 16 minutes 18 1346
seconds West, along the easterly right-of-way line of South 1347
Hamilton Road (Easterly line of said 3.213 acre tract) (westerly 1348
line of said 3.00 acre tract), a distance of 462.00 feet from 1349
the intersection of the easterly right-of-way line of said South 1350
Hamilton Road, with the southerly right-of-way line of Firehouse 1351
Lane (100 feet wide), as dedicated in Plat Book 58, Page 13; 1352

Thence South 85 degrees 35 minutes 31 seconds East, and 1353
along the southerly line of said 3.00 acre tract, and along the 1354
southerly line of Madison Lane (60 feet wide) dedicated in Plat 1355
Book 58, Page 13, and along the southerly line of a 5.037 acre 1356
tract conveyed to The 614 Company shown of record in Deed Book 1357
3760, Page 586, and along the southerly line of 64.627 acre 1358
tract, passing iron pins on line at 222.84 feet and 282.84 feet, 1359
a total distance of 1572.72 feet to an iron pin at the 1360
southwesterly corner of said 64.627 acre tract, and the 1361
southwesterly corner of an 11.849 acre tract conveyed to Donald 1362
E. Ball, Jr. shown of record in Official Record 1967, Page F-04; 1363

Thence South 86 degrees 08 minutes 06 seconds East, along 1364
the southerly line of said 11.849 acre tract, a distance of 1365
265.38 feet to an iron pin at the southeasterly corner of said 1366
11.849 acre tract; 1367

Thence South 20 degrees 53 minutes East, a distance of 1368
220.68 feet to an iron pin at an angle point in said line; 1369

Thence South 25 degrees 35 minutes 47 seconds West, a 1370
distance of 406.99 feet to an iron pin at an angle point in said 1371
line; 1372

Thence South 70 degrees 08 minutes 18 seconds West, a 1373
distance of 330.95 feet to an iron pin at an angle point in said 1374

line; 1375

Thence South 17 degrees 11 minutes 44 seconds West, a 1376
distance of 651.86 Feet to an iron pin at an angle point in said 1377
line; 1378

Thence North 89 degrees 18 minutes 31 seconds West, a 1379
distance of 392.44 feet to an iron pin at an angle point in said 1380
line; 1381

Thence South 8 degrees 35 minutes 26 seconds West, a 1382
distance of 357.44 feet to an iron pin at an angle point in said 1383
line; 1384

Thence North 81 degrees 35 minutes 15 seconds West, a 1385
distance of 277.26 feet to an iron pin at an angle point in said 1386
line; 1387

Thence North 34 degrees 03 minutes 07 seconds West, a 1388
distance of 300.05 feet to an iron pin at angle point in said 1389
line; 1390

Thence North 55 degrees 05 minutes 06 seconds West, a 1391
distance of 651.84 feet to an iron pin on the easterly Limited 1392
Access right-of-way line of said South Hamilton Road, and on the 1393
easterly line of a 28.207 acre tract (Parcel 22-WL) conveyed to 1394
the State of Ohio shown of record in Deed Book 3241, Page 395; 1395

Thence North 27 degrees 26 minutes 40 seconds East, along 1396
the easterly limited access right-of-way line of said South 1397
Hamilton Road (easterly line of said 28.207 acre tract), a 1398
distance of 42.52 feet to an iron pin at an angle point in said 1399
line; 1400

Thence North 7 degrees 18 minutes 52 seconds East, 1401
continuing along the easterly limited access right-of- way lines 1402

of said South Hamilton Road (easterly line of said 28.207 acre tract) a distance of 114.08 feet to an iron pin at an angle point in said line;

Thence North 9 degrees 15 minutes 26 seconds East, continuing along the easterly limited access right-of-way line of said South Hamilton Road (easterly line of said 28.207 acre tract), a distance of 204.66 feet to an iron pin at the southeasterly corner of said 3.213 acre tract;

Thence South 82 degrees 43 minutes 42 seconds East, along the right-of-way line of said South Hamilton Road (Southerly line of said 3.213 acre tract), a distance of 50.00 feet to an iron pin at the Southeasterly corner of said 3.213 acre tract;

Thence North 6 degrees 00 minutes 31 seconds East, along the easterly right-of-way line of said South Hamilton Road (easterly line of said 3.213 acre tract), a distance of 508.96 feet to an iron pin at an angle point in the said line;

Thence North 4 degrees 16 minutes 18 seconds East, continuing along the easterly right-of-way line of said South Hamilton Road (easterly line of said 3.213 acre tract), a distance of 281.67 feet to the place of beginning, containing 54.788 acres, subject to all highways and easements of record, and of records, easements, and restrictions in the respective utility offices, also subject to the following described easement 30 feet wide to be used for Ingress and Egress for farm equipment, and being more particularly described as follows:

Commencing at a point on the easterly limited access right-of-way of South Hamilton Road (State Route 317) (FRA-317-6.38), and on the easterly line of a 28.207 acre tract (Parcel 22-WL) shown of record in Deed Book 3241, Page 395, said point

being at the southwesterly corner of a 3.213 acre tract (Parcel 1432
22-WD-1) conveyed to the State of Ohio shown of record in Deed 1433
Book 3241, Page 395, said point being 90.00 feet right of 1434
centerline Station 114 + 98.52 as shows on the plans of said 1435
South Hamilton Road; 1436

Thence south nine degrees fifteen minutes twenty-six 1437
seconds West (S-9°-15'-26"-W), along the easterly limited access 1438
right-of-way line of said south Hamilton Road, the easterly line 1439
of said 28.207 acre tract, a distance of 50 feet to a point, and 1440
the true point of beginning of this description. 1441

Thence south eighty degrees forty-four minutes thirty four 1442
seconds east (S-80°-44'-34"E) a distance of 30 feet to a point; 1443

Thence south nine degrees fifteen minutes twenty-six 1444
seconds West (S-9°-15'-26"W), along a line parallel with and 30 1445
feet easterly as measured at right angles to the easterly 1446
limited access right-of-way line of said south Hamilton Road, a 1447
distance of one hundred fifty-four and fourteen hundredths 1448
(154.14) feet; 1449

Thence south seven degrees eighteen minutes fifty-two 1450
seconds West (S-7°-18-52"W), along a line parallel with and 30 1451
feet easterly as measured at right angles to the easterly 1452
limited access right-of-way line of said south Hamilton Road, a 1453
distance of one hundred eighteen and ninety-two hundredths 1454
(118.92) feet to a point; 1455

Thence south twenty-seven degrees twenty-six minutes forty 1456
Seconds west (S-27°-26'-40"-W) along a line parallel with and 30 1457
feet easterly as measures at angle to the easterly limited 1458
access right-of-way line of said south Hamilton Road, a distance 1459
of fifty-one and seventy-three hundredths (51.73) feet to a 1460

point; 1461

Thence north fifty-five degrees five minutes six seconds 1462
west (N-55°-05'-06"-W), a distance of thirty and twenty-six 1463
hundredths (30.26) feet to an iron pin on the easterly limited 1464
access right-of-way Line of said south Hamilton Road, the 1465
easterly line of said 28.207 acre tract; 1466

Thence north twenty-seven degrees twenty-six minutes forty 1467
seconds East (N-27°-26'-40"E), along the easterly limited access 1468
Right-of-way line of said south Hamilton Road, the easterly line 1469
of said 28.207 acre tract a distance of forty-two and fifty-two 1470
hundredths (42.52) feet to an iron pin at an angle point in said 1471
line; 1472

Thence north seven degrees eighteen minutes fifty-two 1473
seconds East (N-7°-18'-52"E), continuing along the easterly 1474
limited access right-of- way line of said south Hamilton Road, 1475
the easterly line of said 28.207 acre tract, a distance of one 1476
hundred fourteen and eight hundredths (114.08) feet to an iron 1477
pin at an angle point in said line; 1478

Thence north nine degrees fifteen minutes twenty-six 1479
seconds east (N-9°-15'-26"-E), continuing along the easterly 1480
limited access right-of-wayline of said south Hamilton Road, 1481
the easterly line of said 28.207 acre tract, a distance of one 1482
hundred fifty-four and sixty-six hundredths (154.66) feet to the 1483
place of beginning containing 0.219 acres, subject however to 1484
all highways and easements of record and of records, easements, 1485
and restrictions in the respective utility offices. 1486

Point of access to the above described easement is right 1487
of highway Station 114+50 as shown on the plans of said Hamilton 1488
Road, and also shown on the records of Deed Book 3421, Page 395, 1489

(The point of access to the Subject 54.788 acre tract is at 1490
highway Station 114+50 as shown on the right-of-way plans of 1491
south Hamilton Road and State Route 317). 1492

PARCEL 2 1493

Being situated in the State of Ohio, County of Franklin, 1494
Village of Groveport, and being a part of Section 16, Township 1495
11, Range 21, Congress Lands, and also being known as School 1496
Section 16, as reserved by the Act of Congress in the Land Act 1497
of May 18, 1796, and being more particularly described as 1498
follows: 1499

Commencing at an iron pin found on the centerline of 1500
Williams Road, at the northwesterly corner of Section 16 said 1501
point being at the northeasterly corner of 0.617 acre tract 1502
conveyed to Stanley F, and Dorothy E. Carter shown of record in 1503
Deed Book 3266,,Page 693 (northeasterly corner of Section 17), 1504
said point being at the intersection of the centerline of said 1505
Williams Road, with the centerline of Hendron Road, dedicated in 1506
Plat Book 48, Page 36; 1507

Thence South 4 degrees 08 minutes 43 seconds West, along 1508
the westerly line of Section 16, (easterly line of Section 17) 1509
and along the easterly line of said 0.617 acre tract, a distance 1510
of 40.00 feet to an iron pin, and the true point of beginning of 1511
this description; 1512

Thence South 85 degrees 48 minutes 08 seconds East, along 1513
a line parallel with, and 40.00 feet southerly of, measured at 1514
right angles to the centerline of said Williams Road (northerly 1515
line of Section 16), a distance of 409.82 feet to an iron pin at 1516
the southwesterly corner of a 0.1784 acre tract conveyed to the 1517
Village of Groveport shown of record in Official Record 1067, 1518

PageE-01, and the northwesterly corner of 4.0697 acre tract 1519
(Parcel #2) conveyed to the Barnes Group, Inc. shown of record 1520
in Official Record 1067, Page 6-04; 1521

Thence South, 4 degrees 24 minutes 29 seconds West, along 1522
the westerly line of said 4.0697 acre tract, a distance of 1523
456.33 feet to an iron pin at the southwesterly corner of said 1524
4.0697 acre tract, and in the northerly line of a 0.4689 acre 1525
tract (Parcel 2B) conveyed to Ball and Galloway shown of record 1526
is Official Record 1067, Page D-17; 1527

Thence North 85 degrees 48 minutes 08 seconds West, along 1528
the northerly line of said 0.4689 acre tract, a distance of 1529
20.00 feet to an iron pin at the northwesterly corner of said 1530
0.4689 acre tract; 1531

Thence South 4 degrees 24 minutes 29 seconds West, along 1532
the westerly line of said 0.4689 acre tract, a distance of 50.00 1533
feet to an iron pin at the southwesterly corner of said 0.4689 1534
acre tract; 1535

Thence South 85 degrees 48 minutes 08 seconds East, along 1536
the southerly line of said 0.4689 acre tract, a distance of 1537
408.48 feet to an iron pin at the southeasterly corner of said 1538
0.4689 acre tract, and on the westerly line of an original 1539
44,557 acre tract conveyed to Ball, Ball, Galloway and Jacobs 1540
shown of record in Deed Book 3327, Page 174; 1541

Thence South 4 degrees 24 minutes 29 seconds West, long 1542
the westerly line of said 44.557 acre tract, a distance of 1543
404.36 feet to an iron pin at the northeasterly corner of a 1544
5.211 acre tract conveyed to Ball and Galloway shown of record 1545
in Official Record 2103, Page J-16; 1546

Thence North 85 degrees 35 minutes 31 seconds West, the 1547

northerly line of said 5.211acre tract, a distance of 712.08 1548
feet to an iron pin at the northwesterly corner of said 5.211 1549
acre tract; 1550

Thence North 20 degrees 34 minutes 54 seconds West, along 1551
the westerly line of said5.211 acre tract produced northwesterly 1552
a distance of 196.13 feet to an iron pin on the westerly line of 1553
Section 16, (easterly line of Section 17) and on the easterly 1554
line of a 12.979 acre tract conveyed to Emil and Giseka Heurich 1555
shown of record in Deed Book 1240, Page 61; 1556

Thence North 4 degrees 08 minutes 43 seconds East, along 1557
the westerly line of Section 16, (easterly line of Section 17) 1558
and along the easterly line of said 12.979 acre tract, and along 1559
the easterly line of said 0.617 acre tract, a distance of 730.00 1560
feet to the place of beginning, containing 11.9133 acres, 1561
subject however to all highways and easements of record, and of 1562
records, easements, and restrictions in the respective utility 1563
offices. 1564

PARCEL 3 1565

Proposed right-of-way limits of Williams Road. 1566

Being situated in the State of Ohio, County of Franklin, 1567
Village of Groveport, and being a part of Section 16, Township 1568
11, Range 21, Congress Lands, and also being known as School 1569
Section 16, as reserved by the Act of Congress in the Land Act 1570
of May 18, 1796, and being more particularly described as 1571
follows: 1572

Commencing at an iron pin found on the centerline of 1573
Williams Road, at the northwesterly corner of Section 16, said 1574
point being at the northeasterly corner of a 0.617 acre tract 1575
conveyed to Stanley F. and Dorothy E. Carter shown of record in 1576

Deed Book 3266, Page 693 (northeasterly corner of Section 17), 1577
said point being at the intersection of the centerline of said 1578
Williams Road, with the centerline of said Williams Road, with 1579
the centerline of Hendron Road dedicated in Plat Book 48, Page 1580
36; 1581

Thence South 4 degrees 08 minutes 43 seconds West, along 1582
the westerly line of Section 16, and along the easterly line of 1583
said 0.617 acre tract (easterly line of Section 17), a distance 1584
of 20.00 feet to an iron pin on the southerly right-of-way of 1585
said Williams Road, and the true point of beginning of this 1586
description; 1587

Thence South 85 degrees 48 minutes 08 seconds East, along 1588
the southerly right-of-way line of said Williams Road, and along 1589
the corporation line, and along a line parallel with and 20.00 1590
feet southerly of, measured at right angles to the centerline of 1591
said Williams Road (Northerly line of Section 16), a distance of 1592
409.91 feet to an iron pin at the northwesterly corner of a 1593
0.1784 acre tract conveyed to the Village of Groveport shown of 1594
record in Official Records 1067, Page E-01; 1595

Thence South 4 degrees 24 minutes 29 seconds West, along 1596
the westerly line of said 0.1784 acre tract, a distance of 20.00 1597
feet to an iron pin at the southwesterly corner of said 0.1784 1598
acre tract, and northwesterly corner of a 4.0697 acre tract 1599
(Parcel #2) conveyed to the Barnes Group, Inc. shown of record 1600
in Official Record 1067, Page C-04; 1601

Thence North 85 degrees 48 minutes 08 seconds West, along 1602
a line parallel with and 40.00 feet southerly of measured at 1603
right angles to the centerline of said Williams Road (northly 1604
line of Section 16), a distance of 409.82 feet to an iron pin on 1605
the westerly line of Section 16, and on the easterly line of 1606

said 0.617 acre tract (easterly line of Section 17); 1607

Thence North 4 degrees 08 minutes 43 seconds East, along 1608
the westerly line of Section 16, and along the easterly line of 1609
said 0.617 acre tract (easterly line of Section 17), a distance 1610
of 20.00 feet to the place of the beginning, containing 0.1882 1611
acres, subject however to all highways and easements of record, 1612
and of records, easements and restrictions in the respective 1613
utility offices. 1614

The above descriptions were prepared by Albert H. Andrews, 1615
Registered Surveyor No. 5699. 1616

Tract 15 1617

Being situated in the State of Ohio, County of Franklin, 1618
Village of Groveport, and being a part of Section 16, Township 1619
11, Range 21, Congress Lands, and also being known as School 1620
Section 16, as reserved by the Act of Congress in the Land Act 1621
of May 18, 1796, and being more particularly described as 1622
follows: 1623

Beginning at a point in the southeast corner of the W.C.N. 1624
Enterprises 4.647 acre tract recorded in Official Record 2068, 1625
Pg. F-19 and proceeding in a southerly line S. 4° 24' 29" W., 30 1626
feet to a point; 1627

Thence west along a line N. 85° 35' 31" W. for a distance 1628
of 381.19 feet to a point in the westerly boundary; 1629

Thence north along a line S. 4° 24' 29" W. 30 feet to an 1630
iron pin; 1631

Thence east along a line N. 85° 35' 31" W. 381.19 feet to 1632
the point of beginning, containing.2625 acres more or less. 1633

The above description was prepared by Albert Myers, 1634

Registered Surveyor No. 6579. 1635

Tract 16 1636

Being situated in the State of Ohio, County of Franklin, 1637
Village of Groveport, Part of Section 16, Township 11, Range 21, 1638
Congress Lands, and being part of the 49.998 acre tract conveyed 1639
to Madison Local School District recorded in Deed Book 3336, 1640
Page 482, (Recorder's Office, Franklin County, Ohio), and being 1641
more particularly described as follows: 1642

Beginning at a point in the north line of the said 49.998 1643
acre tract, said point being the intersection of said line with 1644
the east line, (produced southernly), of the 4.647 acre tract 1645
conveyed to W.C.N. Enterprises Limited, recorded in Official 1646
Records Volume 2068, F-19, said point being located 30.0 feet 1647
south of the southeast corner of the said 4.647 acre tract; said 1648
point also being in a southerly line of the 40 acre tract to 1649
Easten Franklin County Joint Vocational School District (Volume 1650
17, Page 48, School Land Records, State Auditor's Office); 1651

Thence South 4° degrees 24 minutes 29 seconds West, across 1652
the said 49.998 acre tract, along the east line (produced 1653
southerly) of the said 4.647 acre tract, a distance of 0.0 feet 1654
to a point; 1655

Thence, North 85 degrees 35 minutes 31 seconds West, 1656
across the said 49.998 acre tract, along a line parallel with 1657
the north line of said tract and parallel with the south line of 1658
the said 4.647 acre tract, a distance of 381.19 feet to a point, 1659
said point being the intersection of said line with a west line 1660
(produced southerly) of the said 4.647 acre tract; 1661

Thence, North 4 degrees 24 minutes 29 seconds East, across 1662
the said 49.998 acre tract and along a west line of the said 1663

4.647 acre tract (produced southerly), a distance of 30.0 feet 1664
to a point in the north line of the said 49.998 acre tract 1665
(south line of the said 40.0 acre tract); 1666

Thence, South 85 degrees 35 minutes 31 seconds East, along 1667
part of the north line of said 49.998 acre tract, along a line 1668
parallel with and 30.0 feet south of the south line of the said 1669
4.647 acre tract, a distance of 381.19 feet to the place of the 1670
beginning containing 0.2625 acres of land, subject however to 1671
all legal highways and easements and restrictions of record. 1672

The above was prepared from records only. The basis of 1673
bearing is the south line of said 4.647 acre tract. 1674

MYERS SURVEYING COMPANY, INC. 1675

Albert J. Myers, P. S. 6579 1676

Tract 17 1677

Situated in Madison Township, Franklin County, Ohio, and 1678
being part of the Northwest Corner of Section 16, Town 11N, 1679
Range 21W, of Congress Lands, being that section set aside by 1680
Act of Congress dated March 3, 1803, for schools and in Trust to 1681
the State of Ohio, and being more particularly described as 1682
follows: 1683

Beginning at a stone found at the northeast corner of said 1684
section, thence South 00 degrees 01 minute 00 seconds East along 1685
the east line of said section 943.21 feet to a pin set in the 1686
north line of Route 33, thence, the following courses along the 1687
north line of said Route: 1688

North 54 degrees 06 minutes 00 seconds West 92.46 feet to 1689
a point, 1690

North 52 degrees 40 minutes 04 seconds West 170.05 feet to 1691

a point, 1692

North 53 degrees 42 minutes 52 seconds West 55.00 feet to 1693

a point, 1694

North 52 degrees 20 minutes 21 seconds West 175.08 feet to 1695

a point, 1696

North 52 degrees 57 minutes 15 seconds West 500.10 feet to 1697

a point, 1698

North 56 degrees 57 minutes 55 seconds West 200.25 feet to 1699

a point, 1700

North 59 degrees 48 minutes 38 seconds West 100.50 feet to 1701

a point, 1702

North 54 degrees 06 minutes 00 seconds West 314.29 feet to 1703

a pin set in the north line of said section at its intersection 1704

with said north line of Route 33, thence, North 89 degrees 57 1705

minutes 13 seconds East along the north line of said section 1706

1301.27 feet to the place of beginning. Containing 13.792 acres 1707

of land, and being all that part of section 16 that line north 1708

of the north line of Route 33. 1709

Excepting therefrom, all that land which lies south and 1710

east of the west bank of Blacklick Creek being 2.268 Acres of 1711

land. And being more particularly described as follows: 1712

Beginning at a pin at the southernmost corner of the above- 1713

described parcel at the intersection of the north line of Route 1714

33 and the east line of section 16: 1715

Thence, along said north line of Route 33 the following 1716

courses: 1717

North 54 degrees 06 minutes 00 seconds West 92.46 feet to 1718

a point, 1719

North 52 degrees 40 minutes 04 seconds West 170.05 feet to 1720
a point, 1721

North 53 degrees 42 minutes 52 seconds West 55.00 feet to 1722
a point, 1723

North 52 degrees 20 minutes 21 seconds West 175.00 feet to 1724
a point. 1725

Thence, leaving said line North 82 degrees 39 minutes 36 1726
seconds East across said parcel 442.31 feet to a point in the 1727
east line of said section. 1728

Thence, South 00 degrees 01 minute 00 seconds East along 1729
said section line 500.00 feet to the place of beginning. 1730
Allowing 11.524 acres of land to be transferred herewith. 1731

This description is based on a field survey done by Ahlers 1732
Moe and Associate, Inc. in May of 1988, which bearings are based 1733
on the Centerline of Route 33 being North 54 degrees 06 minutes 1734
00 seconds West. 1735

Tract 18 1736

Situated in Madison Township, Franklin County, Ohio, and 1737
being part of Section 16, Town 11N, Range 21W, of Congress 1738
Lands, being that section set aside by Act of Congress dated 1739
March 3, 1803 for schools and in Trust to the State of Ohio, and 1740
being more particularly described as follows: 1741

Beginning at an iron pin found at a Southwesterly corner 1742
of Hamilton/33 Industrial Park of record in Plat Book 70, Page 1743
62/63 (all deed and plat reference refer to the records of the 1744
Recorder's Office Franklin County, Ohio) said pin also being in 1745
the Easterly right-of-way of Hamilton Road, S.R. 317; 1746

Thence South 55 degrees 05 minutes 06 seconds East with a 1747

Southerly line of said Hamilton/33 Industrial Park a distance of 1748
415.36 to an iron pin found at the Southwesterly corner of Lot 1749
#8 of said Hamilton/33 Industrial Park. 1750

Thence South 34 degrees 54 minutes 54 seconds West a 1751
distance of 58.02 feet to an iron pin set; 1752

Thence North 64 degrees 01 minute 43 seconds West a 1753
distance of 101.50 feet to an iron pin set at an angle point; 1754

Thence North 69 degrees 59 minutes 33 seconds West a 1755
distance of 254.42 feet to a pin set in said Easterly right-of- 1756
way. 1757

Thence North 08 degrees 24 minutes 35 seconds East with 1758
said easterly right-of-way distance of 155.57 feet to the POINT 1759
OF BEGINNING and containing 0.863 acres of land more or less. 1760

Subject to all, restrictions, easements and right-of-way 1761
of record. 1762

This description was prepared by Civil Engineering 1763
Associate's, Inc., Columbus, Ohio, based on a field survey of 1764
the premises in June, 1989 by Jeffrey A. Miller, P.S. # 7211. 1765
The basis of bearings used herein is in the same bearing system 1766
as Hamilton/33 Industrial Park, a plat of this survey is 1767
attached hereto and made a part thereof. 1768

Tract 19 1769

Situated in the City of Groveport, County of Franklin, 1770
State of Ohio; also being a part of Section 16, Township 11 1771
North, Range 21 West, Congress Lands as held in trust by the 1772
State of Ohio pursuant to Ohio School and Ministerial Lands, 1773
R.C. Section 501.01; also being a portion of school lands as 1774
described in a Journal Entry by the Office of the Auditor of the 1775

State of Ohio, Volume 17 Page 48 (dated 7/14/1966), allocating a 1776
40.00 acre tract to Eastern Franklin County Joint Vocational 1777
School District, now known as The Eastland-Fairfield Career & 1778
Technical Schools; being more particularly described as follows: 1779

Beginning at a 1" iron pipe found at the intersection of 1780
the westerly right-of-way line of Hamilton Road (State Route 1781
317; right-of-way varies) and the southerly right-of-way line of 1782
Directors Boulevard (80' right-of-way) as dedicated in 1783
"Dedication of Williams Road, Marketing Place, Directors 1784
Boulevard, Investor Avenue, and Eastland School Avenue (Eastland 1785
Corporate Park I)" as recorded in Plat Book 46 Page 93; said 1786
point also being along a westerly line of a 7.507 acre tract as 1787
transferred to the State of Ohio, Department of Transportation, 1788
as recorded in Deed Book 3241 Page 395 Parcel 22-WL, said point 1789
being the TRUE POINT OF BEGINNING, and from said beginning point 1790
running thence the following four courses along the westerly 1791
right-of-way lines of Hamilton Road and along westerly lines of 1792
said 7.507 acre tract: 1793

(1) South 12° 10' 08" East for a distance of 104.34' to an 1794
iron pin set; thence, 1795

(2) South 04° 31' 49" West for a distance of 250.00' to an 1796
iron pin set; thence, 1797

(3) South 06° 26' 22" West for a distance of 300.17' to an 1798
iron pin set; thence, 1799

(4) South 01° 15' 35" West for a distance of 160.67' to a 1800
point, said point referenced by an iron pin set that bears North 1801
85° 35' 40" West for a distance of 5.00' from said corner, said 1802
point also being along the northerly line of a 49.736 acre 1803
tract, the residual of a 49.998 acre tract as conveyed to 1804

Madison Local School District as described in Deed Book 3336 1805
Page 482; thence, 1806

Along the southerly line of said 40.00 acre tract and 1807
along the northerly line of said 49.736 acre tract, North 85° 1808
35' 40" West for a distance of 1496.33' to a point, passing over 1809
an iron pin set at a distance of 5.00' from the beginning of 1810
this course and passing over an iron pin set at a distance of 1811
3.00' from the terminus of this course, said point also 1812
witnessed by an iron pin that bears South 04° 18' 59" West for a 1813
distance of 3.00' from said point; said point also being the 1814
southeasterly corner of a 0.2625 acre tract as conveyed to 1815
Groveport Madison Local School District as described in 1816
Instrument No. 201601070002077 Tract 1, said point also being 1817
the northeasterly corner of a 0.2625 acre tract as conveyed to 1818
Groveport Madison Local School District as described in 1819
Instrument No. 201601070002077 Tract 2, thence, 1820

Along the easterly line of said 0.2625 acre tract as 1821
described in Instrument No. 201601070002077 Tract 1 and then 1822
along the easterly line of a 4.647 acre tract as conveyed to 1823
Groveport Madison Local School District as described in 1824
Instrument No. 201511160161625 and then along the easterly line 1825
of a 1.6187 acre tract as conveyed to Groveport Madison Local 1826
School District as described in Instrument No. 201601070002077 1827
and then along the easterly line of a 2.10 acre tract as 1828
conveyed to Corporation of the Presiding Bishop of the Church of 1829
Jesus Christ of the Latter-Day Saints as described in Deed Book 1830
3752 Page 204, North 04° 18' 59" East for a distance of 1100.52' 1831
to a 1" iron pipe found, passing over an iron pin set at a 1832
distance of 288.33' from the terminus of this course, said point 1833
being the northwesterly corner of said 40.00 acre tract, said 1834
point also being the northeasterly corner of said 2.10 acre 1835

tract, said point also being along the southerly line of a 4.410 1836
acre tract as conveyed to Mulligan Real Estate II, LLC as 1837
described in Instrument No. 201403140031424; thence, 1838

Along the northerly line of said 40.00 acre tract and 1839
along the southerly line of said 4.410 acre tract and then along 1840
the southerly line of a 1.500 acre tract as conveyed to Charles 1841
and Vicki Golden as described in Instrument No. 200108140187784, 1842
Instrument No 200108140187785 and Instrument No. 200108140187788 1843
and then along the southerly line of a 3.00 acre tract as 1844
conveyed to Kinell Properties, LLC as described in Instrument 1845
No. 201201050001830 and then along the southerly line of a 2.433 1846
acre tract as conveyed to Peerless Saw Company as described in 1847
Official Record 8645 B-05, South 85° 36' 06" East for a distance 1848
of 1224.44' to a 1" iron pipe found, said point being the 1849
southeasterly corner of said 2.433 acre tract and being along 1850
the westerly right-of-way line of Directors Boulevard (60' 1851
right-of-way as dedicated in Plat Book 46 Page 93); thence, 1852

Along the westerly right-of-way line of Directors 1853
Boulevard, South 20° 36' 06" East for a distance of 320.30' to a 1854
railroad spike found; thence, 1855

Along the southerly right-of-way line of Directors 1856
Boulevard, South 85° 36' 06" East for a distance of 110.81' to 1857
the point of beginning, containing 36.400 acres of land, more or 1858
less, as determined by Michael L. Keller, Professional Surveyor, 1859
Ohio License No. 7978, based on a survey performed by The 1860
Kleingers Group in June, 2017. 1861

Basis of bearings for the herein-described courses is the 1862
State Plane Coordinate System, Ohio South Zone (NAD83-NSRS2007), 1863
with a portion of the westerly right-of-way line of Directors 1864
Boulevard being South 20° 36' 06" East as determined by a GPS 1865

survey utilizing CORS Station "COLB" and monument "FCGS 9935". 1866

Iron pins set are 5/8" rebar, 30" in length, with plastic 1867
identifier caps stamped "THE KLEINGERS GROUP". 1868

Subject to any easements, restrictions, covenants, 1869
ordinances or agreements of record. 1870

Tract 20 1871

Situated in the City of Groveport, County of Franklin, 1872
State of Ohio; also being a part of Section 16, Township 11 1873
North, Range 21 West, Congress Lands as held in trust by the 1874
State of Ohio pursuant to Ohio School and Ministerial Lands, 1875
R.C. Section 501.01; also being a portion of school lands as 1876
described in a Journal Entry by the Office of the Auditor of the 1877
State of Ohio, Volume 17 Page 48 (dated 7/14/1966), allocating a 1878
40.00 acre tract to Eastern Franklin County Joint Vocational 1879
School District, now known as The Eastland-Fairfield Career & 1880
Technical Schools; being more particularly described as follows: 1881

Beginning at a 1" iron pipe found at the intersection of 1882
the westerly right-of-way line of Hamilton Road (State Route 1883
317; right-of-way varies) and the northerly right-of-way line of 1884
Directors Boulevard (80' right-of-way) as dedicated in 1885
"Dedication of Williams Road, Marketing Place, Directors 1886
Boulevard, Investor Avenue, and Eastland School Avenue (Eastland 1887
Corporate Park I)" as recorded in Plat Book 46 Page 93; said 1888
point also being along a westerly line of a 7.507 acre tract as 1889
transferred to the State of Ohio, Department of Transportation, 1890
as recorded in Deed Book 3241 Page 395 Parcel 22-WL, said point 1891
being the TRUE POINT OF BEGINNING, and from said beginning point 1892
running 1893

Along the northerly right-of-way line of Directors 1894

Boulevard, North 85° 36' 06" West for a distance of 62.95' to an 1895
iron pin set at a point of curvature; thence, 1896

Along the northerly right-of-way line of Directors 1897
Boulevard following a curve to the right having an arc length of 1898
28.36', a radius of 25.00', a central angle of 65° 00' 00", and 1899
a chord that bears North 53° 06' 06" West for a distance of 1900
26.86' to an iron pin set at a point of tangency; thence, 1901

Along the easterly right-of-way line of Directors 1902
Boulevard, North 20° 36' 06" West for a distance of 216.10' to a 1903
1" iron pipe found in the northerly line of said 40.00 acre 1904
tract, said point being the southwesterly corner of a 3.381 acre 1905
tract as conveyed to 4343 South Hamilton Road, LLC as described 1906
in Instrument No. 199901040000730; thence, 1907

Along the northerly line of said 40.00 acre tract and the 1908
southerly line of said 3.381 acre tract, South 85° 36' 06" East 1909
for a distance of 170.62' to a 1" iron pipe found, said point 1910
being the southeasterly corner of said 3.381 acre tract, said 1911
point being along a westerly line of said 7.507 acre tract and 1912
along the westerly right-of-way line of Hamilton Road; thence, 1913

Along a westerly line of said 7.507 acre tract and along 1914
the westerly right-of-way line of Hamilton Road, South 04° 31' 1915
49" West for a distance of 40.22' to a 1" iron pipe found; 1916
thence, 1917

Along a westerly line of said 7.507 acre tract and along 1918
the westerly right-of-way line of Hamilton Road, South 02° 14' 1919
23" West for a distance of 170.20' to the point of beginning, 1920
containing 0.598 acres of land, more or less, as determined by 1921
Michael L. Keller, Professional Surveyor, Ohio License No. 7978, 1922
based on a survey performed by The Kleingers Group in June, 1923

2017. 1924

Basis of bearings for the herein-described courses is the 1925
State Plane Coordinate System, Ohio South Zone (NAD83-NSRS2007), 1926
with a portion of the westerly right-of-way line of Directors 1927
Boulevard being South 20° 36' 06" East as determined by a GPS 1928
survey utilizing CORS Station "COLB" and monument "FCGS 9935". 1929

Iron pins set are 5/8" rebar, 30" in length, with plastic 1930
identifier caps stamped "THE KLEINGERS GROUP". 1931

Subject to any easements, restrictions, covenants, 1932
ordinances or agreements of record. 1933

Tract 21 1934

Situated in the City of Groveport, County of Franklin, 1935
State of Ohio; also being a part of Section 16, Township 11 1936
North, Range 21 West, Congress Lands as held in trust by the 1937
State of Ohio pursuant to Ohio School and Ministerial Lands, 1938
R.C. Section 501.01; also being a portion of school lands as 1939
described in a Journal Entry by the Office of the Auditor of the 1940
State of Ohio, Volume 17 Page 48 (dated 7/14/1966), allocating a 1941
40.00 acre tract to Eastern Franklin County Joint Vocational 1942
School District, now known as The Eastland-Fairfield Career & 1943
Technical Schools; being more particularly described as follows: 1944

Commencing at a 1" iron pipe found at the intersection of 1945
the westerly right-of-way line of Hamilton Road (State Route 1946
317; right-of-way varies) and the southerly right-of-way line of 1947
Directors Boulevard (80' right-of-way) as dedicated in 1948
"Dedication of Williams Road, Marketing Place, Directors 1949
Boulevard, Investor Avenue, and Eastland School Avenue (Eastland 1950
Corporate Park I)" as recorded in Plat Book 46 Page 93; said 1951
point also being along a westerly line of a 7.507 acre tract as 1952

transferred to the State of Ohio, Department of Transportation, 1953
as recorded in Deed Book 3241 Page 395 Parcel 22-WL, thence the 1954
following four courses along the westerly right-of-way lines of 1955
Hamilton Road and along westerly lines of said 7.507 acre tract: 1956

(1) South 12° 10' 08" East for a distance of 104.34' to an 1957
iron pin set; thence, 1958

(2) South 04° 31' 49" West for a distance of 250.00' to an 1959
iron pin set; thence, 1960

(3) South 06° 26' 22" West for a distance of 300.17' to an 1961
iron pin set; thence, 1962

(4) South 01° 15' 35" West for a distance of 160.67' to a 1963
point, said point referenced by an iron pin set that bears North 1964
85° 35' 40" West for a distance of 5.00' from said corner, said 1965
point also being along the northerly line of a 49.736 acre 1966
tract, the residual of a 49.998 acre tract as conveyed to 1967
Madison Local School District as described in Deed Book 3336 1968
Page 482; said point being the thence, 1969

Along the southerly line of said 40.00 acre tract and 1970
along the northerly line of said 49.736 acre tract and then 1971
along a common line between two 0.2625 acre tracts as conveyed 1972
to Groveport Madison Local School District as described in 1973
Instrument No. 201601070002077 Tracts 1 and 2, North 85° 35' 40" 1974
West for a distance of 1877.52' to an iron pin set, passing over 1975
an iron pins set at a distance of 5.00' and at a distance of 1976
1493.33 from the beginning of this course, said point being 1977
along the southerly line of said 40.00 acre tract, said point 1978
also being a common corner of said 49.736 acre tract and said 1979
0.2625 acre tracts, said point also being the TRUE POINT OF 1980
BEGINNING, and from said beginning point running thence, 1981

Along a common line between said 40.00 acre tract and said 1982
49.736 acre tract, North 85° 35' 53" West for a distance of 1983
280.18' to a point generally along Black Lick Creek, said point 1984
witnessed by a 1" iron pipe found that bears South 53° 43' 34" 1985
East for a distance of 0.93' from said point; thence, 1986

Along a westerly line of said 40.00 acre tract and 1987
generally following Black Lick Creek, North 48° 01' 47" West for 1988
a distance of 49.20' to a point, said point witnessed by a 1" 1989
iron pipe found that bears South 25° 51' 12" East for a distance 1990
of 0.54' from said point; thence, 1991

Along a northerly line of said 40.00 acre tract, South 85° 1992
35' 53" East for a distance of 319.10' to an iron pin set, said 1993
point being the northwesterly corner of said northerly-most 1994
0.2625 acre tract as described in Instrument No. 201601070002077 1995
Tract 1; thence, 1996

Along the westerly line of said 0.2625 acre tract, South 1997
04° 15' 07" West for a distance of 30.00' to the point of 1998
beginning, containing 0.206 acres of land, more or less, as 1999
determined by Michael L. Keller, Professional Surveyor, Ohio 2000
License No. 7978, based on a survey performed by The Kleingers 2001
Group in June, 2017. 2002

Basis of bearings for the herein-described courses is the 2003
State Plane Coordinate System, Ohio South Zone (NAD83-NSRS2007), 2004
with a portion of the westerly right-of-way line of Directors 2005
Boulevard being South 20° 36' 06" East as determined by a GPS 2006
survey utilizing CORS Station "COLB" and monument "FCGS 9935". 2007

Iron pins set are 5/8" rebar, 30" in length, with plastic 2008
identifier caps stamped "THE KLEINGERS GROUP". 2009

Subject to any easements, restrictions, covenants, 2010

ordinances or agreements of record.	2011
Partition Tract Sources of Title	2012
Tract Recording Reference Conveyance Type Acreage Notes	2013
1 DB 3259 page 238 Governor's Deed 10.789 Board if FCC	2014
2 DB 3327 page 174 Governor's Deed 44,557 Private Developer	2015 2016
3 DB 3336 page 482 Governor's Deed 49,998 Madison Local S. D.	2017 2018
4 DB 3585 page 424 Governor's Deed 7.3032 Private Developer	2019 2020
1.1866	2021
5 DB 3636 page 185 Governor's Deed 64.627 Private Developer	2022 2023
6 DB 3636 page 225 Governor's Deed 0.144 Private Developer	2024 2025
7 DB 3673 page 519 Governor's Deed 11.849 Private Developer	2026 2027
8 DB 3718 page 413 Governor's Deed 1.320 Private Developer	2028 2029
9 OR 473 F10 Governor's Deed 0.0395 Private Developer	2030
9 OR 485 B 19 Governor's Deed 0.0395 Re-record OR 473 F10	2031
10 OR 721 A12 Governor's Deed 0.104 Private Developed	2032
11 OR 1067 D17 Governor's Deed 4.0697 Private Developed	2033
0.1784	2034

0.4689	2035
12 OR 1739 106 Governor's Deed 42.849 Private Developed	2036
13 OR 2103 J16 Governor's Deed 5.211 Private Developer	2037
14 OR 2891 119 Governor's Deed 54.788 Private Developed	2038
11.9133	2039
0.1882	2040
15 OR 4791 F07 Governor's Deed 0.2625 Private Developer	2041
16 OR 4951 J10 Governor's Deed 4.647 Private Developer	2042
17 OR 12990 G07 Governor's Deed 11.524 Private Developer	2043
18 OR 15062 J04 Governor's Deed 0.863 Private Developer	2044
19 36.400 Eastland-Fairfield	2045
20 0.598 Eastland-Fairfield	2046
21 0.026 Eastland-Fairfield	2047
Rights of Way	2048
All of the above-described real estate is subject to the	2049
following Rights-of-Way as established by the Franklin County	2050
Commissioners:	2051
Bixby Road in Road Record 7 page 63.	2052
Williams Road in Road Record 7 page 347.	2053
Hendron Road in Road Record 7 page 397.	2054
Hamilton Road Record 8 page 470.	2055
AND,	2056
Subject to the following easement Rights-of-Way and	2057

Rights-of Entry for SR-317 as established by deed to the State 2058
of Ohio in Deed Book 3241 page 395 and Deed Book 3189 page 623, 2059
respectively more particularly described as follows: 2060

PARCEL NO. 22-WL 2061

Being a parcel of land lying on the right and left sides 2062
of the centerline of a survey, made by the Department of 2063
Highways, and recorded in Book 41, Page 65, of the records of 2064
Franklin County and being located within the following described 2065
points in the boundary thereof: 2066

Beginning at a point in the grantor's southerly line and 2067
the northerly line of Section 21 and in the southerly line of 2068
Section 16 which lies North 85° 19' 06" W., a distance of 135.62 2069
feet from the half-section corner, said point being 150.00 feet 2070
right of and radially from Station 103+12.60 in the centerline 2071
of a survey made in 1968 by the Ohio Department of Highways of 2072
State Route 317, Section 6.38 in Franklin County; thence N. 85° 2073
19' 06" W., a distance of 339.31 feet passing the centerline of 2074
Survey at P.O.C. Station 102+37.94 along the grantor's southerly 2075
line and the northerly line of the Fern Cole 136.670 acre tract 2076
of land of record in Volume 2616, Page 454 of the Franklin 2077
County Deed Records and also along the southerly line of Section 2078
16 to a point 150.00 feet left of and radially from Station 2079
101+53.82; thence 1274.29 feet along the line of a circular 2080
curve to the left, the radius of which is 2714.79 feet, the 2081
delta of which is 26° 53' 38", and the chord of which bears N. 2082
20° 43' 07" E., a distance of 1262.62 feet to a point 150.00 2083
feet left and radially from C.S. Station 114+98.52; thence. 9° 2084
10" 10" E., a distance of 293.14 feet to a point 130.00 feet 2085
left of S.T. Station 117+98.52; thence N. 11 20" 42"E., a 2086
distance of 203.03 feet to a point 105.00 left of Station 120+ 2087

00.00; thence N. 6° 25' 09" E., a distance of 400.28 feet to a 2088
point 90.00 feet left of Station 124+00.00; thence N. 4° 16' 18" 2089
E., a distance of 620.10 feet to a point 90.00 feet left and 2090
along the angular bisector from P. I. Station 130+19.90; thence 2091
N. 4° 31' 58" E., a distance of 330.31 feet to a point 90.00 2092
feet left of Station of 130+50.00; thence N. 1° 15' 44" E., a 2093
distance of 300.17 feet to a point 110.00 feet left of Station 2094
137+00.00; thence N. 6° 26' 31" E., a distance of 300.17 feet to 2095
a point 100.00 feet left of Station 140+00.00; thence N. 4° 31' 2096
58" E., a distance of 250.00 feet to a point 100.00 feet left of 2097
Station 142+50.00; thence N. 12° 09' 59" W., a distance of 2098
104.40 feet to a point 130.00 feet left of Station 143+50.00; 2099
thence N. 2° 14' 31" E., a distance of 250.20 feet to a point 2100
140.00 feet left of Station 146+00.00; thence N. 4° 31' 58" E., a 2101
distance of 300.00 feet to a point 140.00 feet left of Station 2102
149+00.00; thence N. 15° 50' 33" E., a distance of 152.97 feet 2103
to a point 110.00 feet left of Station 150+50.00; thence N. 4° 2104
31' 58" E., a distance of 300.00 feet to a point 110.00 left of 2105
Station 153+50.00; thence N. 00° 02' 28" W., a distance of 2106
250.80 feet to a point 130.00 feet left of Station 156+00.00; 2107
thence N. 30° 15' 51" W., a distance of 131.43 feet to a point 2108
in the grantor's Northerly line and the northerly line of 2109
Section 16 and in the southerly line of Section 9, said point 2110
being 205.00 feet left of Station 157+07.93; thence S. 85° 48' 2111
24" E., a distance of 285.00 feet along the grantor's northerly 2112
line and the southerly line of the Dorothy M. Davis and 2113
Marguerite C. Hinton 6.208 acre tract of land of record in 2114
Volume 2375, Page 396 of Franklin County Deed Records and the 2115
northerly line of Section 16 and the southerly line of Section 2116
9, passing the centerline of Survey at P.O.T. Station 157+09.14 2117
to a point 80.00 feet right of Station 157+09.61: thence S. 4° 2118
31' 58" W., a distance of 209.61 feet to a point 80.00 feet 2119

right of Station 155+00.00; thence S. 1° 05' 57" W., a distance 2120
of 500.90 feet to a point 110.00 feet right of Station 2121
150+00.00; thence S. 4° 31' 58" W., a distance of 500.00 feet to 2122
a point 110.00 feet right of Station 145+00.00; thence S. 10° 2123
48' 38" W., a distance of 100.60 feet to a point 99.00 feet 2124
right of Station 144+00.00; thence S. 4° 31' 58" W., a distance 2125
of 1379.87 feet to a point 99.00 feet right of and along the 2126
angular bisector from P. I. Station 130+19.90; thence S. 4° 16' 2127
18" W., a distance of 1221.15 feet to a point 99.00 feet right 2128
of S.T. Station 117+98.52; thence S. 6° 58' 12" W., a distance 2129
of 305.02 feet to a point 90.00 feet right of and radially from 2130
C.S. Station 114+98.52; thence S. 9° 15' 26" W., a distance of 2131
204.66 feet to a point 90.00 feet right of and radially from 2132
Station 113+00.00; thence S. 7° 18' 52" W., a distance of 114.03 2133
feet to a point 100.00 feet right of and radially from Station 2134
111+90.00; thence S. 27° 26' 40" W., a distance of 42.52 feet to 2135
a point 90.00 feet right of and radially from Station 111+50.00; 2136
thence S. 8° 24' 35" W., a distance of 369.32 feet to a point 2137
150.00 feet right of and radially from Station 108+00.00; thence 2138
512.92 feet along the line of the circular curve to the right, 2139
the radius of which is 3014.79 feet, the delta of which is 9° 2140
44' 53", and the chord of which bears S., 26° 06' 57" W., a 2141
distance of 512.29 feet to the point of beginning containing 2142
28.207 acres, more or less, of which the present road occupies 2143
7.507 acres, more or less. 2144

Except that the grantor reserves the right to ingress and 2145
egress right of and radially from Station 114+50; left of and 2146
radially from Station 114+50, right of Station 128+04.20, left 2147
of Station 128+04.20, right of Station 143+80.20, and left of 2148
Station 143+80.20. 2149

PARCEL NO. 22-WD 2150

Beginning at a point in the line between Section 21 and 2151
Section 16 which lies N. 85° 19' 06" W., a distance of 474.93 2152
feet from the half section point; said point being 150.00 feet 2153
left of and radially from Station 101+53.82 in the centerline of 2154
a survey made in 1968 by the Ohio Department of Highways of 2155
State Route 317, Section 6.38, in Franklin County; thence N. 85° 2156
19' 06" W., a distance of 319.98 feet along the section line to 2157
a point 1.13 feet right of Station 5+50.00 in the centerline of 2158
Bixby Road West, as the same was established as part of the 2159
aforementioned survey of State Route 317; thence N. 4° 40' 19" 2160
E., a distance of 41.23 feet to a point 40.00 feet left of 2161
Station 5+50.00; thence S. 85° 19' 06" E., a distance of 341.54 2162
feet parallel to the section line to a point 150.00 feet left of 2163
and radially from State Route 317 Station 102+00.72; thence S. 2164
33° 41' 48" W., a distance of 44.45 feet to the point of the 2165
beginning containing 0.299 acres, more or less, of which the 2166
present road occupies 0.224 acres, more or less. 2167

PARCEL NO. 22 - WD-1 2168

Beginning at a point which lies 90.00 feet right of and 2169
radially from C. S. Station 114+98.52 in the centerline of a 2170
survey made in 1968 by The Ohio Department of Highways of State 2171
Route 317, Section 6.38, in Franklin County; thence N. 6° 58' 2172
12" E., a distance of 305.02 feet to a point 99.00 feet right of 2173
S.T. Station 117+98.52; thence N. 4° 16' 18" E., a distance of 2174
1221.15 feet to a point 99.00 feet right of and along the 2175
angular bisector from P.I. Station 130+19.90: thence N. 4° 31' 2176
58"E., a distance of 1379.87 feet to a point 99.00 feet right of 2177
Station 144+00.00; thence N. 10° 48' 38" E., a distance of 2178
100.60 feet to a point 110.00 feet right of Station 145.00.00; 2179
thence S. 12° 09' 59" E., a distance of 104.40 feet to a point 2180
140.00 feet right of Station 144+00.00; thence S. 4° 31' 58" W., 2181

a distance of 400.00 feet to a point 140.00 feet right of 2182
Station 140+00.00; thence S. 3° 56' 53" W., a distance of 979.81 2183
feet to a point 150.00 feet right of and along the angular 2184
bisector from P.I. Station 130+19.90: thence S. 4° 16' 18" W., a 2185
distance of 1019.56 feet to a point 150.00 feet right of Station 2186
120+00.00; thence S. 6° 00' 31" W., a distance of 508.96 feet to 2187
point 140.00 feet right of and radially from C. S> Station 2188
114+98.52; thence N. 82° 43' 42" W., a distance of 50.00 feet to 2189
the point of beginning.. 2190

It is understood that the tract of land above described 2191
contains 3.213 acres, more or less, exclusive of the present 2192
road which occupies 0.000 acres, more or less. 2193

All of the above descriptions are based on a survey made 2194
under the direction of David B. Guthrie, Registered Surveyor No. 2195
4378. 2196

AND 2197

Subject to the existing easement Rights-of-Way for US-33 2198
delineated and occupied as Parcels 42-LA, 42-X1, 42-X2, 42-X3, 2199
42-Y1, 42-Y2 and 42-WA on the State of Ohio Department of 2200
Highways plan set titled FRA-33-(26.21-30.13). 2201

The foregoing legal description may be corrected or 2202
modified by the Department of Administrative Services to a final 2203
form if such corrections or modifications are needed to 2204
facilitate recordation of the deed. 2205

(B) Pursuant to various Acts of Congress, section 16 in 2206
every township was dedicated for the use of schools (the "school 2207
lands"). In 1985, pursuant to former sections 501.01, et seq., 2208
of the Ohio Revised Code, the Ohio Department of Administrative 2209
Services was granted administrative control of school lands. 2210

Then in 1988, sections 501.01, et seq., of the Ohio Revised Code 2211
were amended to grant administrative control of school lands to 2212
the board of education of each school district. The real estate 2213
described herein are the remaining portions of section 16 in 2214
Madison Township, Franklin County, which have not been conveyed 2215
to purchasers over the years. The real estate is currently 2216
titled in the records of the Franklin County Auditor as State of 2217
Ohio for the use and benefit of the Department of Administrative 2218
Services. The purpose of this legislation is to correct title of 2219
the real estate to the State of Ohio for the use and benefit of 2220
the Board of Education of the Groveport Madison Local School 2221
District. 2222

(C) The conveyance is subject to all easements, covenants, 2223
conditions, leases, and restrictions of record: all legal 2224
highways and public rights-of-way; zoning, building, and other 2225
laws, ordinances, restrictions, and regulations; and real estate 2226
taxes and assessments not yet due and payable. The real estate 2227
shall be conveyed in an "as-is, where-is, with all faults" 2228
condition. 2229

(D) Grantee shall pay all costs associated with the 2230
purchase, closing and conveyance, including surveys, title 2231
evidence, title insurance, transfer costs and fees, recording 2232
costs and fees, taxes, and any other fees, assessments, and 2233
costs that may be imposed. 2234

(E) The Director of the Department of Administrative 2235
Services, with the assistance of the Attorney General, shall 2236
prepare a Governor's Deed to the real estate described in 2237
division (A) of this section. The Governor's Deed shall state 2238
the consideration and shall be executed by the Governor in the 2239
name of the State, countersigned by the Secretary of State, 2240

sealed with the Great Seal of the State, presented in the 2241
Department of Administrative Services for recording, and 2242
delivered to the Grantee. The Grantee shall present the 2243
Governor's Deed for recording in the Office of the Franklin 2244
County Recorder. 2245

(F) This section shall expire 3 years after its effective 2246
date. 2247

Section 5. (A) The Governor may execute a Governor's Deed 2248
in the name of the State conveying to the Madison County Board 2249
of Commissioners ("Grantee"), and its successors and assigns, 2250
all of the State's right, title, and interest in the following 2251
described real estate: 2252

The following described 10.8003-acre tract is situated in 2253
the State of Ohio, Madison County, Deer Creek Township, VMS 2254
6246, being part of a 579.44 original acre tract (Deer Creek 2255
Township Parcel 05-00542.000) as conveyed to the State of Ohio 2256
Madison Correctional Prison by Deed Book 134 page 347, and being 2257
more particularly described as follows: 2258

Beginning at a mag nail set in the centerline of State 2259
Route 38, in the line between VMS 6246 and VMS 6169, in the line 2260
between Deer Creek Township and the City of London, being the 2261
Southeast corner of a 1.000-acre tract conveyed to Tom Farms Inc 2262
by Deed Book 278 page 889 and a corner to said 579.44 original 2263
acre tract, said mag nail bears North 15° 36' 05" West a 2264
distance of 5646.35 feet from Madison County Monument 02-004, 2265
said mag nail bears North 04° 15' 00" East a distance of 1079.10 2266
feet from the intersection of the centerline of State Route 38 2267
with the line between Deer Creek Township and Union Township; 2268

Thence, with the centerline of State Route 38, said VMS 2269

line and said Corp. line, South 04° 15' 00" West a distance of 2270
616.00 feet to a mag nail set; 2271

Thence, across said 579.44 original acre tract with the 2272
following two new courses: 2273

(1) South 81° 53' 47" West, passing an iron pin and cap 2274
set at 35.00 feet, a total distance of 728.66 feet to an iron 2275
pin and cap set; 2276

(2) North 10° 12' 38" West a distance of 569.69 feet to an 2277
iron pin and cap set in the South line of a 100 original acre 2278
tract conveyed to Tom Farms Inc by Deed Book 268 page 770. 2279

Thence, with the South line of said 100 original acre 2280
tract, North 79° 47' 22" East, passing a 1/2-inch diameter iron 2281
pipe found at the Southwest corner of said Tom Farms Inc's 1.000 2282
acre tract at 591.70 feet, passing a 5-inch diameter steel post 2283
in concrete found at 849.53 feet, a total distance of 881.99 2284
feet returning to the Point of Beginning, containing 10.8003 2285
Acres more or less. 2286

Bearings are based on the centerline of State Route 38 2287
(North 04° 15' 00" East) as described in Official Record 307, 2288
page 2131. 2289

Subject to and with the benefit of all legal highways, 2290
restrictions, easements, limitations, and reservations, of 2291
record, if any and to zoning restrictions which have been 2292
imposed thereon, if any. 2293

All iron pins set are 5/8-inch diameter rebar with yellow 2294
plastic cap stamped "Cottrill Surveying." This description is 2295
based on an actual field survey performed by Nathan L. Cottrill, 2296
PS registration #8821 on October 25, 2024. 2297

The foregoing legal description may be corrected or 2298
modified by the Department of Administrative Services to a final 2299
form if such corrections or modifications are needed to 2300
facilitate recordation of the deed. 2301

(B) (1) The conveyance includes all improvements and 2302
chattels situated on the real estate, and is subject to all 2303
leases, agreements, licenses, permits, memoranda of 2304
understanding, easements, covenants, conditions, reservations, 2305
and restrictions of record, and encroachments whether of record 2306
or not; all legal highways and public rights-of-way; zoning, 2307
building, and other laws, ordinances, restrictions, and 2308
regulations; and real estate taxes and assessments not yet due 2309
and payable. The real estate shall be conveyed in an "as-is, 2310
where-is, with all faults" condition. 2311

(2) The deed or deeds for the conveyance of the real 2312
estate may contain restrictions, exceptions, reservations, 2313
reversionary interests, and other terms and conditions the 2314
Director of Administrative Services determines to be in the best 2315
interest of the State. 2316

(3) Subsequent to the conveyance, any restrictions, 2317
exceptions, reservations, reversionary interests, or other terms 2318
and conditions contained in the deed may be released by the 2319
State or the Ohio Department of Rehabilitation without the 2320
necessity of further legislation. 2321

(C) The Director of Administrative Services shall offer 2322
the real estate to Madison County Board of Commissioners through 2323
a real estate purchase agreement. Consideration for the 2324
conveyance of the real estate shall be at a price acceptable to 2325
the Director of Administrative Services and the Director of the 2326
Ohio Department of Rehabilitation. If the Madison County Board 2327

of Commissioners does not complete the purchase of the real 2328
estate within the time period provided in the real estate 2329
purchase agreement, the Director of Administrative Services may 2330
use any reasonable method of sale considered acceptable by the 2331
Ohio Department of Rehabilitation to determine an alternate 2332
grantee willing to complete the purchase within three years 2333
after the effective date of this section. The Ohio Department of 2334
Rehabilitation shall pay all advertising costs, additional fees, 2335
and other costs incident to the sale of the real estate. 2336

(D) The real estate described in division (A) of this 2337
section shall be sold as an entire tract and not in parcels. 2338

(E) Grantee shall pay all costs associated with the 2339
purchase, closing and conveyance, including surveys, title 2340
evidence, title insurance, transfer costs and fees, recording 2341
costs and fees, taxes, and any other fees, assessments, and 2342
costs that may be imposed. 2343

The net proceeds of the sale shall be deposited into the 2344
state treasury to the credit of the Leased Property Maintenance 2345
and Operating Fund under section 5120.22 of the Revised Code. 2346

(F) (1) Upon execution of the real estate purchase 2347
agreement, the Director of Administrative Services, with the 2348
assistance of the Attorney General, shall prepare a Governor's 2349
Deed to the real estate described in division (A) of this 2350
section. The Governor's Deed shall state the consideration and 2351
shall be executed by the Governor in the name of the State, 2352
countersigned by the Secretary of State, sealed with the Great 2353
Seal of the State, presented in the Department of Administrative 2354
Services for recording, and delivered to the Grantee. The 2355
Grantee shall present the Governor's Deed for recording in the 2356
Office of the Madison County Recorder. 2357

(2) The intent of this conveyance is for the Purchaser to use the real estate for the operational use of the Madison County Sheriff's Department; therefore, the deed shall contain a restriction stating that if the real estate described in division (A) of this section is no longer being used for the operations of the Madison County Sheriff's Department, the real estate described in division (A) of this section shall revert back to the State of Ohio at the sole discretion of the Director of Administrative Services and the Ohio Department of Rehabilitation and Correction, at the purchase price of the real estate described in division (A) of this section.

(G) This section shall expire 3 years after its effective date.

Section 6. (A) The Governor may execute a Governor's Deed in the name of the State conveying to the Secretary of the United States Air Force, and its successors and assigns, all of the State's right, title, and interest in the building, the National Aviation Hall of Fame, located on the following described real estate:

Situated in the State of Ohio, County of Montgomery, Township of Mad River, part of Section 18, Town 2, Range 7 MRS and being part of the Wright-Patterson Air Force Base being more particularly described as follows:

Commencing at the Northeast corner of Building No. 487, also known as Hangar No. 2 of the Air Force Museum:

Thence South 45 degrees -06 minutes -30seconds West, along the face of the North wall of said Building No. 487, a distance of 278.21 feet to the real place of beginning of the following described tract;

Thence continuing South 45 degrees -06 minutes -30 seconds 2387
West, along the face of wall of said Building No. 487, a 2388
distance of 179.49 feet to a corner of the passageway between 2389
said Building No. 487 and Building No. 489 of the museum also 2390
known as Hangar No. 1 of the Air Force Museum. 2391

Thence along the face of wall of said passageway by the 2392
next three courses; 2393

Thence North 44 degrees -53 minutes-30 seconds West, a 2394
distance of 34.70 feet; 2395

Thence North 45 degrees -06 -30 seconds East, a distance 2396
of 29.90 feet; 2397

Thence North 44 degrees -53minutes-30 seconds West, a 2398
distance of 55.30 feet; 2399

Thence North 45 degrees -06 minutes -30 seconds East, a 2400
distance of 149.59 feet to a point in the face of the South wall 2401
of Building No. 489; 2402

Thence South 44 degrees -53 minutes -30 seconds East, a 2403
distance of 90.00 feet to the place of beginning, containing, 2404
0.3329 Acre (14,500.63 square feet); 2405

Along with the right of ingress and egress over open base 2406
roads. 2407

The foregoing legal description may be corrected or 2408
modified by the Department of Administrative Services to a final 2409
form if such corrections or modifications are needed to 2410
facilitate recordation of the deed. 2411

(B) The conveyance includes the building, and any 2412
improvements, fixtures, and chattels contained within the 2413
building. The conveyance does not include the land, which is not 2414

owned by the State of Ohio. 2415

(C) Consideration for the conveyance of the building 2416
described in division (A) of this section shall be \$0. 2417

The Director of Administrative Services shall offer the 2418
building to the Secretary of the United States Air Force as a 2419
gift. If the United States Air Force does not accept the gift, 2420
the Director of Administrative Services may use any reasonable 2421
method considered acceptable by the Ohio Facilities Construction 2422
Commission to determine an alternate grantee willing to accept 2423
the building as a gift within three years after the effective 2424
date of this section. The Ohio Facilities Construction 2425
Commission shall pay all advertising costs, additional fees, and 2426
other costs incident to the transfer of the building. 2427

(D) Grantee shall pay all costs associated with the 2428
transfer, closing and conveyance, including surveys, title 2429
evidence, title insurance, transfer costs and fees, recording 2430
costs and fees, taxes, and any other fees, assessments, and 2431
costs that may be imposed. 2432

(E) Upon acceptance of the gift, the Director of 2433
Administrative Services, with the assistance of the Attorney 2434
General, shall prepare a Governor's Deed to the building 2435
described in division (A) of this section. The Governor's Deed 2436
shall state the consideration and shall be executed by the 2437
Governor in the name of the State, countersigned by the 2438
Secretary of State, sealed with the Great Seal of the State, 2439
presented in the Department of Administrative Services for 2440
recording, and delivered to the Grantee. The Grantee shall 2441
present the Governor's Deed for recording in the Office of the 2442
Montgomery County Recorder. 2443

(F) This section shall expire 3 years after its effective 2444
date. 2445

Section 7. (A) The Governor may execute a Governor's Deed 2446
in the name of the State conveying to Trumbull County 2447
Metropolitan Park District ("Grantee"), and its successors and 2448
assigns, all of the State's right, title, and interest in the 2449
following described real estate: 2450

Situated in the State of Ohio, County of Trumbull being a 2451
part of Lots 9, 14, 31, 36, 53, 57, 58, 72, and 75 (Twp. 5-N, 2452
Range 4-W) of Champion Township, and part of Lots 4, 5, 9, 11, 2453
12, 29, 36 and 45 (Twp. 6-N, Range 4-W) of Bristol Township, and 2454
parts of Lots 87 through 94 inclusive and 101 through 119 2455
inclusive (Twp. 7-N, Range 4-W) of Bloomfield Township, 2456
Connecticut Western Reserve, and being more fully described as 2457
follows: 2458

Commencing at the intersection of the centerlines of 2459
Champion Avenue and the original centerline of the Penn Central 2460
Railroad; 2461

Thence North 24° 23' 08" West a distance of 31.72 feet to 2462
an iron pipe set on the north right of way line of Champion 2463
Avenue and being THE TRUE PLACE OF BEGINNING of the tract herein 2464
to be described: 2465

Thence South 84° 33' 34" West, along the north right of 2466
way line of Champion Avenue, a distance of 169.85 feet to an 2467
iron pipe set on the east line of the lands of Northwood Golf 2468
Club; 2469

Thence North 01° 27' 18" West a distance of 216.29 feet to 2470
an iron pipe set; 2471

Thence North 26° 52' 59" West a distance of 899.50 feet to 2472

an iron pipe set;	2473
Thence South 84° 33' 34" West a distance of 24.71 feet to	2474
an iron pipe set;	2475
Thence North 26° 52' 59" West a distance of 1141.27 feet	2476
to an iron pipe set on the north line of Lot 75;	2477
Thence North 85° 33' 34" East, along the north line of Lot	2478
75, a distance of 24.88 feet to an iron pipe set;	2479
Thence North 26° 55' 56" West a distance of 4036.83 feet	2480
to an iron pipe set;	2481
Thence South 63° 04' 04" West a distance of 13.00 feet to	2482
an iron pipe set;	2483
Thence North 26° 55' 56" West (passing through the	2484
centerline of State Route 305 at 322.00 feet) a total distance	2485
of 355.31 feet to an iron pipe set on the north right of way	2486
line of State Route 305;	2487
Thence South 88° 50' 04" West, along the north right of	2488
way line of State Route 305, a distance of 94.48 feet to an iron	2489
pipe set;	2490
Thence North 26° 55' 56" West a distance of 788.90 feet to	2491
an iron pipe set;	2492
Thence North 88° 50' 04" East a distance of 120.02 feet to	2493
an iron pipe set;	2494
Thence North 26° 55' 56" West a distance of 3650.27 feet	2495
to an iron pipe set;	2496
Thence North 19° 00' 46" West a distance of 346.00 feet to	2497
an iron pipe set at a point of curvature;	2498
Thence with an arc to the right, having a delta of 11° 06'	2499

20", a radius of 2850.973 feet, a chord which bears North 14°	2500
28' 32" West, a chord distance of 551.732 feet to an iron pipe	2501
set at a point of tangency, being on the west line of Lot 36;	2502
Thence along the west lines of Lots 36, 31 and 14, North	2503
08° 55' 22" West a distance of 7263.35 feet to an iron pipe set	2504
at the southwest corner of Lot 9;	2505
Thence North 88° 07' 48" East a distance of 0.50 feet to	2506
an iron pipe set;	2507
Thence North 08° 58' 02" West a distance of 1111.00 feet	2508
to an iron pipe set;	2509
Thence North 88° 07' 48" East a distance of 6.55 feet to	2510
an iron pipe set;	2511
Thence North 08° 58' 02" West a distance of 1502.62 feet	2512
to a railroad spike set in the centerline of Town-Line Road;	2513
Thence South 88° 30' 46" West, along the centerline of	2514
Town-Line Road, a distance of 7.06 feet to a railroad spike set;	2515
Thence North 08° 58' 02" West a distance of 5545.66 feet	2516
to an iron pipe set at a point of curvature;	2517
Thence with an arc to the right, having a delta of 08° 05'	2518
54", a radius of 5404.557 feet, a chord which bears North 04°	2519
55' 05" West, a chord distance of 763.254 feet to an iron pipe	2520
set at a point of tangency;	2521
Thence North 00° 52' 08" West, a distance of 9099.29 feet	2522
to a railroad spike set in the centerline of State Route 88;	2523
Thence North 00° 55' 33" West, a distance of 6675.01 feet	2524
to a railroad spike set in the centerline of Hyde-Oakfield Road;	2525
Thence South 77° 54' 27" West, along the centerline of	2526

said road, a distance of 152.90 feet to a railroad spike set; 2527

Thence North $00^{\circ} 54' 13''$ West a distance of 549.78 feet to 2528
an iron pipe set; 2529

Thence North $89^{\circ} 05' 54''$ East a distance of 117.00 feet to 2530
an iron pipe set; 2531

Thence North $00^{\circ} 54' 06''$ West a distance of 2285.04 feet 2532
to an iron pipe set on the south right of way line of Mahan- 2533
Denman Road; 2534

Thence North $73^{\circ} 34' 29''$ East, along the south right of 2535
way line of said road, a distance of 34.25 feet to an iron pipe 2536
set; 2537

Thence North $00^{\circ} 54' 06''$ West a distance of 1642.48 feet 2538
to an iron pipe set at a point of curvature; 2539

Thence with an arc to the left, having a delta of $06^{\circ} 44'$ 2540
 $09''$, a radius of 11426.192 feet, a chord which bears North 04° 2541
 $16' 11''$ West, a chord distance of 1342.503 feet to an iron pipe 2542
set at a point of tangency; 2543

Thence North $07^{\circ} 38' 15''$ West a distance of 741.51 feet to 2544
an iron pipe set at a point of curvature; 2545

Thence with an arc to the right, having a delta of $06^{\circ} 37'$ 2546
 $43''$, a radius of 11492.192 feet, a chord which bears North 04° 2547
 $19' 24''$ West, a chord distance of 1328.817 feet to an iron pipe 2548
set at a point of tangency; 2549

Thence North $01^{\circ} 00' 32''$ West, along the west line of Lots 2550
118, 117, 116, 115, 114, 113 and 112 a distance of 11358.57 feet 2551
to a railroad spike set in the centerline of Burton-Bloomfield 2552
Road; 2553

Thence North $89^{\circ} 02' 50''$ East, along the centerline of 2554
said road and the north line of Lot 112, a distance of 3.00 feet 2555
to a railroad spike set; 2556

Thence North $01^{\circ} 00' 32''$ East (being 30.0 feet west of and 2557
parallel to the west line of Lots 111 and 110) a distance of 2558
3362.67 feet to an iron pipe set on the north line of Lot 93; 2559

Thence South $89^{\circ} 07' 40''$ West, along the north line of Lot 2560
93, a distance of 3.00 feet to an iron pipe set; 2561

Thence North $01^{\circ} 00' 32''$ West (being 33.0 feet west of and 2562
parallel to the west line of Lots 109 and 108) a distance of 2563
2463.00 feet to an iron pipe set; 2564

Thence North $89^{\circ} 07' 40''$ East a distance of 3.0 feet to an 2565
iron pipe set; 2566

Thence North $01^{\circ} 00' 32''$ West (being 30.0 feet west of and 2567
parallel to the west line of Lot 108) a distance of 820.00 feet 2568
to a railroad spike set in the centerline of Haines-East Road; 2569

Thence South $89^{\circ} 07' 40''$ West, along the north line of Lot 2570
91 and the centerline of said road a distance of 3.0 feet to a 2571
railroad spike set; 2572

Thence North $01^{\circ} 00' 32''$ West (being 33.0 feet west of and 2573
parallel to the west line of Lots 107, 106, 105 and 104) a 2574
distance of 5293.02 feet to an iron pipe set at a point of 2575
curvature; 2576

Thence with an arc to the right, having a delta of $07^{\circ} 46' 2577$
 $31''$, a radius of 11492.192 feet, a chord which bears North 02° 2578
 $52' 44''$ East, a chord distance of 1558.342 feet to an iron pipe 2579
set at a point of tangency; 2580

Thence North $06^{\circ} 45' 59''$ East a distance of 393.14 feet to 2581

an iron pipe set at a point of curvature; 2582

Thence with an arc to the left, having a delta of $01^{\circ} 53'$ 2583
 $06''$, a radius of 11426.192 feet, a chord which bears North 05° 2584
 $49' 26''$ East, a chord distance of 375.921 feet to an iron pipe 2585
set on the county line common to Trumbull County and Ashtabula 2586
County; 2587

Thence North $88^{\circ} 34' 38''$ East, along the north line of 2588
Trumbull County (passing iron pipes set at 3.02 feet and 33.20 2589
feet) a total distance of 66.40 feet to an iron pipe set; 2590

Thence with an arc to the right, having a delta of $01^{\circ} 55'$ 2591
 $17''$, a radius of 11492.192 feet, a chord which bears South 05° 2592
 $40' 20''$ West, a chord distance of 385.382 feet to an iron pipe 2593
set at a point of tangency; 2594

Thence South $06^{\circ} 45' 59''$ West a distance of 393.14 feet to 2595
an iron pipe set at a point of curvature; 2596

Thence with an arc to the left, having a delta of $01^{\circ} 05'$ 2597
 $42''$, a radius of 11426.192 feet, a chord which bears South 06° 2598
 $13' 08''$ West, a chord distance of 218.35 feet to an iron pipe 2599
set on the south line of Lot 103; 2600

Thence South $88^{\circ} 34' 38''$ West, along the south line of Lot 2601
103 a distance of 3.02 feet to an iron pipe set; 2602

Thence with an arc to the left, having a delta of $06^{\circ} 40'$ 2603
 $43''$, a radius of 11429.192 feet, a chord which bears South 02° 2604
 $19' 49''$ West, a chord distance of 1331.452 feet to an iron pipe 2605
set at a point of tangency; 2606

Thence South $01^{\circ} 00' 32''$ East (being 30.0 feet east of and 2607
parallel to the west lines of Lots 104, 105, and 106) a distance 2608
of 3630.382 feet to an iron pipe set on the south line of Lot 2609

106;	2610
Thence North 89° 07' 40" East, a distance of 3.00 feet to	2611
an iron pipe set;	2612
Thence South 01° 00' 32" West (being 33.0 feet east of and	2613
parallel to the west line of Lot 107) a distance of 1662.79 feet	2614
to a railroad spike set in the-centerline of Haines-East Road;	2615
Thence South 89° 07' 40" West, along the centerline of	2616
said road, and the south line of Lot 107, a distance of 3.00	2617
feet to a railroad spike set;	2618
Thence South 01° 00' 32" East (being 30.0 feet east of and	2619
parallel with the west line of Lots 108, 109, 110 and 111, a	2620
distance of 6645.58 feet to a railroad spike set in the	2621
centerline of Burton-Bloomfield Road;	2622
Thence North 89° 02' 51" East, along the centerline of	2623
said road, and the south line of Lot 111, a distance of 3.00	2624
feet to a railroad spike set;	2625
Thence South 01° 00' 32" East a distance of 334.75 feet to	2626
an iron pipe set;	2627
Thence South 88° 40' 35" West a distance of 3.05 feet to	2628
an iron pipe set;	2629
Thence South 01° 19' 25" East a distance of 109.25 feet to	2630
an iron pipe set;	2631
Thence North 88° 40' 35" East, a distance of 2.45 feet to	2632
an iron pipe set;	2633
Thence South 01° 00' 32" East (being 66.0 feet east of and	2634
parallel to the west lines of Lots 112, 113, 114 and 115) a	2635
distance of 5368.00 feet to an iron pipe set;	2636

Thence North $89^{\circ} 59' 28''$ East a distance of 33.0 feet to	2637
an iron pipe set;	2638
Thence South $01^{\circ} 00' 32''$ East a distance of 825.00 feet to	2639
a railroad spike set in the centerline of Dunkerton-East Road;	2640
Thence South $88^{\circ} 59' 28''$ West, along the centerline of	2641
Dunkerton-East Road, a distance of 33.00 feet to a railroad	2642
spike set;	2643
Thence South $01^{\circ} 00' 32''$ East (being 66.0 feet east of the	2644
west line of Lots 115, 116, 117 and 118) a distance of 4721.51	2645
feet to an iron pipe set at a point of curvature;	2646
Thence with an arc to the left, having a delta of $06^{\circ} 37'$	2647
$43''$, a radius of 11426.192 feet, a chord which bears South 04°	2648
$19' 24''$ East, a chord distance of 1321.185 feet to an iron pipe	2649
set at a point of tangency;	2650
Thence South $07^{\circ} 38' 15''$ East a distance of 741.51 feet to	2651
an iron pipe set at a point of curvature;	2652
Thence with an arc to the right, having a delta of $06^{\circ} 44'$	2653
$09''$, a radius of 11492.192 feet, a chord which bears South 04°	2654
$16' 11''$ East, a chord distance of 1350.258 feet to an iron pipe	2655
set at a point of tangency;	2656
Thence South $00^{\circ} 54' 06''$ East, a distance of 1738.96 to an	2657
iron pipe set;	2658
Thence South $24^{\circ} 47' 13''$ East, a distance of 81.50 feet to	2659
an iron pipe set;	2660
Thence South $00^{\circ} 54' 06''$ East, a distance of 245.00 feet	2661
to an iron pipe set;	2662
Thence South $18^{\circ} 16' 03''$ West, a distance of 100.50 feet	2663

to an iron pipe set;	2664
Thence South 00° 54' 06" East, a distance of 2296.84 feet	2665
to a railroad spike set in the centerline of Hyde-Oakfield Road;	2666
Thence South 00° 55' 33" East, a distance of 5867.36 feet	2667
to an iron pipe set;	2668
Thence North 65° 48' 23" East, a distance of 5.00 feet to	2669
an iron pipe set;	2670
Thence South 16° 55' 13" East, a distance of 250.05 feet	2671
to an iron pipe set;	2672
Thence South 00° 55' 33" East a distance of 530.00 feet to	2673
a railroad spike set in the centerline of State Route 88;	2674
Thence South 65° 48' 23" West, along the centerline of	2675
State Route 88, a distance of 44.05 feet to a state highway	2676
monument box;	2677
Thence South 00° 52' 08" East, a distance of 9127.76 feet	2678
to an iron pipe set at a point of curvature;	2679
Thence with an arc to the left, having a delta of 51° 54'	2680
11", a radius of 5305.557 feet, a chord which bears South 04°	2681
55' 05" East, a chord distance of 749.273 feet to an iron pipe	2682
set at a point of tangency;	2683
Thence South 08° 58' 02" East a distance of 3144.86 feet	2684
to an iron pipe set;	2685
Thence North 89° 56' 02" East a distance of 59.60 feet to	2686
an iron pipe on the east line of lot 12;	2687
Thence South 01° 23' 14" East, along the east line of Lot	2688
12, a distance of 446.425 feet to an iron pipe set;	2689
Thence South 08° 58' 02" East a distance of 4575.05 feet	2690

to an iron pipe set on the south line of Lot 9; 2691

Thence South $08^{\circ} 55' 22''$ East a distance of 6876.45 feet 2692

to an iron pipe set at a point of curvature; 2693

Thence with an arc to the left, having a delta of $17^{\circ} 50'$ 2694

$22''$ East, a radius of 5670.15 feet, a chord which bears South 2695

$18^{\circ} 18' 18''$ East, a chord distance of 1758.32 feet to an iron 2696

pipe set; 2697

Thence South $89^{\circ} 20' 05''$ West, a distance of 22.20 feet to 2698

an iron pipe set; 2699

Thence South $26^{\circ} 55' 21''$ East, a distance of 10362.75 feet 2700

to an iron pipe set at a point of curvature; 2701

Thence with an arc to the right, having a delta of $02^{\circ} 27'$ 2702

$09''$, a radius of 562.65 feet, a chord which bears South $25^{\circ} 39'$ 2703

$24''$ East, a chord distance of 246.64 feet, to an iron pipe set 2704

on the north right of way of Champion Avenue; 2705

Thence South $84^{\circ} 33' 34''$ West, along the north right of 2706

way line of Champion Avenue, a distance of 34.91 feet to The 2707

True Place of Beginning; 2708

Containing 153.799 acres, of which 53.099 acres are in 2709

Champion Township, 59.466 acres in Bristol Township and 41.234 2710

acres in Bloomfield Township. 2711

Iron pipes set are 111 O.D. x 30" length steel pipes with 2712

a yellow plastic cap stamped STULTS AND ASSOCIATES, INC. 2713

The bearing system herein are referenced to and derived 2714

from the Ohio State Plane Coordinate System, North Zone (pages 2715

Ohio revised code, Sections 157.01 to 157.07 inclusive). All 2716

distances, bearings and coordinates have been converted from 2717

geographic position to plane coordinate position based on the 2718

Lambert conformal conic projection. The coordinates of The True 2719
Place of Beginning are North 596,499.89831 and East 2720
2,461,031.30901. 2721

This survey is made subject to all easements, 2722
restrictions, and rights-of-way that are recorded or unrecorded. 2723

A survey plat entitled "Plat of Survey of Land of the Penn 2724
Central Corporation to be acquired by The State of Ohio" 2725
consists of Sheet No. 1 through Sheet No. 14 inclusive, is to be 2726
recorded upon final acquisition with the Recorder's Office of 2727
Trumbull County. 2728

The foregoing legal description may be corrected or 2729
modified by the Department of Administrative Services or the 2730
Ohio Rail Development Commission, successor in interest to the 2731
Ohio Rail Transportation Authority, to a final form if such 2732
corrections or modifications are needed to facilitate 2733
recordation of the deed. 2734

(B) (1) The conveyance includes all privileges, rights, 2735
easements, and appurtenances to the real estate, and any 2736
buildings and other structures and improvements erected thereon, 2737
and is subject to all leases, easements, reservations, 2738
restrictions, licenses, permits, memoranda of understanding, 2739
agreements, conditions, and covenants of record and 2740
encroachments whether of record or not; all legal highways and 2741
public rights-of-way; zoning, building, and other laws, 2742
ordinances, restrictions, and regulations; and real estate taxes 2743
and assessments not yet due and payable. The real estate shall 2744
be conveyed in an "as-is, where-is, with all faults" condition. 2745

(2) The deed or deeds may contain restrictions, 2746
exceptions, reservations, reversionary interests, and other 2747

terms and conditions the Director of Administrative Services 2748
determines to be in the best interest of the State. 2749

(3) Subsequent to the conveyance, any restrictions, 2750
exceptions, reservations, reversionary interests, or other terms 2751
and conditions contained in the deed may be released by the 2752
State or the Ohio Rail Development Commission, successor in 2753
interest to the Ohio Rail Transportation Authority, without the 2754
necessity of further legislation. 2755

(C) Consideration for the conveyance of the real estate 2756
described in division (A) of this section shall be \$1.00. 2757

The Director of Administrative Services shall offer the 2758
real estate to Trumbull County Metropolitan Park District 2759
through a real estate purchase agreement. Consideration for the 2760
conveyance of the real estate shall be at a price acceptable to 2761
the Director of Administrative Services and the Director of Ohio 2762
Rail Development Commission, successor in interest to the Ohio 2763
Rail Transportation Authority. If Trumbull County Metropolitan 2764
Park District does not complete the purchase of the real estate 2765
within the time period provided in the real estate purchase 2766
agreement, the Director of Administrative Services may use any 2767
reasonable method of sale considered acceptable by the Ohio Rail 2768
Development Commission, successor in interest to the Ohio Rail 2769
Transportation Authority, to determine an alternate grantee 2770
willing to complete the purchase within three years after the 2771
effective date of this section. The Ohio Rail Development 2772
Commission, successor in interest to the Ohio Rail 2773
Transportation Authority, shall pay all advertising costs, 2774
additional fees, and other costs incident to the sale of the 2775
real estate. 2776

(D) The real estate described in division (A) of this 2777

section may be conveyed as an entire tract or as multiple 2778
parcels. 2779

(E) Grantee shall pay all costs associated with the 2780
purchase, closing and conveyance, including surveys, title 2781
evidence, title insurance, transfer costs and fees, recording 2782
costs and fees, taxes, and any other fees, assessments, and 2783
costs that may be imposed. 2784

The net proceeds of the sale shall be deposited into the 2785
state treasury to the credit of the Rail Development Fund (Fund 2786
4N40) under section 4981.09 of the Revised Code. 2787

(F) (1) Upon payment of the purchase price, the Director of 2788
Administrative Services, with the assistance of the Attorney 2789
General, shall prepare a Governor's Deed to the real estate 2790
described in division (A) of this section. The Governor's Deed 2791
shall state the consideration and shall be executed by the 2792
Governor in the name of the State, countersigned by the 2793
Secretary of State, sealed with the Great Seal of the State, 2794
presented in the Department of Administrative Services for 2795
recording, and delivered to the Grantee. The Grantee shall 2796
present the Governor's Deed for recording in the Office of the 2797
Trumbull County Recorder. 2798

(2) The intent of this conveyance is for the Purchaser to 2799
use the real estate for recreational purposes; therefore, the 2800
deed shall contain a restriction stating that if the real estate 2801
described in division (A) of this section is no longer being 2802
used for recreational purposes, the real estate described in 2803
division (A) of this section shall revert back to the State of 2804
Ohio at the sole discretion of the Director of the Ohio Rail 2805
Development Commission, successor in interest to the Ohio Rail 2806
Transportation Authority, at the purchase price of the real 2807

estate described in division (A) of this section. 2808

(G) This section shall expire 3 years after its effective 2809
date. 2810

Section 8. (A) The Governor may execute a Governor's Deed 2811
in the name of the State conveying to Ashtabula County 2812
Metropolitan Park District ("Grantee"), and its successors and 2813
assigns, all of the State's right, title, and interest in the 2814
following described real estate: 2815

Situated in the State of Ohio, County of Ashtabula being a 2816
part of Sections 3, 4, 7, 8, 13, 14, 18, 17, 23 and 24 (Township 2817
8-North, Range 4-West) of Orwell Township, and part of Lots 21, 2818
22, 23, 24, 25, 26, 27, 28, 29, 30, 33, 32, 35, 36, 37, 38, 39 2819
and 40 (Township 9-North, Range 4-West) of Rome Township, and 2820
part of Lots 6, 7, 17, 27, 37, 47, 57, 67, 76, 77, 86, 87, 96, 2821
106, 116, 126, 127, 136, 137, 146, 147, 156 and 157 (Township 2822
10-North, Range 4-West) of Morgan Township, and parts of Lots 6, 2823
7, 16, 26, 36, 46, 56, 57, 67, 66, 76, 77, 86, 87, 96 and 97 2824
(Township 11-North, Range 4-West) of Austinburg Township, and 2825
part of Lots 48, 49, 51, 52, 78, 79, 85, 86 and 87 (Township 12- 2826
North, Range 4-West) of Saybrook Township, and part of Lots 16 2827
and 17 (Township 12-North, Range 3-West) of Ashtabula Township, 2828
and part of Lot 16 of The City of Ashtabula, Connecticut Western 2829
Reserve, and being more fully described as follows: 2830

Beginning at an iron pipe set at the southeast corner of 2831
Section 23 (Township 8-North, Range 4-West) in Orwell Township, 2832
being on the county line common to Ashtabula County and Trumbull 2833
County; 2834

Thence South 88° 34' 38" West, along said common county 2835
line (passing an iron pipe set at 35.69 feet, and passing 2836

through an iron pipe set on the centerline of the railroad at	2837
68.89 feet) a total distance of 99.07 feet to an iron pipe set;	2838
Thence with an arc to the left, having a delta of $06^{\circ} 18' 09''$, a radius of 11429.192 feet, a chord which bears North $01^{\circ} 43' 43''$ East, a chord distance of 1256.570 feet to an iron pipe set at a point of tangency;	2839
	2840
	2841
	2842
Thence North $01^{\circ} 25' 22''$ West a distance of 1223.00 feet	2843
to a railroad spike set in the centerline of Winter Road;	2844
Thence South $89^{\circ} 05' 14''$ West, along the centerline of	2845
Winter Road, a distance of 30.00 feet to an iron pipe set;	2846
Thence North $01^{\circ} 25' 22''$ West, along the west right of way	2847
line of Columbia Road, a distance of 1841.47 feet to a railroad	2848
spike set;	2849
Thence North $88^{\circ} 34' 38''$ East a distance of 30.00 feet to	2850
an iron pipe set on the east right of way line of Columbia Road;	2851
Thence North $01^{\circ} 25' 22''$ West a distance of 8168.45 feet	2852
to a railroad spike set in the centerline of U.S. Route 322;	2853
Thence South $88^{\circ} 58' 16''$ West, along the centerline of	2854
U.S. Route 322, a distance of 3.00 feet to a railroad spike set;	2855
Thence North $01^{\circ} 29' 34''$ West a distance of 1253.73 feet to	2856
an iron pipe set on the west line of Section 14;	2857
Thence North $02^{\circ} 20' 33''$ West, along the west line of	2858
Section 14, a distance of 1348.62 feet to an iron pipe set on	2859
the southwest corner of Section 7;	2860
Thence North $00^{\circ} 53' 34''$ West, along the west line of	2861
Section 7, a distance of 2674.20 feet to a railroad spike set in	2862
the centerline of Hague Road;	2863

Thence South 89° 03' 03" West, along the centerline of	2864
said Hague Road, a distance of 8.00 feet to an iron pipe set;	2865
Thence continuing along the west line of Section 7 and the	2866
west line of Section 4, North 01° 29' 34" West, a distance of	2867
4726.29 feet to an iron pipe set at a point of curvature;	2868
Thence with an arc to the right, having a delta of 12° 48'	2869
22", a radius of 5762.65 feet, a chord which bears North 04° 54'	2870
38" East, a chord distance of 1285.32 feet to an iron pipe set	2871
at a point of tangency;	2872
Thence North 11° 18' 49" East (passing through the	2873
township line common to Orwell and Rome Townships, at 2035.00	2874
feet, more or less) a total distance of 2391.76 feet to an iron	2875
pipe set at a point of curvature;	2876
Thence with an arc to the left, having a delta of 12° 22'	2877
07", a radius of 5696.65 feet, a chord which bears North 05° 47'	2878
46" East, a chord distance of 1227.38 feet to an iron pipe set	2879
at a point of tangency;	2880
Thence North 01° 03' 18" West (being 33.00 feet west of	2881
and parallel to the east line of Lots 30, 29 and 28) a distance	2882
of 4468.69 feet to an iron pipe found;	2883
Thence South 88 ° 31' 16" West, a distance of 140.00 feet	2884
to an iron pipe set;	2885
Thence North 01° 03' 18" West a distance of 1000.00 feet	2886
to a railroad spike set on the north line of Lot 28, and being	2887
in the centerline of Dodgeville Road;	2888
Thence North 88° 31' 16" East, along the north line of Lot	2889
28 and the centerline of said Dodgeville Road, a distance of	2890
140.00 feet to a railroad spike set;	2891

Thence North 01° 26' 00" West (being 33.00 feet west of 2892
and parallel to the east line of Lots 27 and 26) a distance of 2893
5347.30 feet to a railroad spike set on the north line of Lot 2894
26, and being in the centerline of U.S. Route 6; 2895

Thence South 88° 32' 19" West, along the north line of Lot 2896
26 and the centerline of U.S. Route 6, a distance of 47.00 feet 2897
to a railroad spike set; 2898

Thence North 01° 27' 02" West (being 113.00 feet west of 2899
and parallel to the east line of Lot 25) a distance of 1000.00 2900
feet to an iron pipe set; 2901

Thence North 88° 32' 19" East a distance of 47.00 feet to 2902
an iron pipe set; 2903

Thence North 01° 27' 02" West (being 66.00 feet west of 2904
and parallel to the east line of Lots 25 and 24) a distance of 2905
4358.45 feet to a railroad spike set on the north line of Lot 2906
24, being in the centerline of Ketcham Road; 2907

Thence North 01° 26' 14" West a distance of 6113.99 feet 2908
to an iron pipe set; 2909

Thence North 00° 43' 56" West a distance of 2072.80 feet 2910
to an iron pipe set on the north line of Lot 21 (also being on 2911
the north line of Rome Township and the south line of Morgan 2912
Township); 2913

Thence North 00° 39' 48" West a distance of 4185.75 feet 2914
to a railroad spike set in the centerline of Rock Creek Road; 2915

Thence North 00° 40' 45" West a distance of 571.65 feet to 2916
a point on the north waters edge of Rock Creek; 2917

Thence North 26° 01' 45" West (passing an iron pipe set at 2918
40.00 feet) a total distance of 105.00 feet to an iron pipe set; 2919

Thence North 00° 40' 45" West a distance of 150.00 feet to	2920
an iron pipe set;	2921
Thence North 06° 09' 15" East a distance of 151.10 feet to	2922
an iron pipe set;	2923
Thence North 23° 33' 15" East a distance of 65.80 feet to	2924
an iron pipe set;	2925
Thence North 00° 40' 45" West a distance of 1540.39 feet	2926
to an iron pipe set;	2927
Thence North 34° 28' 16" West a distance of 178.00 feet to	2928
an iron pipe set;	2929
Thence North 00° 40' 45" West a distance of 910.08 feet to	2930
an iron pipe set;	2931
Thence South 87° 47' 05" East a distance of 99.13 feet to	2932
an iron pipe set;	2933
Thence North 00° 40' 45" West a distance of 823.23 feet to	2934
an iron pipe set;	2935
Thence North 00° 38' 02" West a distance of 4116.14 feet	2936
to an iron pipe set on the centerline of Tische Road;	2937
Thence North 00° 32' 27" West a distance of 1663.87 feet	2938
to an iron pipe set on the north line of Lot 76;	2939
Thence North 00° 57' 05" West a distance of 1673.80 feet	2940
to an iron pipe set on the north line of Lot 66;	2941
Thence South 89° 37' 22" East, along the north line of Lot	2942
66, a distance of 12.00 feet to an iron pipe set;	2943
Thence North 00° 26' 27" West, a distance of 3329.39 feet	2944
to an iron pipe set on the north line of Lot 47;	2945

Thence North 00° 20' 39" West a distance of 6346.68 feet	2946
to an iron pipe set;	2947
Thence South 89° 39' 21" West a distance of 33.00 feet to	2948
an iron pipe set;	2949
Thence North 00° 20' 39" West a distance of 311.34 feet to	2950
an iron pipe set;	2951
Thence North 00 ° 13' 46" West a distance of 513.66 feet	2952
to a railroad spike set in the centerline of Eagleville-Jefferson	2953
Road;	2954
Thence North 72° 26' 11" East, along the centerline of	2955
said Eagleville-Jefferson Road, a distance of 34.57 feet to a	2956
railroad spike set;	2957
Thence North 00° 13' 46" West a distance of 539.74 feet to	2958
an iron pipe set;	2959
Thence North 18° 29' 32" West a distance of 105.30 feet to	2960
an iron pipe set;	2961
Thence North 00° 13' 46" West a distance of 400.00 feet to	2962
a point in or near the center of Mill Creek;	2963
Thence South 89° 46' 14" West, along or near the center of	2964
Mill Creek, a distance of 29.00 feet to a point;	2965
Thence North 00° 13' 46" West a distance of 1095.17 feet	2966
to an iron pipe set in the centerline of Mill Creek Road;	2967
Thence South 88° 51' 08" East, along the centerline of	2968
said Mill Creek Road, a distance of 13.00 feet to a railroad	2969
spike set;	2970
Thence North 00° 13' 46" West a distance of 108.04 feet to	2971
an iron pipe set;	2972

Thence North $89^{\circ} 46' 14''$ East a distance of 49.00 feet to	2973
an iron pipe set;	2974
Thence North $00^{\circ} 13' 46''$ West a distance of 532.00 feet to	2975
an iron pipe set on the north line of Lot 97;	2976
Thence South $89^{\circ} 46' 14''$ West, along said lot line, a	2977
distance of 47.00 feet to an iron pipe set at the northwest	2978
corner of Lot 97;	2979
Thence North $02^{\circ} 28' 35''$ East a distance of 535.93 feet to	2980
an iron pipe set;	2981
Thence South $89^{\circ} 46' 14''$ West a distance of 25.30 feet to	2982
an iron pipe set;	2983
Thence North $00^{\circ} 13' 46''$ West a distance of 1566.62 feet	2984
to an iron pipe set;	2985
Thence South $83^{\circ} 31' 08''$ East a distance of 10.07 feet to	2986
an iron pipe set;	2987
Thence North $00^{\circ} 13' 46''$ West a distance of 3289.98 feet	2988
to an iron pipe set on the north right of way line of Allen	2989
Road;	2990
Thence North $89^{\circ} 09' 21''$ East, along the north right of	2991
way line of Allen Road, a distance of 37.00 feet to an iron pipe	2992
set;	2993
Thence North $00^{\circ} 13' 46''$ West a distance of 3906.81 feet	2994
to an iron pipe set at a point of curvature;	2995
Thence with an arc to the left, having a delta of $07^{\circ} 37'$	2996
$57''$, a radius of 11426.192 feet, a chord which bears North 04°	2997
$02' 44''$ West, a chord distance of 1520.96 feet to an iron pipe	2998
set on the north line of Lot 56, and being in the centerline of	2999

Lampson Road;	3000
Thence South $89^{\circ} 00' 39''$ West, along said north line of	3001
Lot 56, and the centerline of said Lampson Road, a distance of	3002
17.12 feet to an iron pipe set;	3003
Thence with an arc to the left, having a delta of $06^{\circ} 32'$	3004
14", a radius of 11409.192 feet, a chord which bears North 11°	3005
$08' 26''$ West, a chord distance of 1301.03 feet to an iron pipe	3006
set;	3007
Thence South $78^{\circ} 42' 44''$ West a distance of 10.01 feet to	3008
an iron pipe set;	3009
Thence with an arc to the left, having a delta of $06^{\circ} 45'$	3010
26", a radius of 11399.192 feet, a chord which bears North 17°	3011
$47' 26''$ West, a chord distance of 1343.58 feet to an iron pipe	3012
set on the north line of Lot 46;	3013
Thence North $89^{\circ} 17' 57''$ West, along the north line of Lot	3014
46, a distance of 10.78 feet to an iron pipe set;	3015
Thence with an arc to the left, having a delta of $02^{\circ} 20'$	3016
37", a radius of 11389.192 feet, a chord which bears North 22°	3017
$21' 40''$ West, a chord distance of 465.802 feet to an iron pipe	3018
set at a point of tangency;	3019
Thence North $23^{\circ} 31' 58''$ West a distance of 1064.95 feet	3020
to an iron pipe set;	3021
Thence North $89^{\circ} 28' 02''$ East a distance of 40.20 feet to	3022
an iron pipe set;	3023
Thence North $23^{\circ} 31' 58''$ West a distance of 1022.77 feet	3024
to an iron pipe set at a point of curvature;	3025
Thence with an arc to the right, having a delta of $20^{\circ} 53'$	3026

07", a radius of 5762.65 feet, a chord which bears North $13^{\circ} 05'$ 3027
25" West, a chord distance of 2088.959 feet to an iron pipe set 3028
at a point of compound curve; 3029

Thence continuing on a curve with an arc to the right, 3030
having a delta of $26^{\circ} 39' 42''$, a radius of 2633.574, a chord 3031
which bears North $10^{\circ} 40' 59''$ East, a chord distance of 1214.463 3032
feet to an iron pipe set; 3033

Thence South $88^{\circ} 05' 43''$ West a distance of 29.98 feet to 3034
an iron pipe set; 3035

Thence North $23^{\circ} 45' 38''$ East a distance of 2657.47 feet 3036
to a railroad spike set on the north line of Lot 16, being in 3037
the centerline of Clay Street; 3038

Thence North $88^{\circ} 57' 25''$ East, along the north line of Lot 3039
16, and the centerline of said Clay Street, a distance of 11.02 3040
feet to a railroad spike set; 3041

Thence North $23^{\circ} 44' 58''$ East a distance of 2885.84 feet 3042
to an iron pipe set on the north line of Lot 7, also being on 3043
the township line common to Austinburg Township and Saybrook 3044
Township; 3045

Thence South $89^{\circ} 15' 30''$ West, along the common township 3046
line, a distance of 12.02 feet to an iron pipe set; 3047

Thence North $23^{\circ} 44' 45''$ East a distance of 5313.94 feet 3048
to an iron pipe set on the north line of Lot 86; 3049

Thence South $45^{\circ} 31' 02''$ West, along the north line of Lot 3050
86, a distance of 57.12 feet to an iron pipe set at a point of 3051
intersection of the centerline of Ashtabula-Austinburg Road; 3052

Thence North $23^{\circ} 29' 02''$ East, along the tangent of said 3053
Ashtabula-Austinburg Road, a distance of 148.5 feet to an iron 3054

pipe set on the west line of Lot 79, being in the centerline of	3055
Moody Road;	3056
Thence North 00° 47' 34" West, along the west line of Lot	3057
79 and the centerline of Moody Road, a distance of 396.35 feet	3058
to an iron pipe set;	3059
Thence South 66° 15' 14" East a distance of 213.47 feet to	3060
an iron pipe set;	3061
Thence North 23° 44' 45" East a distance of 1260.01 feet	3062
to an iron pipe set;	3063
Thence North 23° 49' 36" East a distance of 2865.35 feet	3064
to an iron pipe set;	3065
Thence North 23° 50' 37" East a distance of 5228.23 feet	3066
to an iron pipe set;	3067
Thence South 89° 04' 38" West a distance of 36.34 feet to	3068
an iron pipe set;	3069
Thence North 23° 50' 37" East a distance of 717.00 feet to	3070
an iron pipe set;	3071
Thence South 63° 04' 37" East a distance of 33.05 feet to	3072
an iron pipe set;	3073
Thence North 23° 50' 37" East a distance of 205.28 feet to	3074
an iron pipe set;	3075
Thence North 23° 46' 38" East (passing through the east	3076
line of Saybrook Township, at 2552.00 feet, more or less) a	3077
total distance of 2871.98 feet to an iron pipe set;	3078
Thence North 23° 48' 59" East a distance of 2951.01 feet	3079
to a railroad spike set in the centerline of State Route 84;	3080
Thence South 58° 57' 41" West, along the centerline of	3081

State Route 84, a distance of 29.53 feet to a railroad spike	3082
set;	3083
Thence North 23° 48' 59" East a distance of 370.67 feet to	3084
an iron pipe set;	3085
Thence North 27° 46' 21" East a distance of 246.41 feet	3086
to an iron pipe set at a point of curvature;	3087
Thence with an arc to the right, having a delta of 12° 59'	3088
02", a radius of 11492.19 feet, a chord which bears North 30°	3089
18' 30" East, a chord distance of 2598.70 feet to an iron pipe	3090
set at a point of tangency;	3091
Thence North 36° 48' 01" East a distance of 1937.23 feet	3092
to an iron pipe set on the north side of South 58th Street (in	3093
The City of Ashtabula);	3094
Thence North 36° 45' 46" East a distance of 2906.79 feet	3095
to an iron pipe set in the lands of the N.Y.C. & St. Louis	3096
Railroad;	3097
Thence North 56° 16' 25" East (passing an iron pipe set on	3098
the original centerline of the Penn Central Railroad, at 98.81	3099
feet) a total distance of 197.61 feet to an iron pipe set;	3100
Thence South 36° 45' 46" West a distance of 3105.31 feet	3101
to an iron pipe set on the south side of South 58th Street;	3102
Thence North 88° 40' 10" East, along the south side of	3103
said South 58th Street, a distance of 34.31 feet to an iron pipe	3104
set;	3105
Thence South 36° 48' 01", along a portion of the east	3106
right of way line of Nathan Avenue, a distance of 1946.20 feet	3107
to an iron pipe set;	3108

Thence South $36^{\circ} 35' 28''$ West a distance of 83.24 feet to 3109
an iron pipe found at the southwest corner of Bardmoor 3110
Subdivision as platted in Plat Book 12, page 89, Ashtabula 3111
County Records Office; 3112

Thence South $45^{\circ} 00' 00''$ East, along the south line of 3113
said Bardmoor Subdivision, a distance of 10.11 feet to an iron 3114
pipe set; 3115

Thence with an arc to the left, having a delta of $12^{\circ} 33'$ 3116
 $28''$, a radius of 11389.192 feet, a chord which bears South 30° 3117
 $05' 44''$ West, a chord distance of 2491.282 feet to an iron pipe 3118
set at a point of tangency; 3119

Thence South $23^{\circ} 48' 59''$ West a distance of 245.83 feet to 3120
an iron pipe set; 3121

Thence South $66^{\circ} 11' 0''$ East a distance of 20.00 feet to 3122
an iron pipe set; 3123

Thence South $23^{\circ} 48' 59''$ West a distance of 171.80 feet to 3124
a railroad spike set in the centerline of State Route 84; 3125

Thence South $58^{\circ} 57' 41''$ West, along the centerline of 3126
State Route 84, a distance of 64.28 feet to an iron pipe set; 3127

Thence South $23^{\circ} 48' 59''$ West (passing through the west 3128
line of Ashtabula Township, at 635.00 feet, more or less) a 3129
total distance of 1710.16 feet to an iron pipe set; 3130

Thence South $00^{\circ} 41' 01''$ East a distance of 16.88 feet to 3131
an iron pipe set; 3132

Thence South $23^{\circ} 48' 59''$ West a distance of 1347.62 feet 3133
to an iron pipe set; 3134

Thence South $23^{\circ} 46' 38''$ West a distance of 1405.99 feet 3135

to an iron pipe set;	3136
Thence South 66° 13' 22" East a distance of 5.00 feet to	3137
an iron pipe set;	3138
Thence South 23° 46' 38" West a distance of 1466.00 feet	3139
to an iron pipe set;	3140
Thence South 23° 50' 37" West a distance of 117.36 feet to	3141
an iron pipe set;	3142
Thence South 03° 26' 23" East a distance of 76.35 feet to	3143
an iron pipe set;	3144
Thence South 23° 50' 37" West a distance of 1067.00 feet	3145
to an iron pipe set on the south line of Lot 48;	3146
Thence South 89° 04' 38" West, along the south line of Lot	3147
48, a distance of 44.05 feet to an iron pipe set;	3148
Thence South 23° 50' 37" West, a distance of 1124.63 feet	3149
to a railroad spike set on the west line of Lot 51, being in the	3150
centerline of Sanborn Road;	3151
Thence South 00° 56' 43" East, along the west line of Lot	3152
51, and the centerline of Sanborn Road, a distance of 23.85 feet	3153
to a railroad spike set;	3154
Thence South 23° 50' 37" West a distance of 1037.50 feet	3155
to an iron pipe set;	3156
Thence South 89° 16' 37" West a distance of 11.00 feet to	3157
an iron pipe set;	3158
Thence South 23° 50' 37" West a distance of 2647.54 feet	3159
to an iron pipe found;	3160
Thence North 89° 36' 28" East a distance of 21.92 feet to	3161
an iron pipe set;	3162

Thence South 23° 49' 36" West a distance of 639.20 feet to	3163
an iron pipe set on the west line of Lot 52;	3164
Thence South 00° 20' 24" East, along the west line of Lot	3165
52, a distance of 208.98 feet to an iron pipe set;	3166
Thence South 85° 17' 47" West a distance of 120.15 feet to	3167
an iron pipe set;	3168
Thence South 23° 49' 36" West a distance of 2014.02 feet	3169
to an iron pipe set;	3170
Thence South 23° 44' 45" West a distance of 192.08 feet to	3171
an iron pipe set;	3172
Thence South 02° 20' 57" West a distance of 54.82 feet to	3173
an iron pipe set;	3174
Thence South 23° 44' 45" West a distance of 1104.51 feet	3175
to an iron pipe set;	3176
Thence North 45° 03' 31" East a distance of 55.75 feet to	3177
an iron pipe set;	3178
Thence South 23° 50' 31" West a distance of 443.95 feet to	3179
an iron pipe set;	3180
Thence South 23° 45' 36" West a distance of 234.48 feet to	3181
an iron pipe set;	3182
Thence North 00° 40' 53" West a distance of 95.42 feet to	3183
an iron pipe set;	3184
Thence South 23° 44' 45" West a distance of 2371.61 feet	3185
to an iron pipe set;	3186
Thence South 89 ° 15' 31" West a distance of 10.85 feet to	3187
a P.K. nail set in a twelve inch Cherry Tree;	3188

Thence South 23° 43' 44" West (passing through the south
line of Saybrook Township, at 2713.00 feet, more or less) a
total distance of 2738.76 feet to an iron pipe set;

Thence South 23° 44' 58" West a distance of 2862.44 feet
to a railroad spike set on the south line of Lot 6 (Austinburg
Township); also being in the centerline of Clay Street;

Thence North 88° 57' 25" East, along the centerline of
Clay Street, a distance of 22.04 feet to a railroad spike set;

Thence South 23° 45' 38" West a distance of 229.01 feet to
an iron rod found;

Thence South 02° 40' 44" East a distance of 112.50 feet to
an iron rod found;

Thence North 71° 28' 44" East a distance of 407.46 feet to
an iron rod found;

Thence South 01° 00' 30" East a distance of 519.94 feet to
an iron rod found;

Thence South 53° 20' 02" West a distance of 1049.64 feet
to an iron pipe set in Coffee Creek;

Thence South 89 ° 15' 51" West a distance of 56.42 feet to
an iron pipe set;

Thence South 23° 45' 38" West a distance of 1252.18 feet
to an iron pipe set 70.0 feet east of the P.T. of the point of
curvature of the original centerline;

Thence South 22° 24' 19" West a distance of 119.71 feet to
an iron pipe set;

Thence South 87° 42' 23" East a distance of 21.13 feet to
an iron pipe set;

Thence South $16^{\circ} 53' 53''$ West a distance of 772.00 feet to	3216
an iron pipe set at a point of curvature;	3217
Thence with an arc to the left, having a delta of $06^{\circ} 25'$	3218
36", a radius of 2570.57 feet, a chord which bears South $00^{\circ} 33'$	3219
56" West, a chord distance of 288.193 feet to an iron pipe set	3220
at a point of compound curve;	3221
Thence South $02^{\circ} 58' 36''$ East a distance of 65.43 feet to	3222
an iron pipe set;	3223
Thence North $89^{\circ} 13' 21''$ East a distance of 3.00 feet to	3224
an iron pipe set;	3225
Thence with an arc to the left, having a delta of $20^{\circ} 13'$	3226
34", a radius of 5696.65 feet, a chord which bears South $13^{\circ} 25'$	3227
11" East, a chord distance of 2000.558 feet to an iron pipe set	3228
at a point of tangency;	3229
Thence South $23^{\circ} 31' 58''$ East a distance of 1050.79 feet	3230
to an iron pipe set;	3231
Thence North $89^{\circ} 28' 02''$ East a distance of 40.20 feet to	3232
an iron pipe set;	3233
Thence South $23^{\circ} 31' 58''$ East a distance of 1005.52 feet	3234
to an iron pipe set at a point of curvature;	3235
Thence with an arc to the right, having a delta of $09^{\circ} 09'$	3236
22", a radius of 11529.19 feet, a chord which bears South 18°	3237
57' 17" East, a chord distance of 1840.45 feet to an iron pipe	3238
set;	3239
Thence South $78^{\circ} 42' 44''$ West a distance of 20.03 feet to	3240
an iron pipe set;	3241
Thence with an arc to the right, having a delta of $06^{\circ} 34'$	3242

12", a radius of 11509.19 feet, a chord which bears South 11°	3243
05' 49", a chord distance of 1319.01 feet to an iron pipe set on	3244
the south line of Lot 47, being in the centerline of Lampson	3245
Road;	3246
Thence South 89° 00' 39" West, along the south line of Lot	3247
47, and the centerline of Lampson Road, a distance of 17.12 feet	3248
to an iron pipe set;	3249
Thence South 07° 44' 48" East a distance of 30.21 feet to	3250
an iron pipe set on the south right of way line of Lampson Road;	3251
Thence North 89° 00' 39" East, along the south right of	3252
way line of Lampson Road, a distance of 379.50 feet to an iron	3253
pipe set;	3254
Thence with an arc to the right, having a delta of 07° 13'	3255
44", a radius of 11869.19 feet, a chord which bears South 03°	3256
50' 38" East, a chord distance of 1496.52 feet to an iron pipe	3257
set at a point of tangency;	3258
Thence South 00° 13' 46" East a distance of 3905.32 feet	3259
to an iron pipe set on the north right of way line of Allen	3260
Road;	3261
Thence South 89° 36' 41" West, along the north right of	3262
way line of Allen Road, a distance of 357.00 feet to an iron	3263
pipe set;	3264
Thence South 00° 13' 46" East a distance of 25.00 feet to	3265
an iron pipe set on the south line of Lot 67, being in the	3266
centerline of Allen Road;	3267
Thence North 89° 36' 41" East, along the south line of Lot	3268
67, and the centerline of Allen Road, a distance of 40.00 feet	3269
to an iron pipe set;	3270

Thence South 00° 13' 46" East (being 60.00 feet east of 3271
and parallel to the west line of Lot 77) a distance of 593.06 3272
feet to an iron pipe set; 3273

Thence South 88° 28' 36" West a distance of 13.00 feet to 3274
a corner post; 3275

Thence South 00° 13' 46" East (being 47.00 feet east of 3276
and parallel to the west line of Lots 77 and 87) a distance of 3277
2690.29 feet to an iron pipe set; 3278

Thence South 83° 31' 08" East a distance of 10.07 feet to 3279
an iron pipe set; 3280

Thence South 00° 13' 46" East a distance of 3816.85 feet 3281
to an iron pipe set on the south side of Mill Creek; 3282

Thence South 89° 46' 14" West a distance of 24.00 feet to 3283
an iron pipe set; 3284

Thence South 00° 13' 46" East a distance of 400.00 feet to 3285
an iron pipe set in Mill Creek; 3286

Thence South 18° 02' 01" West a distance of 105.30 feet to 3287
an iron pipe set; 3288

Thence South 00° 13' 46" East (being 66.00 feet east of 3289
and parallel to the west line of Lot 97) a distance of 519.14 3290
feet to a railroad spike set in the centerline of Eagleview- 3291
Jefferson Road; 3292

Thence North 72° 26' 12" East, along the centerline of 3293
said Eagleview-Jefferson Road, a distance of 34.57 feet to a 3294
railroad spike set; 3295

Thence South 00° 13' 46" East a distance of 330.00 feet to 3296
an iron pipe set; 3297

Thence South 89° 46' 14" West a distance of 33.00 feet to	3298
an iron pipe set;	3299
Thence South 00" 13' 46" East a distance of 224.37 feet to	3300
an iron pipe set;	3301
Thence South 00° 20' 40" East a distance of 6659.22 feet	3302
to an iron pipe set on the south line of Lot 37;	3303
Thence South 00" 26' 27" East a distance of 3328.87 feet	3304
to an iron pipe set on the south line of Lot 57;	3305
Thence South 00° 32' 27" East a distance of 3336.68 feet	3306
to an iron pipe set on the south line of Lot 77, being in the	3307
centerline of Tische Road;	3308
Thence South 00° 38' 02" East a distance of 4116.13 feet	3309
to an iron pipe set on the south side of Jefferson Street;	3310
Thence South 00° 40' 45" East a distance of 3446.62 feet	3311
to an iron pipe set;	3312
Thence South 15° 56' 45" East a distance of 228.00 feet to	3313
an iron pipe set;	3314
Thence South 00° 40' 45" East a distance of 80.00 feet to	3315
an iron pipe set;	3316
Thence South 22° 31' 29" West (passing an iron pipe set at	3317
122.37 feet) a total distance of 152.37 feet to a point in Rock	3318
Creek;	3319
Thence South 00° 40' 45" East a distance of 381.73 feet to	3320
an iron pipe set on the south line of Lot 127;	3321
Thence North 89° 00' 50" East a distance of 4.00 feet to	3322
an iron pipe set;	3323
Thence South 01° 14' 28" East a distance of 996.25 feet to	3324

an iron pipe set;	3325
Thence South 89° 20' 12" West a distance of 14.00 feet to	3326
an iron pipe set;	3327
Thence South 00° 39' 48" East a distance of 690.00 feet to	3328
an iron pipe set on the south line of Lot 136;	3329
Thence North 89° 20' 12" East, along the south line of Lot	3330
136, a distance of 10.00 feet to an iron pipe set at the	3331
southeast corner of Lot 136;	3332
Thence South 00° 50' 41" West a distance of 380.00 feet to	3333
an iron pipe set;	3334
Thence South 00° 39' 48" East a distance of 1470.00 feet	3335
to an iron pipe set;	3336
Thence North 89° 49' 05" East a distance of 27.00 feet to	3337
an iron pipe set;	3338
Thence South 00° 39' 49" East a distance of 824.34 feet to	3339
an iron pipe set on the south line of Morgan Township (north	3340
line of Rome Township);	3341
Thence South 00° 43' 56" East a distance of 2072.17 feet	3342
to an iron pipe set;	3343
Thence South 01° 26' 14" East a distance of 6093.80 feet	3344
to an iron pipe set on the north right of way line of Ketcham	3345
Road;	3346
Thence South 88° 55' 46" West, along the north right of	3347
way line of Ketcham Road, a distance of 20.01 feet to an iron	3348
pipe set;	3349
Thence South 01° 27' 02" East, along the east line of Lots	3350
24 and 25, a distance of 2988.00 feet to an iron pipe set;	3351

Thence South 88° 32' 58" West a distance of 7.00 feet to	3352
an iron pipe set;	3353
Thence South 01° 27' 02" East a distance of 1390.17 feet	3354
to an iron pipe set;	3355
Thence North 88° 32' 19" East a distance of 150.00 feet to	3356
an iron pipe set;	3357
Thence South 01° 27' 02" East a distance of 1000.00 feet	3358
to a railroad spike set in the centerline of U.S. Route 6;	3359
Thence South 88° 32' 19" West, along the centerline of	3360
U.S. Route 6, a distance of 150.00 feet to a railroad spike set;	3361
Thence South 01° 26' 00" East a distance of 289.08 feet to	3362
an iron pipe set;	3363
Thence North 87° 36' 35" East a distance of 33.00 feet to	3364
an iron pipe set;	3365
Thence South 01° 26' 00" East (being 66.00 feet east of	3366
and parallel to the west line of Lot 36) a distance of 2426.30	3367
feet to an iron pipe set on the south line of Lot 36;	3368
Thence North 89° 35' 33" West, along the south line of Lot	3369
36, a distance of 8.00 feet to an iron pipe set;	3370
Thence South 01° 26' 00" East (being 58.00 feet east of	3371
and parallel to the west line of Lot 37) a distance of 2632.69	3372
feet to a railroad spike set on the south line of Lot 37, being	3373
in the centerline of Dodgeville Road;	3374
Thence North 88° 31' 16" East, along the centerline of	3375
Dodgeville Road, a distance of 2.00 feet to a railroad spike	3376
set;	3377
Thence South 01° 03' 18" East (being 60.00 feet east of	3378

and parallel to the west line of Lot 38) a distance of 1620.32 3379
feet to an iron pipe set; 3380

Thence North $89^{\circ} 19' 02''$ East a distance of 13.00 feet to 3381
an iron pipe set; 3382

Thence South $01^{\circ} 03' 18''$ East (being 73.00 feet east of 3383
and parallel to the west line of Lots 38 and 39) a distance of 3384
3686.19 feet to an iron pipe set on the south line of Lot 39, 3385
being in the centerline of Fillingham Road; 3386

Thence South $88^{\circ} 48' 02''$ West, along the centerline of 3387
Fillingham Road, a distance of 40.00 feet to an iron pipe set; 3388

Thence South $01^{\circ} 03' 18''$ East, a distance of 162.68 feet 3389
to an iron pipe set at a point of curvature; 3390

Thence with an arc to the right, having a delta of $12^{\circ} 22' 3391$
 $07''$, a radius of 5762.65 feet, a chord which bears South $05^{\circ} 07' 3392$
 $45''$ West, a chord distance of 1241.586 feet to an iron pipe set 3393
at a point of tangency; 3394

Thence South $11^{\circ} 18' 49''$ West (passing through the south 3395
line of Rome Township, at 320.00 feet, more or less) a total 3396
distance of 2391.76 feet to an iron pipe set at a point of 3397
curvature; 3398

Thence with an arc to the left, having a delta of $12^{\circ} 31' 3399$
 $23''$, a radius of 5696.65 feet, a chord which bears South $05^{\circ} 03' 3400$
 $07''$ West, a chord distance of 1242.64 feet to an iron pipe set 3401
at a point of tangency; 3402

Thence North $88^{\circ} 31' 00''$ East a distance of 12.00 feet to 3403
an iron pipe set; 3404

Thence South $00^{\circ} 09' 14''$ West a distance of 420.00 feet to 3405
an iron pipe set; 3406

Thence South $01^{\circ} 29' 34''$ East a distance of 9611.46 feet 3407
to a railroad spike set in the centerline of U.S. Route 322; 3408

Thence South $88^{\circ} 58' 16''$ West, along the centerline of 3409
U.S. Route 322, a distance of 3.00 feet to a railroad spike set; 3410

Thence South $01^{\circ} 25' 22''$ East a distance of 11232.78 feet 3411
to an iron pipe set at a point of curvature; 3412

Thence with an arc to the right, having a delta of $04^{\circ} 08' 29''$, a radius of 11489.19 feet, a chord which bears South $00^{\circ} 38' 52''$ West, a chord distance of 830.27 feet to an iron pipe 3413
set on the west line of Section 24; 3414
3415
3416

Thence South $01^{\circ} 25' 22''$ East, along the west line of 3417
Section 24 (east line of Section 23) a distance of 424.92 feet 3418
to The Place of Beginning; 3419

Containing 342.940 acres, more or less, of which 39.586 3420
acres are in Orwell Township, including 5.896 acres in the 3421
Village of Orwell; 43.848 acres in Morgan Township, including 3422
7.012 acres in the Village of Rock Creek; 128.847 acres are in 3423
Austinburg Township; 60.322 acres are in Rome Township; 53.044 3424
acres are in Saybrook Township; 17.293 acres are in Ashtabula 3425
Township, including 9.285 acres in The City of Ashtabula; 3426

Iron pipes set are 1" O.D. x 30" length steel pipes with 3427
yellow plastic caps stamped STULTS AND ASSOC.; 3428

The bearing system herein are referenced to and derived 3429
from the Ohio State Plane Coordinate System, North Zone (pages 3430
Ohio revised code, Sections 157.01 to 157.07 inclusive.) All 3431
distances, bearings and coordinates have been converted from 3432
geographic position to plane coordinate position based on the 3433
Lambert conformal conic projection. The coordinates of The Place 3434
of Beginning are North 672,489.10770 and East 2,452,473.55552. 3435

This survey is made subject to all easements, restrictions 3436
and rights-of-way that are recorded or unrecorded. 3437

A survey plat entitled "Plat of Survey of Land of The Penn 3438
Central, Corporation to be acquired by The State of Ohio" 3439
consists of Sheet No. 14 through Sheet No. 37 inclusive, is to 3440
be recorded, upon final acquisition, with the Recorder's Office 3441
of Ashtabula County. 3442

The foregoing legal description may be corrected or 3443
modified by the Department of Administrative Services or the 3444
Ohio Rail Development Commission, successor in interest to the 3445
Ohio Rail Transportation Authority, to a final form if such 3446
corrections or modifications are needed to facilitate 3447
recordation of the deed. 3448

(B)(1) The conveyance includes all privileges, rights, 3449
easements, and appurtenances to the real estate, and any 3450
buildings and other structures and improvements erected thereon, 3451
and is subject to all leases, easements, reservations, 3452
restrictions, licenses, permits, memoranda of understanding, 3453
agreements, conditions, and covenants of record and 3454
encroachments whether of record or not; all legal highways and 3455
public rights-of-way; zoning, building, and other laws, 3456
ordinances, restrictions, and regulations; and real estate taxes 3457
and assessments not yet due and payable. The real estate shall 3458
be conveyed in an "as-is, where-is, with all faults" condition. 3459

(2) The deed or deeds may contain restrictions, 3460
exceptions, reservations, reversionary interests, and other 3461
terms and conditions the Ohio Rail Development Commission, 3462
successor in interest to the Ohio Rail Transportation Authority, 3463
determines to be in the best interest of the State. 3464

(3) Subsequent to the conveyance, any restrictions, 3465
exceptions, reservations, reversionary interests, or other terms 3466
and conditions contained in the deed may be released by the 3467
State or the Ohio Rail Development Commission, successor in 3468
interest to the Ohio Rail Transportation Authority, without the 3469
necessity of further legislation. 3470

(C) Consideration for the conveyance of the real estate 3471
described in division (A) of this section shall be \$1.00. 3472

The Director of Administrative Services shall offer the 3473
real estate to Ashtabula County Metropolitan Park District 3474
through a real estate purchase agreement. Consideration for the 3475
conveyance of the real estate shall be at a price acceptable to 3476
the Director of Administrative Services and the Director of Ohio 3477
Rail Development Commission, successor in interest to the Ohio 3478
Rail Transportation Authority. If Ashtabula County Metropolitan 3479
Park District does not complete the purchase of the real estate 3480
within the time period provided in the real estate purchase 3481
agreement, the Director of Administrative Services may use any 3482
reasonable method of sale considered acceptable by the Ohio Rail 3483
Development Commission to determine an alternate grantee willing 3484
to complete the purchase within three years after the effective 3485
date of this section. The Ohio Rail Development Commission, 3486
successor in interest to the Ohio Rail Transportation Authority, 3487
shall pay all advertising costs, additional fees, and other 3488
costs incident to the sale of the real estate. 3489

(D) The real estate described in division (A) of this 3490
section may be conveyed as an entire tract or as multiple 3491
parcels. 3492

(E) Grantee shall pay all costs associated with the 3493
purchase, closing and conveyance, including surveys, title 3494

evidence, title insurance, transfer costs and fees, recording 3495
costs and fees, taxes, and any other fees, assessments, and 3496
costs that may be imposed. 3497

The net proceeds of the sale shall be deposited into the 3498
state treasury to the credit of the Rail Development Fund (Fund 3499
4N40) under section 4981.09 of the Revised Code. 3500

(F) (1) Upon payment of the purchase price, the Director of 3501
Administrative Services, with the assistance of the Attorney 3502
General, shall prepare a Governor's Deed to the real estate 3503
described in division (A) of this section. The Governor's Deed 3504
shall state the consideration and shall be executed by the 3505
Governor in the name of the State, countersigned by the 3506
Secretary of State, sealed with the Great Seal of the State, 3507
presented in the Department of Administrative Services for 3508
recording, and delivered to the Grantee. The Grantee shall 3509
present the Governor's Deed for recording in the Office of the 3510
Ashtabula County Recorder. 3511

(2) The intent of this conveyance is for the Purchaser to 3512
use the real estate for recreational purposes; therefore, the 3513
deed shall contain a restriction stating that if the real estate 3514
described in division (A) of this section is no longer being 3515
used for recreational purposes, the real estate described in 3516
division (A) of this section shall revert back to the State of 3517
Ohio at the sole discretion of the Director of the Ohio Rail 3518
Development Commission, successor in interest to the Ohio Rail 3519
Transportation Authority, at the purchase price of the real 3520
estate described in division (A) of this section. 3521

(G) This section shall expire 3 years after its effective 3522
date. 3523

Section 9. (A) Notwithstanding division (A) (5) of section 3524
123.01 of the Revised Code, the Director of Administrative 3525
Services may execute a perpetual easement in the name of the 3526
State with the City of Columbus, Ohio, an Ohio municipal 3527
corporation, and its successors and assigns, for the 3528
installation, construction, operation, maintenance, repair, 3529
reconstruction, servicing and/or replacement of a twelve inch 3530
(12") sanitary sewer pipeline, burdening the following described 3531
real estate: 3532

Situated in the Southwest Quarter of Town 1 North, Range 3533
18 West, City of Columbus, Franklin County, Ohio and being part 3534
of Lots 1 (PID 010-032095) in the name of the State of Ohio 3535
(Ohio State University) as recorded in Vol 2663, Page 143 and 3536
Lot 2 (PID 010-004693), Lot 3 (PID 010-004692), Lot 4 (PID 010- 3537
004690), in the name of the State of Ohio (Ohio State 3538
University) as recorded in Vol 2660 Page 651 and Lots 5&6 (PID 3539
010-004731), in the name of the State of Ohio (Ohio State 3540
University) as recorded in Vol 2668, Page 112, and part Lot 7 3541
(PID 010-045989) in the name of the State of Ohio (Ohio State 3542
University) as recorded in Vol 2670, Page 498, and a portion of 3543
former 10th Ave. vacated per Ordinance 779-66 (010-026543) as 3544
shown on the Record Plat of the Kings Neil Ave. Subdivision Plat 3545
as recorded in Plat Book 7, Page 96 of the Exempted Lands of The 3546
Ohio State University and being more particularly described as 3547
follows: 3548

Beginning at a set mag nail the southeasterly corner of 3549
said Lot 1 of Kings Neil Ave. Subdivision Plat and the westerly 3550
right-of-way line of Neil Ave. and the northerly right-of-way 3551
line of W. 9th Ave., 3552

Thence along said northerly right-of-way line of West 9th 3553

Ave., North 87°01'43" West, a distance of 15.96 feet to the True 3554
Point of Beginning. 3555

Thence continuing along said northerly right-of-way line 3556
of West 9th Ave., North 87°01'43" West, a distance of 31.50 feet 3557
to a point, 3558

Thence along a line through the aforementioned Lots 1-7 3559
the following six courses: 3560

(1) North 53°33'28" East, a distance of 47.41 feet, to a 3561
point, 3562

(2) North 08°14'18" West, a distance of 94.83 feet, to a 3563
point, 3564

(3) South 81°45'42" West, a distance of 12.00 feet, to a 3565
point, 3566

(4) North 08°14'18" West, a distance of 25.00 feet, to a 3567
point, 3568

(5) North 81°45'42" East, a distance of 12.00 feet, to a 3569
point, 3570

(6) North 08°14'18" West, a distance of 247.38 feet, to a 3571
point on the southerly line of a 1' reservation strip as shown 3572
on said Record Plat and the former northerly right-of-way line 3573
of W. 10th Ave. 3574

Thence along said southerly line of the reservation strip 3575
and the former northerly right-of-way line of W. 10th Ave. South 3576
87°01'43" East a distance of 12.74 feet to a mag nail on the 3577
aforementioned westerly right-of-way line of Neil Ave. 3578

Thence along said westerly right-of-way line of Neil Ave. 3579
South 08°14'18" East, a distance of 386.40 feet to a point and 3580

Thence along a line through the aforementioned Lot of 3581
Kings Plat, South 53°33'28" West, a distance of 17.77 feet to 3582
the True Point of Beginning. 3583

Containing 0.1337 total acres (5824 sq. ft.) and being 3584
subject to all other easements, encumbrances, rights, 3585
reservations and restrictions that may affect the subject 3586
parcels. 3587

North and bearing system based upon the Ohio State Plane 3588
Coordinate System South Zone NAD83(11) (Converted from 12a 3589
utilizing CORPSCON) and referenced to the O.D.O.T. CORS Network 3590
and collected utilizing a Spectra SP80 Network Rover and by a 3591
field survey conducted by or under the direct supervision of J. 3592
Bryant Abt, PS #8593. 3593

The foregoing legal description may be corrected or 3594
modified by the Department of Administrative Services to a final 3595
form if such corrections or modifications are needed to 3596
facilitate recordation of the perpetual easement. 3597

(B) The perpetual easement shall state the obligations of, 3598
and the duties to be observed and performed by the City of 3599
Columbus, Ohio, with regard to the perpetual easement, and 3600
require the City of Columbus, Ohio to assume perpetual 3601
responsibility for the installation, construction, operation, 3602
maintenance, repair, reconstruction, servicing and/or 3603
replacement of the twelve inch (12") sanitary sewer pipeline 3604
that is currently located on the real estate. 3605

(C) Consideration for the granting of the perpetual 3606
easement shall be \$1.00. 3607

(D) The Director of Administrative Services shall prepare 3608
the perpetual easement. The perpetual easement shall state the 3609

consideration and the terms and conditions for the granting of 3610
the perpetual easement. The perpetual easement shall be executed 3611
by the Director of Administrative Services in the name of the 3612
State, be kept in the records of the Department of 3613
Administrative Services, and delivered to the City of Columbus, 3614
Ohio. The City of Columbus, Ohio, shall present the perpetual 3615
easement for recording in the Office of the Franklin County 3616
Recorder. The City of Columbus, Ohio, shall pay the costs 3617
associated with recording the perpetual easement. 3618

(E) This section shall expire three years after its 3619
effective date. 3620

Section 10. (A) Notwithstanding division (A) (5) of section 3621
123.01 of the Revised Code, the Director of Administrative 3622
Services may execute a perpetual easement in the name of the 3623
state with the City of Columbus, Ohio, an Ohio municipal 3624
corporation, and its successors and assigns, for the operation, 3625
maintenance, repair, reconstruction, servicing, and replacement 3626
of the Olentangy Scioto Interceptor Sewer and appurtenances 3627
thereto, burdening the following described real estate: 3628

Situated in the State of Ohio, County of Franklin, City of 3629
Columbus, lying in Quarter Township 3, Township 1, Range 18, 3630
United States Military District, being a 35 foot wide strip of 3631
land on, over, and across that tract conveyed to The State of 3632
Ohio by deed of record in Deed Book 620, Page 413 and that tract 3633
conveyed to The State of Ohio by deed of record in Deed Book 3634
627, Page 253 (all references are to the records of the 3635
Recorder's Office, Franklin County, Ohio) and being more 3636
particularly described as follows: 3637

Beginning, for reference, at the Southeast corner of the 3638
"Reserve" as shown on the Plat titled "ELIZABETH J. McMILLEN - 3639

HOMESTEAD" of record in Plat Book 4, Page 400, at the 3640
intersection of a Northerly Right-Of-Way line of an 18 foot wide 3641
Alley with a Westerly Right-Of-Way line of an 18 foot wide 3642
Alley; both Alleys of Record in said Plat Book 4, Page 400; 3643

Thence North 73° 59' 54" West, across said State of Ohio 3644
tract and crossing said "Reserve", a distance of 94.90 feet to a 3645
point, being the TRUE POINT OF BEGINNING; 3646

Thence continuing across said State of Ohio tract, the 3647
following courses and distances: 3648

North 82° 28' 17" West, a distance of 35.02 feet to a 3649
point; 3650

North 09° 17' 31" East, a distance of 80.78 feet to a 3651
point; 3652

North 09° 25' 36" East, a distance of 38.59 feet to a 3653
point; 3654

North 10° 02' 12" East, a distance of 42.12 feet to a 3655
point; 3656

North 15° 51' 47" East, a distance of 43.93 feet to a 3657
point; 3658

North 15° 08' 24" East, a distance of 37.63 feet to a 3659
point; 3660

North 15° 59' 29" East, a distance of 78.61 feet to a 3661
point; 3662

North 13° 32' 33" East, a distance of 41.80 feet to a 3663
point; 3664

North 24° 20' 52" East, a distance of 28.50 feet to a 3665
point; 3666

North 74° 10' 08" East, a distance of 45.81 feet to a 3667
point; 3668

South 24° 20' 52" West, a distance of 54.74 feet to a 3669
point; 3670

South 13° 32' 33" West, a distance of 39.24 feet to a 3671
point; 3672

South 15° 59' 29" West, a distance of 79.10 feet to a 3673
point; 3674

South 15° 08' 24" West, a distance of 37.59 feet to a 3675
point; 3676

South 15° 51' 47" West, a distance of 42.37 feet to a 3677
point; 3678

South 10° 02' 12" West, a distance of 40.15 feet to a 3679
point; 3680

South 09° 25' 36" West, a distance of 38.36 feet to a 3681
point; 3682

South 09° 17' 31" West, a distance of 79.66 feet to the 3683
TRUE POINT OF BEGINNING, containing 0.323 acres, more or less, 3684
which is located in Auditor's Parcel Number 010-067017. 3685

The bearings listed herein are based on the Ohio State 3686
Plane Coordinate System, South Zone as per NAD 83 (2011). 3687

The foregoing legal description may be corrected or 3688
modified by the Department of Administrative Services to a final 3689
form if such corrections or modifications are needed to 3690
facilitate recordation of the perpetual easement. 3691

(B) The perpetual easement shall state the obligations of, 3692
and the duties to be observed and performed by the City of 3693

Columbus, Ohio, with regard to the perpetual easement, and 3694
require the City of Columbus, Ohio to assume perpetual 3695
responsibility for the operation, maintenance, repair, 3696
reconstruction, servicing, and replacement of the Olentangy 3697
Scioto Interceptor Sewer and appurtenances thereto, that is 3698
currently located on the real estate. 3699

(C) Consideration for the granting of the perpetual 3700
easement shall be \$1.00. 3701

(D) The Director of Administrative Services shall prepare 3702
the perpetual easement. The perpetual easement shall state the 3703
consideration and the terms and conditions for the granting of 3704
the perpetual easement. The perpetual easement shall be executed 3705
by the Director of Administrative Services in the name of the 3706
state, be kept in the records of the Department of 3707
Administrative Services, and delivered to the City of Columbus, 3708
Ohio. The City of Columbus, Ohio shall present the perpetual 3709
easement for recording in the Office of the Franklin County 3710
Recorder. The City of Columbus, Ohio shall pay the costs 3711
associated with recording the perpetual easement. 3712

(E) This section shall expire three years after its 3713
effective date. 3714

Section 11. (A) Notwithstanding division (A)(5) of section 3715
123.01 of the Revised Code, the Director of Administrative 3716
Services may execute a perpetual easement in the name of the 3717
state with the City of Columbus, Ohio, an Ohio municipal 3718
corporation, and its successors and assigns, for the 3719
installation, construction, operation, maintenance, repair, 3720
reconstruction, servicing, and replacement of storm sewer 3721
infrastructure, burdening the following described real estate: 3722

Situated in the State of Ohio, County of Franklin, 3723
Township of Clinton, lying in Quarter Township 3, Township 1, 3724
Range 18, United States Military District, being on, over, and 3725
across Lots 5 and 6 of that plat titled "J.O. Lisle Subdivision" 3726
of record in Plat Book 5, Page 431 and that 0.716 acre tract 3727
conveyed to The State of Ohio, for the use and benefit of The 3728
Ohio State University by deed of record in Instrument Number 3729
200009290198264, and that tract conveyed to The State of Ohio by 3730
deed of record in Deed Book 602, Page 463 (all references are to 3731
the records of the Recorder's Office, Franklin County, Ohio) and 3732
being more particularly described as follows: 3733

Beginning, for reference, at the centerline intersection 3734
of Kinnear Road and Kenny Road; 3735

Thence North 03° 41' 02" East, with the centerline of said 3736
Kenny Road, a distance of 977.49 feet to a point; 3737

Thence South 86° 18' 58" East, crossing said Kenny Road 3738
and that "Easement for Highway Purposes" as conveyed to the 3739
County of Franklin of record in Deed Book 3052, Page 549, to a 3740
point in the easterly right-of-way line of said Kenny Road, 3741
being the TRUE POINT OF BEGINNING; 3742

Thence with said easterly right-of-way line, the following 3743
courses and distances: 3744

North 03° 41' 02" East, a distance of 15.89 feet to an 3745
angle point in said easterly right-of-way line, in the southerly 3746
line of that "Right-of-Way Easement" conveyed as Parcel No. 8 to 3747
the County of Franklin, Ohio of record in Instrument Number 3748
201012020163433; 3749

South 86° 42' 58" East, with said southerly line, a 3750
distance of 10.00 feet to an angle point in said easterly right- 3751

of-way line; and 3752

North 03° 41' 02" East, with the easterly line of said 3753
Parcel No. 8, distance of 30.04 feet to a point; 3754

Thence crossing said State of Ohio tracts, the following 3755
courses and distances: 3756

South 86° 18' 47" East, a distance of 18.97 feet to a 3757
point; 3758

South 03° 26' 41" West, a distance of 32.05 feet to a 3759
point; 3760

South 48° 26' 01" West, a distance of 19.65 feet to a 3761
point; and 3762

North 86° 18' 47" West, a distance of 15.27 feet to the 3763
TRUE POINT OF BEGINNING, containing 0.022 acre, more or less, of 3764
which 0.009 acre is from Auditor's Parcel Number 130-011864-00, 3765
and 0.013 acre is from Auditor's Parcel Number 130-011841-00. 3766

The bearings listed herein are based on the Ohio State 3767
Plane Coordinate System South Zone per NAD83 (NSRS2007). Control 3768
for bearings was from coordinates of monuments RINGLE and COC 4- 3769
83 having a bearing of South 34° 13' 31" West, established by 3770
the Franklin County Engineering Department, using Global 3771
Positioning procedures and equipment. 3772

The foregoing legal description may be corrected or 3773
modified by the Department of Administrative Services to a final 3774
form if such corrections or modifications are needed to 3775
facilitate recordation of the perpetual easement. 3776

(B) The perpetual easement shall state the obligations of, 3777
and the duties to be observed and performed by the City of 3778
Columbus, Ohio, with regard to the perpetual easement, and 3779

require the City of Columbus, Ohio to assume perpetual 3780
responsibility for the installation, construction, operation, 3781
maintenance, repair, reconstruction, servicing, and replacement 3782
of the storm sewer infrastructure that is currently located on 3783
the real estate. 3784

(C) Consideration for the granting of the perpetual 3785
easement shall be \$1.00. 3786

(D) The Director of Administrative Services shall prepare 3787
the perpetual easement. The perpetual easement shall state the 3788
consideration and the terms and conditions for the granting of 3789
the perpetual easement. The perpetual easement shall be executed 3790
by the Director of Administrative Services in the name of the 3791
state, be kept in the records of the Department of 3792
Administrative Services, and delivered to the City of Columbus, 3793
Ohio. The City of Columbus, Ohio shall present the perpetual 3794
easement for recording in the Office of the Franklin County 3795
Recorder. The City of Columbus, Ohio shall pay the costs 3796
associated with recording the perpetual easement. 3797

(E) This section shall expire three years after its 3798
effective date. 3799

Section 12. (A) The Director of Administrative Services is 3800
authorized to execute a perpetual easement burdening state-owned 3801
real estate under the jurisdiction of The Ohio State University, 3802
for the installation, construction, operation, maintenance, 3803
repair, reconstruction, servicing and/or replacement of a 3804
sanitary sewer pipeline, in accordance with the following 3805
guidelines: 3806

Notwithstanding division (A) (5) of section 123.01 of the 3807
Revised Code, the Director of Administrative Services may 3808

execute a perpetual easement in the name of the state with the 3809
city of Columbus, Ohio, an Ohio municipal corporation, and its 3810
successors and assigns, for the installation, construction, 3811
operation, maintenance, repair, reconstruction, servicing and/or 3812
replacement of a sanitary sewer pipeline, burdening the 3813
following described real estate: 3814

Situated in the state of Ohio, county of Franklin, city of 3815
Columbus, lying in Quarter Township 3, Township 1, Range 18, 3816
United State Military District, being on, over, and across that 3817
60.82 acre tract conveyed to state of Ohio by deed of record in 3818
Deed Book 103, Page 552 and that 79.59 acre tract conveyed to 3819
The State of Ohio by deed of record in Deed Book 428, Page 192, 3820
(all references are to the records of the Recorder's Office, 3821
Franklin County, Ohio) being more particularly described as 3822
follows: 3823

Beginning, for reference, in the easterly line of said 3824
79.59 acre tract, at the southwest corner of Lot 45 of that 3825
subdivision entitled "'R.P. Woodruffs", of record in Plat Book 3826
3, Page 421, being the westerly terminus of the northerly right- 3827
of-way line of Woodruff Avenue (60 feet in width), as dedicated 3828
by Plat Book 3, Page 421, and vacated by Ordinance Number 416- 3829
38; 3830

Thence South 03° 37' 41" West, with the westerly terminus 3831
of said Woodruff Avenue, a distance of 30.00 feet to a point at 3832
the westerly terminus of the centerline of said Woodruff Avenue, 3833
at a common corner of said 60.82 and 79.59 acre tracts; 3834

Thence South 13° 55' 11" West, with the line common to 3835
said 60.82 and 79.59 acre tracts, a distance of 179.93 feet to 3836
the TRUE POINT OF BEGINNING; 3837

Thence across said 60.82 and 79.59 acre tracts, the	3838
following courses and distances:	3839
South 86° 24' 45" East, a distance of 88.00 feet to a	3840
point;	3841
South 86° 24' 00" East, a distance of 32.29 feet to a	3842
point;	3843
North 81° 20' 51" East, a distance of 68.63 feet to a	3844
point;	3845
North 03° 51' 45" East, a distance of 12.79 feet to a	3846
point;	3847
South 86° 07' 43" East, a distance of 40.00 feet to a	3848
point;	3849
South 03° 51' 45" West, a distance of 44.88 feet to a	3850
point;	3851
South 81° 20' 51" West, a distance of 105.02 feet to a	3852
point;	3853
North 86° 24' 00" West, a distance of 36.58 feet to a	3854
point;	3855
North 86° 24' 45" West, a distance of 438.94 feet to a	3856
point; and	3857
North 41° 30' 46" West, a distance of 18.74 feet to a	3858
point in the easterly right-of-way line of Olentangy River Road;	3859
Thence North 04° 39' 57" East, with said easterly right-	3860
of-way line, a distance of 55.44 feet to a point;	3861
Thence South 41° 30' 46" East, across said 79.59 acre	3862
tract, a distance of 40.60 feet to a point;	3863

Thence South 86° 24' 45" East, across said 79.59 acre 3864
tract, a distance of 334.42 feet to the TRUE POINT OF BEGINNING, 3865
containing 0.561 acre, more or less, out of Auditor Parcel 3866
Numbers 010-067007 and 010-203994. 3867

The coordinates shown hereon are based on the Ohio State 3868
Plane Coordinate System, South Zone, NAD 83 (1986). Said 3869
coordinates originated from a field traverse which was tied 3870
(referenced) to said coordinate system by Static GPS 3871
observations of Franklin County Engineering Department monuments 3872
COC4-83 and RINGLE, with a bearing of North 34° 13' 31" East 3873
between said monuments. 3874

The foregoing legal description may be corrected or 3875
modified by the Department of Administrative Services to a final 3876
form if such corrections or modifications are needed to 3877
facilitate recordation of the perpetual easement. 3878

(B) The perpetual easement shall state the obligations of, 3879
and the duties to be observed and performed by the city of 3880
Columbus, Ohio, with regard to the perpetual easement, and 3881
require the city of Columbus, Ohio to assume perpetual 3882
responsibility for the installation, construction, operation, 3883
maintenance, repair, reconstruction, servicing and/or 3884
replacement of the sanitary sewer pipeline that is currently 3885
located on the real estate. 3886

(C) Consideration for the granting of the perpetual 3887
easement shall be \$1.00. 3888

(D) The Director of Administrative Services shall prepare 3889
the perpetual easement. The perpetual easement shall state the 3890
consideration and the terms and conditions for the granting of 3891
the perpetual easement. The perpetual easement shall be executed 3892

by the Director of Administrative Services in the name of the 3893
State, be kept in the records of the Department of 3894
Administrative Services, and delivered to the city of Columbus, 3895
Ohio. The city of Columbus, Ohio shall present the perpetual 3896
easement for recording in the Office of the Franklin County 3897
Recorder. The city of Columbus, Ohio shall pay the costs 3898
associated with recording the perpetual easement. 3899

(E) This section shall expire 3 years after its effective 3900
date. 3901

Section 13. (A) The Director of Administrative Services is 3902
authorized to execute a perpetual easement burdening state-owned 3903
real estate under the jurisdiction of The Ohio State University, 3904
for the installation, construction, operation, maintenance, 3905
repair, reconstruction, servicing and/or replacement of a 3906
thirty-inch sanitary sewer pipeline, in accordance with the 3907
following guidelines: 3908

Notwithstanding division (A) (5) of section 123.01 of the 3909
Revised Code, the Director of Administrative Services may 3910
execute a perpetual easement in the name of the state with the 3911
city of Columbus, Ohio, an Ohio municipal corporation, and its 3912
successors and assigns, for the installation, construction, 3913
operation, maintenance, repair, reconstruction, use, servicing 3914
and/or replacement of a thirty-inch (30") sanitary sewer 3915
pipeline, burdening the following described real estate: 3916

0.087-ACRE DESCRIPTION 3917

Being Situated in the state of Ohio, county of Franklin, 3918
city of Columbus, Quarter Township 3, Township 1N, Range 18W, 3919
United States Military Lands and being part of an original 3920
56.66-acre tract as conveyed to state of Ohio by deed of record 3921

in Deed Book 564, Page 9 of the Recorder's Office, Franklin 3922
County, Ohio, and being more particularly described as follows: 3923

Commencing at an aluminum disk in PVC encased concrete 3924
found in a monument box at an angle point in the centerline of 3925
Kenny Road (Width Varies), designation FCGS 1160, said point 3926
being part of the Franklin County Survey Control network and 3927
also being along the easterly line of an original 75.38-acre 3928
tract as conveyed to state of Ohio by deed of record in Deed 3929
Book 564, Page 8; 3930

Thence along the centerline of Kenny Road, the easterly 3931
line of said 75.38-acre tract, and the easterly line of an 3932
original 56.66-acre tract as conveyed to state of Ohio in Deed 3933
Book 564, Page 9, North 03° 35' 03" East for a distance of 92.12 3934
feet to the True Point of Beginning; 3935

Thence leaving the centerline of Kenny Road and across 3936
said 56.66-acre tract for the following three courses: 3937

1. North 87° 13' 13" West for a distance of 151.58 feet to 3938
a point; 3939

2. North 02° 46' 47" East for a distance of 25.00 feet to 3940
a point; 3941

3. South 87° 13' 13" East for a distance of 151.93 feet to 3942
a point in the centerline of Kenny Road and the easterly line of 3943
said 56.66-acre tract; 3944

Thence along the centerline of Kenny Road and the easterly 3945
line of said 56.66-acre tract, South 03° 35' 03" West for a 3946
distance of 25.00 feet to the True Point of Beginning, 3947
containing 0.087 acres, more or less, all of which are within 3948
Auditor's Parcel Number 010-203994, subject however to all other 3949
legal rights of way, easements and agreements of record. 3950

Bearings are based on the centerline of Kenny Road being N 03° 35' 03" E as referenced to the State Plane Coordinate System, Ohio South Zone, NAD 83 with 2011 NSRS Adjustment.

0.479-ACRE DESCRIPTION

Being Situated in the state of Ohio, county of Franklin, city of Columbus, Quarter Township 3, Township 1N, Range 18W, United States Military Lands and being part of a Reserve and Lots Numbered 33-35, 39, 40, 89 & 90 as the same are numbered and delineated upon the recorded plat of Wood-Brown Place (Plat Book 5, Page 196) and also being parts of lands owned by the state of Ohio as conveyed in Deed Book 649, Pages 245, 246, 248, 249, 328 and Deed Book 694, Page 373 of the Recorder's Office, Franklin County, Ohio, and being more particularly described as follows:

Commencing at an aluminum disk in PVC encased concrete found in a monument box at an angle point in the centerline of Kenny Road (Width Varies), designation FCGS 1160, said point being part of the Franklin County Survey Control;

Thence along the centerline of Kenny Road, North 03° 35' 03" East for a distance of 92.12 feet to a point;

Thence leaving the centerline of Kenny Road, South 87° 13' 13" East for a distance of 25.00 feet to a point on the existing westerly line of said state of Ohio Lands, said point being True Point of Beginning;

Thence along the existing westerly line of said state of Ohio lands, North 03° 35' 03" East for a distance of 25.00 feet to a point;

Thence across said state of Ohio lands the following four courses:

1. South 87° 13' 13" East for a distance of 185.10 feet to	3980
a point;	3981
2. North 88° 27' 19" East for a distance of 251.68 feet to	3982
a point;	3983
3. North 70° 38' 49" East for a distance of 372.16 feet to	3984
a point;	3985
4. North 68° 13' 01" East for a distance of 22.40 feet to	3986
a point on the easterly line of said state of Ohio lands and the	3987
existing westerly railroad right of way as partitioned to CSX	3988
Transportation, Inc. in Complete Record 8, Page 459 of the	3989
Probate Records, Franklin County, Ohio and affected by Article	3990
of Merger in Official Record 13283, Page G13 of the Recorder's	3991
Office, Franklin County, Ohio;	3992
Thence with the easterly line of said state of Ohio lands	3993
and the existing westerly railroad right of way, South 11° 29'	3994
43" East for a distance of 25.41 feet to a point;	3995
Thence across said state of Ohio lands the following four	3996
courses:	3997
1. South 68° 13' 01" West for a distance of 18.39 feet to	3998
a point;	3999
2. South 70° 38' 49" West for a distance of 376.60 feet to	4000
a point;	4001
3. South 88° 27' 19" West for a distance of 256.54 feet to	4002
a point;	4003
4. North 87° 13' 13" West for a distance of 186.39 feet to	4004
the True Point of Beginning, containing 0.479 acres, more or	4005
less, all of which are within Auditor's Parcel Number 010-	4006
204047, subject however to all other legal rights of way,	4007

easements and agreements of record. 4008

Bearings are based on the centerline of Kenny Road being N 4009
03° 35' 03" E as referenced to the State Plane Coordinate 4010
System, Ohio South Zone, NAD 83 with 2011 NSRS Adjustment. 4011

0.872-ACRE DESCRIPTION 4012

Being Situated in the state of Ohio, county of Franklin, 4013
city of Columbus, Quarter Township 3, Township 1N, Range 18W, 4014
United States Military Lands and being part of an original 4015
79.59-acre tract as conveyed to The State of Ohio by deed of 4016
record in Deed Book 428, Page 192 of the Recorder's Office, 4017
Franklin County, Ohio, and being more particularly described as 4018
follows: 4019

Commencing at angle point on the existing easterly limited 4020
access right of way of State Route 315 (FRA-315-2.85) and the 4021
grantor's westerly line, said point being located 115 feet right 4022
of station 118+00.00 (FRA-315-2.85); 4023

Thence along the existing easterly limited access right of 4024
way of State Route 315 (FRA-315-2.85) and the grantor's westerly 4025
line, North 00° 02' 46" West for a distance of 251.17 feet to 4026
the True Point of Beginning; 4027

Thence continuing along the existing easterly limited 4028
access right of way of State Route 315 (FRA-315-2.85) and the 4029
grantor's westerly line, North 00° 02' 46" West for a distance 4030
of 26.64 feet to a point; 4031

Thence across the grantor's property the following eleven 4032
courses: 4033

(1) North 69° 45' 55" East for a distance of 375.30 feet; 4034

(2) South 80° 21' 24" East for a distance of 287.18 feet; 4035

(3) North 76° 50' 24" East for a distance of 124.49 feet; 4036

(4) South 86° 07' 10" East for a distance of 331.14 feet; 4037

(5) South 86° 20' 13" East for a distance of 402.48 feet; 4038

(6) South 03° 39' 47" West for a distance of 25.00 feet; 4039

(7) North 86° 20' 13" West for a distance of 402.52 feet; 4040

(8) North 86° 07' 10" West for a distance of 327.44 feet; 4041

(9) South 76° 50' 24" West for a distance of 125.78 feet; 4042

(10) North 80° 21' 24" West for a distance of 285.55 feet; 4043

(11) South 69° 45' 55" West for a distance of 377.82 feet 4044

to the True Point of Beginning, containing 0.872 acres, more or 4045

less, all of which are within Auditor's Parcel Number 010- 4046

203994, subject however to all other legal rights of way, 4047

easements and agreements of record. 4048

Bearings are based on the centerline of State Route 315 4049

being N 06° 58' 10" W as referenced to the State Plane 4050

Coordinate System, Ohio South Zone, NAD 83 with 2011 NSRS 4051

Adjustment. 4052

Stations are based on ODOT Right of Way Plan Set "FRA-315- 4053

2.85", dated March 03, 1973. 4054

The foregoing legal descriptions may be corrected or 4055

modified by the Department of Administrative Services to a final 4056

form if such corrections or modifications are needed to 4057

facilitate recordation of the perpetual easement. 4058

(B) The perpetual easement shall state the obligations of, 4059

and the duties to be observed and performed by, the city of 4060

Columbus, Ohio with regard to the perpetual easement, and 4061

require the city of Columbus, Ohio to assume perpetual 4062

responsibility for the installation, construction, operation, 4063
maintenance, repair, reconstruction, servicing and/or 4064
replacement of the thirty-inch (30") sanitary sewer pipeline 4065
that is currently located on the real estate. 4066

(C) Consideration for the granting of the perpetual 4067
easement shall be \$1.00. 4068

(D) The Director of the Department of Administrative 4069
Services shall prepare the perpetual easement. The perpetual 4070
easement shall state the consideration and the terms and 4071
conditions for the granting of the perpetual easement. The 4072
perpetual easement shall be executed by the Director of 4073
Administrative Services in the name of the state, be kept in the 4074
records of the Department of Administrative Services, and 4075
delivered to the city of Columbus, Ohio. The city of Columbus, 4076
Ohio shall present the perpetual easement for recording in the 4077
Office of the Franklin County Recorder. The city of Columbus, 4078
Ohio shall pay the costs associated with recording the perpetual 4079
easement. 4080

(E) This section shall expire 3 years after its effective 4081
date. 4082

Section 14. (A) The Director of Administrative Services is 4083
authorized to execute a perpetual easement burdening state-owned 4084
real estate under the jurisdiction of The Ohio State University, 4085
for the installation, construction, reconstruction, use, 4086
operation, maintenance, repair, replacement, removal, servicing 4087
and improvement of one twenty-inch natural gas pipeline with a 4088
maximum operating pressure of 190 psig, two twelve-inch natural 4089
gas pipelines, one eight-inch natural gas pipeline, one two-inch 4090
natural gas pipeline, two gas house facilities and two valves, 4091
in accordance with the following guidelines: 4092

Notwithstanding division (A) (5) of section 123.01 of the
Revised Code, the Director of Administrative Services may
execute a perpetual easement in the name of the State with
Columbia Gas of Ohio, Inc., an Ohio corporation, and its
successors and assigns, for the installation, construction,
reconstruction, use, operation, maintenance, repair,
replacement, removal, servicing, and improvement of one twenty-
inch natural gas pipeline with a maximum operating pressure of
190 psig, two twelve-inch natural gas pipelines, one eight-inch
natural gas pipeline, one two-inch natural gas pipeline, two gas
house facilities and two valves, burdening the following
described real estate:

2.583-ACRE DESCRIPTION

Situated in the State of Ohio, County of Franklin, City of
Columbus, Section 3, Township 1 North, Range 18 West, United
States Military Lands, being a 40 foot wide Pipeline Easement to
Columbia Gas of Ohio, Inc. in, over and across the lands of The
State of Ohio (Parcel No. 010-203996) as conveyed to them by
deed in Deed Vol. 942, Page 326 as recorded in the Recorder's
Office, Franklin County, Ohio, and being more particularly
described as follows:

Commencing in a $\frac{3}{4}$ inch iron rod found in the intersection
of the Northerly right-of-way of Zollinger Road (As dedicated by
the plat of Wright Place, PB40, Pg4) and the Southwesterly
corner of Lot 4 of said Wright Place, THENCE;

Leaving said intersection, and in the Westerly line of
said Wright Place, and the Westerly line of Section 3, South 03°
07' 21" West, 12.52 feet to a point in the Northwesterly corner
of said State of Ohio lands, and being THE TRUE POINT OF
BEGINNING of the herein described 40' Pipeline Easement, THENCE;

(1) Leaving the Westerly line of said Wright Place, and in 4123
the Northerly line of said State of Ohio lands, South 86° 23' 4124
34" East, 2336.70 feet to a point in the Northerly extension of 4125
the Westerly line of Kenny Road (ROW Varies), THENCE; 4126

(2) Leaving said Northerly line, and in said Westerly 4127
right-of-way-line, South 33° 49' 27" East, 151.29 feet to a 4128
point, THENCE; 4129

(3) Continuing in said Westerly right-of-way line, South 4130
37° 57' 29" East, 190.98 feet to a point, THENCE; 4131

(4) Continuing in said Westerly right-of-way line, South 4132
26° 19' 17" East, 152.69 feet to a point, THENCE; 4133

(5) Leaving said Westerly right-of-way, and over and 4134
across the lands of the aforementioned State of Ohio, South 82° 4135
38' 04" West, 45.50 feet to a point, THENCE; 4136

(6) Continuing in said easement line, North 25° 01' 19" 4137
West, 133.73 feet to a point, THENCE; 4138

(7) Continuing in said easement line, North 38° 21' 18" 4139
West 188.34 feet to a point, THENCE; 4140

(8) Continuing in said easement line, North 33° 19' 52" 4141
West, 133.35 feet to a point, THENCE; 4142

(9) Continuing in said easement line, North 86° 23' 34" 4143
West 2316.39 feet to a point in the Westerly line of the 4144
Grantor, also being the Westerly line of said Section 3, THENCE; 4145

(10) In said Westerly line, North 3° 07' 21" East, 40.00 4146
feet to THE TRUE POINT OF BEGINNING of the herein described 4147
Pipeline Easement, containing 112,533.64 Sq. Ft. or 2.583 Acres 4148
of land. 4149

Subject to all legal highways, easements and restrictions 4150
of record. 4151

Prior Deeds: Deed Vol. 942, Page 326 4152

Bearings are based on Geodetic North derived from GPS/RTN 4153
observations using ODOT CORS network stations, converted to the 4154
Ohio State Plane South Zone, Horizontal Datum NAD83(2011) epoch 4155
2023.0425, resulting in the Northerly line of the State of Ohio 4156
being South 86° 23' 34" East. 4157

The above legal description is the result of an actual 4158
field survey made under the direction of Scott R. Lindgren of 4159
Metro Consulting Associates, Ohio Registered Surveyor No. 7853 4160
in April of 2023. 4161

0.051-ACRE DESCRIPTION 4162

Situated in the State of Ohio, County of Franklin, City of 4163
Columbus, Section 3, Township 1 North, Range 18 West, United 4164
States Military Lands, being a Gas Facilities and Regulator 4165
Easement granted to Columbia Gas of Ohio, Inc. in, over and 4166
across the lands of The State of Ohio (Parcel No. 010-203996) as 4167
conveyed to them by deed in Deed Vol. 942, Page 326 as recorded 4168
in the Recorder's Office, Franklin County, Ohio, and being more 4169
particularly described as follows: 4170

Commencing in a 3/4 inch iron rod found in the 4171
intersection of the Northerly right-of-way of Zollinger Road (As 4172
dedicated by the plat of Wright Place, PB40, Pg4) and the 4173
Southwesterly corner of Lot 4 of said Wright Place, THENCE; 4174

Leaving said intersection, and in the Westerly line of 4175
said Wright Place, and the Westerly line of Section 3, South 03° 4176
07' 21" West, 12.52 feet to a point, THENCE; 4177

Leaving the Westerly line of said Wright Place, South 86° 4178
23' 34" East, 2336.70 feet to a point in the Westerly line of 4179
Kenny Road (ROW Varies), THENCE; 4180

In said Westerly right-of-way-line, South 33° 49' 27" 4181
East, 151.29 feet to a point, THENCE; 4182

Continuing in said Westerly right-of-way line, South 37° 4183
57' 29" East, 190.98 feet to a point, THENCE; 4184

Continuing in said Westerly right-of-way line, South 26° 4185
19' 17" East, 152.69 feet to a point, being THE TRUE POINT OF 4186
BEGINNING of the herein described gas facilities and regulator 4187
easement, THENCE; 4188

(1) Continuing in said Westerly right-of-way line, South 4189
26° 19' 17" East, 16.36 feet to a point, THENCE; 4190

(2) Continuing in said Westerly right-of-way line, South 4191
16° 03' 22" East, 34.93 feet to a point, THENCE; 4192

(3) Leaving said Westerly right-of-way line, in the said 4193
easement line and over and across the lands of the State of 4194
Ohio, South 82° 38' 04" West 40.46 feet to a point, THENCE; 4195

(4) Continuing in said easement line, North 24° 43' 22" 4196
West, 52.39 feet to a point in the Southwesterly corner of a 40' 4197
pipeline easement, THENCE; 4198

(5) In the Southerly line of said 40' pipeline easement, 4199
North 82° 38' 04" East 45.50 feet to THE TRUE POINT OF BEGINNING 4200
of the herein described Gas Facilities and Regulator Easement, 4201
containing 2,200.02 Sq. Ft. or 0.051 Acres of land. 4202

Subject to all legal highways, easements and restrictions 4203
of record. 4204

Prior Deeds: Deed Vol. 942, Page 326 4205

Bearings are based on Geodetic North derived from GPS/RTN 4206
observations using ODOT CORS network stations, converted to the 4207
Ohio State Plane South Zone, Horizontal Datum NAD83(2011) epoch 4208
2023.0425, resulting in the Northerly line of the State of Ohio 4209
being South 86° 23' 34" East. 4210

The above legal description is the result of an actual 4211
field survey made under the direction of Scott R. Lindgren of 4212
Metro Consulting Associates, Ohio Registered Surveyor No. 7853 4213
in April of 2023. 4214

0.923-ACRE DESCRIPTION 4215

Situated in the State of Ohio, County of Franklin, City of 4216
Columbus, Section 3, Township 1 North, Range 18 West, United 4217
States Military Lands, being a variable width Pipeline Easement 4218
to Columbia Gas of Ohio, Inc. in, over and across the lands of 4219
The State of Ohio (Parcel No. 010-204024) as conveyed to them by 4220
deed in Deed Vol. 2077, Page 222 as recorded in the Recorder's 4221
Office, Franklin County, Ohio, and being more particularly 4222
described as follows: 4223

Commencing in a found three-fourths inch iron pipe in the 4224
intersection of the Northerly right-of-way line of Ackerman 4225
Road. (variable ROW) and the Westerly right-of-way line of CSX 4226
Railroad (FKA Chesapeake and Ohio Railroad), THENCE; 4227

Leaving said Northerly right-of-way line of Ackerman Road, 4228
and in said Westerly right-of-way line of said CSX Railroad, 4229
South 11° 28' 15" East, 208.57 feet to a point, said point being 4230
101.38 feet right of centerline station 99+63.00 (Ackerman Road) 4231
and 50 feet left of station 227+17.14 of CSX Railroad as shown 4232
on SR 315 plans FRA-315-2.85-6.1 (1969), recorded in Plat Book 4233

41, Page 28 of the Franklin County Recorder's Office, also being 4234
THE TRUE POINT OF BEGINNING of the herein described Pipeline 4235
Easement, THENCE; 4236

(1) Leaving the Southerly right-of-way line of said 4237
Ackerman Road, and in said Westerly right-of-way line of CSX 4238
Railroad, South 11° 38' 11" East, 5.15 feet to a point, THENCE; 4239

(2) Leaving Westerly right-of-way line, and in the line of 4240
the herein described Pipeline Easement, North 88° 37' 20" West, 4241
632.50 feet to a point, THENCE; 4242

(3) Continuing in said Easement line, North 01° 22' 41" 4243
East, 35.50 feet to a point, THENCE; 4244

(4) Continuing in said Easement line, North 87° 55' 26" 4245
West, 30.84 feet to a point, THENCE; 4246

(5) Continuing in said Easement line, North 85° 00' 46" 4247
West, 107.98 feet to a point in the Easterly right-of-way line 4248
of Kenny Road (ROW Varies), THENCE; 4249

(6) In said Easterly right-of-way line, North 29° 48' 03" 4250
West, 30.17 feet to a point, THENCE; 4251

(7) In a line that transitions from the Easterly right-of- 4252
way line of Kenny Road to the Southerly right-of-way line of the 4253
aforementioned Ackerman Road, North 48° 23' 04" East, 34.71 feet 4254
to a point in the Southerly right-of-way line of Ackerman Road, 4255
THENCE; 4256

(8) Continuing in said Southerly right-of-way line, South 4257
84° 05' 33" East 100.08 feet to a point, THENCE; 4258

(9) Continuing in said Southerly right-of-way line, South 4259
88° 40' 26" East 100.08 feet to a point, THENCE; 4260

(10) Continuing in said Southerly right-of-way line, South 4261
82° 39' 48" East 200.34 feet to a point, THENCE; 4262

(11) Continuing in said Southerly right-of-way line, South 4263
79° 24' 51" East, 365.79 feet to THE TRUE POINT OF BEGINNING of 4264
the herein described Pipeline Easement, containing 40,187.03 Sq. 4265
Ft. or 0.923 Acres of land. 4266

Subject to all legal highways, easements and restrictions 4267
of record. 4268

Prior Deeds: Deed Vol. 2077, Page 222 4269

Bearings are based on Geodetic North derived from GPS/RTN 4270
observations using ODOT CORS network stations, converted to the 4271
Ohio State Plane South Zone, Horizontal Datum NAD83(2011) epoch 4272
2023.1212, resulting in the centerline of Ackerman Road being 4273
South 86° 23' 00" East. 4274

The above legal description is the result of an actual 4275
field survey made under the direction of Scott R. Lindgren of 4276
Metro Consulting Associates, Ohio Registered Surveyor No. 7853 4277
in December of 2023. 4278

2.319-ACRE DESCRIPTION 4279

Situated in the State of Ohio, County of Franklin, City of 4280
Columbus, Section 3, Township 1 North, Range 18 West, United 4281
States Military Lands, being a 50' wide Pipeline Easement to 4282
Columbia Gas of Ohio, Inc. in, over and across the lands of The 4283
State of Ohio (Parcel No. 010-062731) as conveyed to them by 4284
deed in Deed Vol. 2077, Page 222; Bk. 616, Pg. 399; Bk. 804, Pg. 4285
360; Bk. 966, Pg. 339, Deed Vol. 2077, Page 226 as recorded in 4286
the Recorder's Office, Franklin County, Ohio, and being more 4287
particularly described as follows: 4288

Commencing in a found $\frac{3}{4}$ inch iron pipe in the intersection 4289
of the Northerly right-of-way of Ackerman Road (variable ROW) 4290
and the Easterly right-of-way of State Route 315 (SR315), 4291
THENCE; 4292

Leaving said Northerly right-of-way line of Ackerman Road, 4293
and in a tie-line, South $16^{\circ} 50' 22''$ East, 170.68 feet to a 4294
point, said point being 70.00 feet right of centerline station 4295
107+10.00 (Ackerman Road) and 364.65 feet right of station 4296
172+01.48 of State Route 315 as shown on SR 315 plans FRA-315- 4297
2.85-6.1 (1969), recorded in Plat Book 41, Page 28 of the 4298
Franklin County Recorder's Office, also being THE TRUE POINT OF 4299
BEGINNING of the herein described Pipeline Easement, THENCE; 4300

Leaving said Easterly right-of-way line of SR315, and in 4301
the Southerly right-of-way line of Ackerman Road, North $89^{\circ} 06' 10''$ East, 190.59 feet to a point, THENCE; 4302
4303

Continuing in said right-of-way line, South $86^{\circ} 23' 00''$ 4304
East, 100.00 feet to a point, THENCE; 4305

Continuing in said right-of-way line, North $89^{\circ} 53' 52''$ 4306
East, 200.42 feet to a point, THENCE; 4307

Continuing in said right-of-way line, South $86^{\circ} 23' 00''$ 4308
East, 100.00 feet to a point, THENCE; 4309

Continuing in said right-of-way line, South $84^{\circ} 05' 34''$ 4310
East 200.16 feet to a point, THENCE; 4311

Continuing in said right-of-way line, South $88^{\circ} 40' 26''$ 4312
East 200.16 feet to a point, THENCE; 4313

Continuing in said right-of-way line, South $86^{\circ} 23' 00''$ 4314
East, 200.00 feet to a point, THENCE; 4315

Continuing in said right-of-way line, South $85^{\circ} 27' 42''$ 4316

East, 495.54 feet to a point, THENCE; 4317

Continuing in said right-of-way line, South 79° 25' 21" 4318

East, 93.73 feet to a point, THENCE; 4319

Continuing in said right-of-way line, South 64° 37' 23" 4320

East, 151.47 feet to a point, THENCE; 4321

Continuing in said right-of-way line, South 87° 02' 07" 4322

East, 25.58 feet to a point, THENCE; 4323

Continuing in said right-of-way line, In a curve to the 4324

right, having a radius of 608.86 feet, an arc length of 69.11 4325

feet, and a delta angle of 06° 30' 14", also having a chord 4326

bearing South 55° 43' 12" East, with a chord distance of 69.08 4327

feet to a point, THENCE; 4328

Leaving said Southerly right-of-way-line, and in the line 4329

of the herein described Pipeline Easement, South 38° 03' 22" 4330

West, 28.64 feet to a point in the Northeasterly corner of the 4331

existing Gas Facilities and Regulator Easement, THENCE; 4332

In the Northerly line of said Easement, North 88° 14' 34" 4333

West, 55.00 feet to a point in the Northwesterly corner of said 4334

station, THENCE; 4335

Leaving said station and over and across the lands of the 4336

aforementioned State of Ohio, North 64° 19' 55" West, 180.19 4337

feet to a point, THENCE; 4338

Continuing in said easement line, North 79° 25' 21" West, 4339

84.59 feet to a point, THENCE; 4340

Continuing in said easement line, North 85° 27' 42" West, 4341

492.50 feet to a point, THENCE; 4342

Continuing in said easement line, North 86° 23' 00" West, 4343

198.60 feet to a point, THENCE; 4344

Continuing in said easement line, North 88° 40' 26" West, 4345
201.16 feet to a point, THENCE; 4346

Continuing in said easement line, North 84° 05' 34" West, 4347
201.16 feet to a point, THENCE; 4348

Continuing in said easement line, North 86° 23' 00" West, 4349
97.38 feet to a point, THENCE; 4350

Continuing in said easement line, South 89° 53' 52" West, 4351
200.42 feet, to a point, THENCE; 4352

Continuing in said easement line, North 86° 23' 00" West, 4353
99.65 feet to a point, THENCE; 4354

Continuing in said easement line, South 89° 04' 29" West, 4355
212.08 feet to a point in the aforementioned Easterly right-of- 4356
way of SR315, THENCE; 4357

In said Easterly right-of-way line, North 24° 11' 27" 4358
East, 55.32 feet to THE TRUE POINT OF BEGINNING of the herein 4359
described Pipeline Easement, containing 101,040.12 Sq. Ft. or 4360
2.319 Acres of land. 4361

Subject to all legal highways, easements and restrictions 4362
of record. 4363

Prior Deeds: Deed Vol. 2077, Page 222; Bk. 616, Pg. 399; 4364
Bk. 804, Pg. 360; Bk. 966, Pg. 339, Deed Vol. 2077, Page 226 4365

Bearings are based on Geodetic North derived from GPS/RTN 4366
observations using ODOT CORS network stations, converted to the 4367
Ohio State Plane South Zone, Horizontal Datum NAD83(2011) epoch 4368
2023.1212, resulting in the centerline of Ackerman Road being 4369
South 86° 23' 00" East. 4370

The above legal description is the result of an actual 4371
field survey made under the direction of Scott R. Lindgren of 4372
Metro Consulting Associates, Ohio Registered Surveyor No. 7853 4373
in December of 2023. 4374

0.111-ACRE DESCRIPTION 4375

Situated in the State of Ohio, County of Franklin, City of 4376
Columbus, Section 3, Township 1 North, Range 18 West, United 4377
States Military Lands, being an Access Easement to Columbia Gas 4378
of Ohio, Inc. in, over and across the lands of The State of Ohio 4379
(Parcel No. 010-062731) as conveyed to them by deed in Deed Vol. 4380
2077, Page 222; Bk. 616, Pg. 399; Bk. 804, Pg. 360; Bk. 966, Pg. 4381
339, Deed Vol. 2077, Page 226 as recorded in the Recorder's 4382
Office, Franklin County, Ohio, and being more particularly 4383
described as follows: 4384

Commencing in a found $\frac{3}{4}$ inch iron pipe in the intersection 4385
of the Northerly right-of-way of Ackerman Road (variable ROW) 4386
and the Easterly right-of-way of State Route 315 (SR315), 4387
THENCE; 4388

Leaving said Northerly right-of-way line of Ackerman Road, 4389
and in a tie-line, South $16^{\circ} 50' 22''$ East, 170.68 feet to a 4390
point, said point being 70.00 feet right of centerline station 4391
107+10.00 (Ackerman Road) and 364.65 feet right of station 4392
172+01.48 of State Route 315 as shown on SR 315 plans FRA-315- 4393
2.85-6.1 (1969), recorded in Plat Book 41, Page 28 of the 4394
Franklin County Recorder's Office, THENCE; 4395

Leaving said Easterly right-of-way line of SR315, and in 4396
the Southerly right-of-way line of Ackerman Road, North $89^{\circ} 06'$ 4397
10" East, 190.59 feet to a point, THENCE; 4398

Continuing in said right-of-way line, South $86^{\circ} 23' 00''$ 4399

East, 100.00 feet to a point, THENCE;	4400
Continuing in said right-of-way line, North 89° 53' 52"	4401
East, 200.42 feet to a point, THENCE;	4402
Continuing in said right-of-way line, South 86° 23' 00"	4403
East, 100.00 feet to a point, THENCE;	4404
Continuing in said right-of-way line, South 84° 05' 34"	4405
East 200.16 feet to a point, THENCE;	4406
Continuing in said right-of-way line, South 88° 40' 26"	4407
East 200.16 feet to a point, THENCE;	4408
Continuing in said right-of-way line, South 86° 23' 00"	4409
East, 200.00 feet to a point, THENCE;	4410
Continuing in said right-of-way line, South 85° 27' 42"	4411
East, 495.54 feet to a point, THENCE;	4412
Continuing in said right-of-way line, South 79° 25' 21"	4413
East, 93.73 feet to a point, THENCE;	4414
Continuing in said right-of-way line, South 64° 37' 23"	4415
East, 100.06 feet to a point, also being THE TRUE POINT OF	4416
BEGINNING of the herein described Access Easement, THENCE;	4417
Continuing in said right-of-way line, South 64° 37' 23"	4418
East, 21.73 feet to a point, THENCE;	4419
Leaving said right-of-way line, and over and across the	4420
lands of the aforementioned State of Ohio, in the line of the	4421
herein described Access Easement, South 02° 21' 13" West, 87.66	4422
feet to a point, THENCE;	4423
South 88° 14' 34" East, 39.96 feet to a point in the	4424
Westerly line of the existing Gas Facilities and Regulator	4425
Easement, THENCE;	4426

In the Westerly line of said Easement, North 88° 14' 34" 4427
West, 60.48 feet to a point, THENCE; 4428

Continuing over and across the lands of the aforementioned 4429
State of Ohio, North 02° 21' 13" East, 146.34 feet to THE TRUE 4430
POINT OF BEGINNING of the herein described Access Easement, 4431
containing 4,851.11 Sq. Ft. or 0.111 Acres of land. 4432

Subject to all legal highways, easements and restrictions 4433
of record. 4434

Prior Deeds: Deed Vol. 2077, Page 222; Bk. 616, Pg. 399; 4435
Bk. 804, Pg. 360; Bk. 966, Pg. 339, Deed Vol. 2077, Page 226 4436

Bearings are based on Geodetic North derived from GPS/RTN 4437
observations using ODOT CORS network stations, converted to the 4438
Ohio State Plane South Zone, Horizontal Datum NAD83(2011) epoch 4439
2023.1212, resulting in the centerline of Ackerman Road being 4440
South 86° 23' 00" East. 4441

The above legal description is the result of an actual 4442
field survey made under the direction of Scott R. Lindgren of 4443
Metro Consulting Associates, Ohio Registered Surveyor No. 7853 4444
in December of 2023. 4445

0.082-ACRE DESCRIPTION 4446

Situated in the State of Ohio, County of Franklin, City of 4447
Columbus, Section 3, Township 1 North, Range 18 West, United 4448
States Military Lands, being a Gas Facilities and Regulator 4449
Easement to Columbia Gas of Ohio, Inc. in, over and across the 4450
lands of The State of Ohio (Parcel No. 010-062731) as conveyed 4451
to them by deed in Deed Vol. 2077, Page 222; Bk. 616, Pg. 399; 4452
Bk. 804, Pg. 360; Bk. 966, Pg. 339, Deed Vol. 2077, Page 226 as 4453
recorded in the Recorder's Office, Franklin County, Ohio, and 4454
being more particularly described as follows: 4455

Commencing in a found $\frac{3}{4}$ inch iron pipe in the intersection 4456
of the Northerly right-of-way of Ackerman Road (variable ROW) 4457
and the Easterly right-of-way of State Route 315 (SR315), 4458
THENCE; 4459

Leaving said Northerly right-of-way line of Ackerman Road, 4460
and in a tie-line, South $16^{\circ} 50' 22''$ East, 170.68 feet to a 4461
point, said point being 70.00 feet right of centerline station 4462
107+10.00 (Ackerman Road) and 364.65 feet right of station 4463
172+01.48 of State Route 315 as shown on SR 315 plans FRA-315- 4464
2.85-6.1 (1969), recorded in Plat Book 41, Page 28 of the 4465
Franklin County Recorder's Office, THENCE; 4466

Leaving said Easterly right-of-way line of SR315, and in 4467
the Southerly right-of-way line of Ackerman Road, North $89^{\circ} 06' 10''$ East, 190.59 feet to a point, THENCE; 4468
4469

Continuing in said right-of-way line, South $86^{\circ} 23' 00''$ 4470
East, 100.00 feet to a point, THENCE; 4471

Continuing in said right-of-way line, North $89^{\circ} 53' 52''$ 4472
East, 200.42 feet to a point, THENCE; 4473

Continuing in said right-of-way line, South $86^{\circ} 23' 00''$ 4474
East, 100.00 feet to a point, THENCE; 4475

Continuing in said right-of-way line, South $84^{\circ} 05' 34''$ 4476
East 200.16 feet to a point, THENCE; 4477

Continuing in said right-of-way line, South $88^{\circ} 40' 26''$ 4478
East 200.16 feet to a point, THENCE;` 4479

Continuing in said right-of-way line, South $86^{\circ} 23' 00''$ 4480
East, 200.00 feet to a point, THENCE; 4481

Continuing in said right-of-way line, South $85^{\circ} 27' 42''$ 4482
East, 495.54 feet to a point, THENCE; 4483

Continuing in said right-of-way line, South 79° 25' 21" 4484
East, 93.73 feet to a point, THENCE; 4485

Continuing in said right-of-way line, South 64° 37' 23" 4486
East, 151.47 feet to a point, THENCE; 4487

Continuing in said right-of-way line, South 87° 02' 07" 4488
East, 25.58 feet to a point, THENCE; 4489

Continuing in said right-of-way line, In a curve to the 4490
right, having a radius of 608.86 feet, an arc length of 69.11 4491
feet, and a delta angle of 06° 30' 14", also having a chord 4492
bearing South 55° 43' 12" East, with a chord distance of 69.08 4493
feet to a point, THENCE; 4494

Leaving said Southerly right-of-way-line, and in the 4495
Easterly line of a Pipeline Easement, South 38° 03' 22" West, 4496
28.64 feet to a point, being the Northeasterly corner, and THE 4497
TRUE POINT OF BEGINNING of the herein described Gas Facilities 4498
and Regulator Easement, THENCE; 4499

Continuing over and across the lands of the aforementioned 4500
State of Ohio and in the Easterly line of said Easement, South 4501
01° 45' 26" West, 65.00 feet to a point, THENCE; 4502

Continuing over and across the lands of the aforementioned 4503
State of Ohio, North 88° 14' 34" West, 55.00 feet to a point in 4504
the Easterly line of an Access Easement, THENCE; 4505

In said Easterly line, North 01° 45' 26" East, 65.00 feet 4506
to a point, THENCE; 4507

South 88° 14' 34" East, 55.00 feet to THE TRUE POINT OF 4508
BEGINNING of the herein described Gas Facilities and Regulator 4509
Easement, containing 3,575.00 Sq. Ft. or 0.082 Acres of land. 4510

Subject to all legal highways, easements and restrictions 4511

of record. 4512

Prior Deeds: Deed Vol. 2077, Page 222; Bk. 616, Pg. 399; 4513
Bk. 804, Pg. 360; Bk. 966, Pg. 339, Deed Vol. 2077, Page 226 4514

Bearings are based on Geodetic North derived from GPS/RTN 4515
observations using ODOT CORS network stations, converted to the 4516
Ohio State Plane South Zone, Horizontal Datum NAD83(2011) epoch 4517
2023.1212, resulting in the centerline of Ackerman Road being 4518
South 86° 23' 00" East. 4519

The above legal description is the result of an actual 4520
field survey made under the direction of Scott R. Lindgren of 4521
Metro Consulting Associates, Ohio Registered Surveyor No. 7853 4522
in December of 2023. 4523

The foregoing legal descriptions may be corrected or 4524
modified by the Department of Administrative Services to a final 4525
form if such corrections or modifications are needed to 4526
facilitate recordation of the perpetual easement. 4527

(B) The perpetual easement shall state the obligations of, 4528
and the duties to be observed and performed by Columbia Gas of 4529
Ohio, Inc., with regard to the perpetual easement, and require 4530
Columbia Gas of Ohio, Inc. to assume perpetual responsibility 4531
for the installation, construction, reconstruction, use, 4532
operation, maintenance, repair, replacement, removal, servicing 4533
and improvement of one (1) twenty-inch (20") natural gas 4534
pipeline with a maximum operating pressure of 190 psig, two (2) 4535
twelve-inch (12") natural gas pipelines, one (1) eight-inch (8") 4536
natural gas pipeline, one (1) two-inch (2") natural gas 4537
pipeline, two (2) gas house facilities and two (2) valves that 4538
are currently located on the real estate. 4539

(C) Consideration for the granting of the perpetual 4540

easement shall be at a price acceptable to the Director of 4541
Administrative Services and Board of Trustees of The Ohio State 4542
University. 4543

(D) The Director of Administrative Services shall prepare 4544
the perpetual easement. The perpetual easement shall be executed 4545
by the Director of Administrative Services in the name of the 4546
State, be kept in the records of the Department of 4547
Administrative Services, and delivered to Columbia Gas of Ohio, 4548
Inc. Columbia Gas of Ohio, Inc., shall present the perpetual 4549
easement for recording in the Office of the Franklin County 4550
Recorder. Columbia Gas of Ohio, Inc., shall pay the costs 4551
associated with recording the perpetual easement. 4552

(E) This section shall expire 3 years after its effective 4553
date. 4554